

C9

Spec Guide & Price List

Desks + Personal Storage + Meeting Tables



C9 SPEC GUIDE

Statement of Line.....3

Desk.....5

Desk Accessories.....8

Storage.....13

Meeting Tables.....16

Finish Guide.....20

C9 PRICE LIST

Desk.....21

Desk Accessories.....27

Storage.....28

Meeting Table.....29

Patent Pending

Prices effective January 2025


For payment, shipping, and warranty information,
please see our [Terms & Conditions](#).

C9 Statement of Line

C9 Desk


Fixed-Height

D: 24, 30
W: 48 - 72
H: 29, 36, 42




Fixed-Height Mobile

D: 24, 30
W: 48 - 72
H: 29, 36, 42



Height-adjustable

D: 24, 30
W: 48 - 72
HR: 27 - 46



Desk Pendant Storage


Pencil

D: 18
W: 15
H: 4




Pencil Box

D: 18
W: 15
H: 11




File

D: 18
W: 15
H: 11




Pencil Open

D: 18
W: 15
H: 11




Pencil Open

D: 18
W: 15
H: 15




Pencil File

D: 18
W: 15
H: 15



CPU Holder


D: 20
W: 8
H: 15 - 21



Desk Screens


Landscape, Fabric

W: 24 - 72
H: 24
HA: 17




Gallery, Fabric

W: 48 - 72
H: 32
HA: 23




Landscape, Acrylic

W: 24 - 84
H: 24, 30
HA: 17, 23




Side Screen, Acrylic

W: 24, 30
H: 24, 30
HA: 17, 23




Modesty Screen

W: 48 - 72
H: 12" Below





Single Corner Screen

D: 20
W: 48 - 72
HA: 17, 23



Double Corner Screen

D: 20
W: 48 - 72
HA: 17, 23




Tools

Tech Stand



Paper Tray



Pencil Cup




Coathooks




Desk Power & Cable Management


Trippel Power Unit



Dean Power Unit



Utility Power



E-Chain



Bracket Arm



Cable Channel
H: 29.5, 36, 42




C9 Statement of Line, cont.

C9 Storage


Garage & Cart

D: 30
W: 13
H: 42




Cart Only

D: 30
W: 11
H: 40




Garage Topper

D: 30
W: 13
H: 4, 10




Trolley

D: 30
W: 15
H: 20




Tools

Tech Stand



Paper Tray



Pencil Cup




Coathooks



Occasional Tables


Round

D: 30 - 60
H: 17, 21




Square

D: 30 - 60
W: 30 - 60
H: 17, 21



Rectangular


D: 24, 30
W: 36 - 72
H: 17, 21



Meeting Tables


Round

D: 36 - 60
H: 29.5, 36, 42




Square

D: 36 - 60
W: 36 - 60
H: 29.5, 36, 42




Rectangle, One-piece

D: 24 - 60
W: 48 - 96
H: 29.5, 36, 42



Cable Tower

D: 4, 5, 7
W: 7, 12
H: 29.5, 36, 42




Cable Channel

H: 17, 21, 29.5, 36, 42




Rectangle, Two-piece

D: 24 - 60
W: 108 - 192
H: 29.5, 36, 42




Rectangle, Three-piece

D: 36, 42, 48, 54, 60
W: 216, 240, 264, 288
H: 29.5




Monitor Mount




C9 Desk Fixed-Height

Designed by Morten Nikolajsen, Mohoni Studio, Svenborg, Denmark

Edge options



Optional clip-on cable channel specifically sized for all fixed-height desks




C9 Fixed-Height

D: 24, 30

W: 48 - 72 (3" increments)

H: 29, 36, 42




C9 Fixed-Height Mobile


D: 24, 30

W: 48 - 72 (3" increments)


H: 29, 36, 42



- Purposeful and minimal design
- Thin 3/4" worksurface
- Steel frame supports Pendant Storage and/or Desk Screens



- Knurled glide detail



- 65mm twin-wheel caster, available on 4-leg tables only

C9 Desk Height-Adjustable


Designed by Morten Nikolajsen, Mohoni Studio, Svenborg, Denmark

Edge options



C9 Desk Height-Adjustable

D: 24, 30
W: 48 - 72 (3" increments)
HR: 27 - 46



- Flush-mounted buttons
- 3/4" worksurface



Includes battery, external charger, and a cable to connect to either the external charger or the control box

The battery pack is only for lifting the leg columns

With a charged battery, a fully-loaded table can be cycled about 20 times

The battery life expectancy is 40 full evolutions of up and down

the batteries should be charged at least once every 6 months

C9 Desk | Product Specification Details

Desk Fixed-height

The C9 fixed height desk comes with a worksurface top constructed from any of the following core materials depending on options, 18 mm European birch multi-ply plywood with a waterborne edge stain, ¾" double refined NAF MDF with a waterborne edge stain or ¾" M2 industrial NAF particle board with a 1.5mm polypropylene edge band. All of these core materials are finished with either horizontal or post-form grade high pressure laminate or Forbo furniture linoleum on the top face and a horizontal grade backer sheet for balanced construction. The laminates are cold pressed using Wilsonart 3100 PVA ultra-low VOC adhesive. The frame of the desk is made from a proprietary welded roll formed steel tube made from SM355 high strength steel. The corners of the frame are cast A380 aluminum designed to seamlessly integrate with the frame and leg tubes. The legs of the fixed height table are 40mm drawn over mandrel round E235 steel tubes. These are processed to include a M38 thread that is fixed to the corner. The desk includes a H-frame constructed from 12 gauge cold rolled steel and mounted to the outer apron frame using a proprietary two clip injection molded polypropylene fastener system which provides a secure mounting position for optional pendant storage and cable management tray. The legs can be finished in either a 40mm diameter knurled glide or a 65mm twin wheel caster with two locking wheels. All metal components are powder coated.


Desk Height-adjustable

The C9 height adjustable desk comes with a worksurface top are constructed from any of the following core materials depending on options, 18 mm European birch multi-ply plywood with a waterborne edge stain, ¾" double refined NAF MDF with a waterborne edge stain or ¾" M2 industrial NAF particle board with a 1.5mm polypropylene edge band. All of these core materials are finished with either horizontal or post-form grade high pressure laminate or Forbo furniture linoleum on the top face and a horizontal grade backer sheet for balanced construction. The laminates are cold pressed using Wilsonart 3100 PVA ultra-low VOC adhesive. The frame of the desk is made from a proprietary welded roll formed steel tube made from SM355 high strength steel. The corners of the frame are cast A380 aluminum designed to seamlessly integrate with the frame and leg tubes. The legs of the height table are a telescoping set of 34mm 40mm drawn over mandrel round E235 steel tubes. Their motion is guided using high tolerance POM guide pieces that are selected and test for every single leg produced. The motion is controlled using a 16x4 steel spindle produced by Ketterer a world leading spindle manufacturer. The motion of the table is electrically driven with a separate planetary gear motor driving each leg, these motors are held in place using a Watson designed motor housing that mounts to the table frame using a secure toolless connection. The motors and electronics are provided by Linak. The electric switch is a simple two bottom design with + and – indicators on the buttons. The adjustment mechanism and leg tubes are integrated into the corner with a M38 thread fixing the outer tube in place. The desk includes a H-frame constructed from 12 gauge cold rolled steel and mounted to the outer apron frame using a proprietary two clip injection molded polypropylene fastener system which provides a secure mounting position for optional pendant storage and cable management tray. The cable management tray is constructed from 16 gauge cold rolled perforated steel and is designed to be able to pivot open toward the front or back of the table. The cable tray includes affordance for mounting the control box and excess cables. All metal components are powder coated.









C9 Pendant Storage

Designed by Morten Nikolajsen, Mohoni Studio, Svenborg, Denmark

- Pendant storage is non-handed and can be mounted to either side of desk
- Steel outer case available in all Watson powdercoat finishes





- Drawer interior powdercoat is always Alabaster
- Pencil drawer includes removable tray color-matched to exterior outer case
- Exposed drawer edge in clear stain
- C9 Pendant Storage cannot be used in combination with C9 Mobile Desks

<i>Pencil</i> D: 18 W: 15 H: 4	<i>Pencil Open</i> D: 18 W: 15 H: 11	<i>Pencil Open</i> D: 18 W: 15 H: 15	<i>Open</i> D: 18 W: 8 H: 22
			
<i>Pencil Box</i> D: 18 W: 15 H: 11	<i>Pencil File</i> D: 18 W: 15 H: 15	<i>File</i> D: 18 W: 15 H: 11	<i>CPU Holder</i> D: 20 W: 8 H: 15, 21
			

**Pencil Box, Pencil File, and File only available on 30"D desks.*

C9 Corner Screens


Designed by Morten Nikolajsen, Mohoni Studio, Svenborg, Denmark




Exposed brackets allow for reversible handedness

Tools

Tech Stand



Paper Tray



Pencil Cup



Coathooks



Single Corner Screen

D: 20

W: 48 - 72


HA: 17, 23

Double Corner Screen


D: 20

W: 48 - 72


HA: 17, 23




Steel Return



Markerboard Return





Steel Return



Markerboard Return


C9 Straight Screens

Designed by Morten Nikolajsen, Mohoni Studio, Svenborg, Denmark




Straight Screen

W: 24 - 72
H: 24
HA: 17




Gallery Screen

W: 48 - 72
H: 32
HA: 23



Modesty Screen

W: 48 - 72
HB: 12



C9 Desktop Power & Cable Management

Byrne Dean



- 2 power, 1 dual USB-A+C or 2 power, 1 open data, 1 dual USB-A+C
- 2 colorways: Fog or Storm

Byrne Trippel with Qi



- 2 power, 1 USB-A, 1 USB-C, Qi charging
- 2 colorways: Fog or Storm


Cable Channel

- Easily clips on without need for hardware
- Sized for height-adjustable or fixed, and each desk height
- Accommodates casters or glides



E-Chain

- E-chain connects from C9 Desk to Edison power rails
- Conceals cables and moves with your desk as it raises



C9 Desk Accessories | Product Specification Details

Pendant Storage

The outer case of the pendant storage is made from 16-gauge cold rolled steel with 5mm upper and 17.5mm lower corner radii and seam welded to form a continuous box. The back and internal supports are spot welded into place. The units remain non-handed via a universal mounting system that can be repositioned on top of the unit case. The drawer components are constructed of 18-gauge steel drawer bodies that are spot welded together with a ½" NAF MDF face that is finished with a horizontal or post-form grade high pressure laminate on the top face and a horizontal grade backer sheet for balanced construction. The laminates are cold pressed using Wilsonart 3100 PVA ultra-low VOC adhesive. The drawer handle is integrated into the drawer face with a hand sized cutout and recess that is sanded smooth and finished with a waterborne clear finish. Included with every pencil drawer is an 18-gauge steel drawer organizer system to offer partitions and pencil/small accessory storage. All metal components are powder coated. Please note the Pendant Storage units cannot be combined with C9 Mobile Desks.

Desk Accessories

Monitor Arm Bracket

Constructed of two welded 12 gauge cold rolled steel components that bolt to the desk frame using a proprietary two clip injection molded polypropylene fastener to provide a secure 2.75" x 4" monitor clamp location. All metal components are powder coated.

E-Chain

Uses an industry leading injection molded plastic E-chain to control the movement of the cables leaving the desks. The ends of the chain are made from either 12 or 16 gauge cold rolled steel designed to mount to the underside of the desk and clamp to the edge of the rail system. All metal components are powder coated.

Utility Power

Can be specified with the desk as an option. The 4-outlet industrial grade power strip comes with a 10-foot power cord. A 16-gauge cold rolled steel mounting bracket comes with each power strip to mount to the underside of desk. All metal components are powder coated.

Desktop Power

Designed to mount either on the surface of the C9 desks or uses a 16 gauge cold rolled steel bracket to mount to the desk frame using a proprietary two clip injection molded polypropylene fastener. All metal components are powder coated.

Desk Screens

Corner Screen

The back of the screen is constructed of two pieces of 12mm LDF wrapped in fabric using a rubber emulsion Simalfa glue with zero VOC's. The side of the screen is constructed of 12 gauge cold rolled steel offered in a slotted version available in Watson powder coated finishes or a white board coating with limited slots needed for mounting. The screen includes clamps that mount to the desk frame using a proprietary two clip injection molded polypropylene fastener. The screen is non handed and as such can be repositioned to work either in a left-handed, or right-handed orientation. The screen can also be specified as a full wrap screen which consists of two screens, one mounted in the right-handed and a second mounted in a left-handed orientation completing a full wrap around the back and two sides of the desk. All metal components are powder coated.

Straight Screen

Constructed from two pieces of 12mm LDF wrapped in fabric using a rubber emulsion Simalfa glue with 0 VOC's. The screen includes a clamp that mounts to the desk frame using a proprietary two clip injection molded polypropylene fastener and clamps to the screen along the bottom edge allowing the clamps to be repositioned based upon the requirements of other items mounting to the desk frame. All metal components are powder coated.

Modesty

Constructed of two pieces of 12mm LDF wrapped in fabric using a rubber emulsion Simalfa glue with 0 VOC's. The modesty panel mounts below the worksurface using cold rolled steel brackets that mount to the desk frame using a proprietary two clip injection molded polypropylene fastener system. The modesty panel is designed to fit between the desk legs and mount under the frame rail location. All metal components are powder coated.


C9 Cart & Garage

Designed by Ethan Pearl, Watson Product Development Team

Cart edge options




Garage and Topper



Garage Topper

- Adds additional privacy and storage functionality
- 10" topper offered with and without slots, slotted version accepts C9 Tools
- Non-handed

Tools





Cart



C9 Trolley

Designed by Ethan Pearl, Watson Product Development Team



- Steel tray lifts up and out, transforming into a side table
- Removable fabric landing pad reveals hidden pencil holder
- When in extended position, handle acts like pull to tote around the office

C9 Storage | Product Specification Details

Cart

The cart is constructed from a combination of steel frame and wood internal partitions. The steel forms a complete welded frame of 12 gauge cold rolled steel with a ¼" plate bottom panel and 40mm tube handle. These parts are joined using both continuous TIG seam welding and MIG welding. The internal partitions are constructed of ¾" NAF M2 double laminated industrial grade particleboard in black with matched 1.5mm polypropylene edge banding. The face and top panel are constructed from any of the following core materials depending on options, 18 mm European birch multi-ply plywood with a waterborne edge stain, ¾" double refined NAF MDF with a waterborne edge stain or ¾" M2 industrial NAF particle board with a 1.5mm polypropylene edge band. All of these core materials are finished with a horizontal or post-form grade high pressure laminate on the top face and a horizontal grade backer sheet for balanced construction. The laminates are cold pressed using Wilsonart 3100 PVA ultra-low VOC adhesive. Additionally, the top panel of the cart can have a fabric wrapped steel insert which provides a soft-landing sport for technology and accessories. The motion of the cart is provided by four twin-wheel 65mm swivel caster, the front two of which are locking. The unit additionally has four UHMW plastic guide pins that ensure it can be stored and removed from the garage easily. The cart comes with a double coat hook for hanging taller items on one side and includes one adjustable shelf. All metal components are powder coated.

Garage

The garage is constructed from a 12 gauge cold rolled steel welded frame with 17.5mm radius corners. The back of the garage is made from a 16-gauge piece of perforated steel, to eliminate any air pressure issues from pushing a cart into the garage and break up the large visual mass. The side panels of the garage have two options, they can either be made from ¾" M2 industrial NAF particle board in the Watson case color selections or utilized a fabric wrapped pieces of 12mm LDF with a ¼" thick NAF MDF holding this material in place. The top of the garage can be specified with a fabric wrapped steel panel to provide a soft-landing place for electronics and accessories, without the fabric panel the top panels is finished to match the face of the cart. All metal components are powder coated.

Garage Topper

The garage topper is constructed from 12 gauge cold rolled steel formed with a 17.5mm radius to match the radius on the garage. It is designed to form an L-shaped partition of additional height on the garage unit. Included in the design are slot cutouts that allot for accessory and tool mounting. The topper is held in place using machined aluminum H-clips and set screws in black and silver anodized finishes. These items can be repositioned depending on the handedness of the unit. All metal components are powder coated.

Trolley

The seamless frame is constructed from 12-gauge cold rolled steel offered in Watson powder coated finishes. The side panels – constructed from powder-coated 18-gauge perforated steel - add light to the internal storage compartment. The cushioned seat pad, tray insert, and internal pencil tray are wrapped in a matching fabric using Simalfa glue with zero VOC's. The seat pad uses a high-density closed-cell polyolefin foam to provide ample cushioning with a low profile. The lift-top tray - constructed from 12-gauge steel - rises to 28.5" above the ground to create an elevated secondary surface that can be repositioned with the lockable casters. The large, contoured handle is partially wrapped in Mocha-colored engineering leather that is easily cleanable and uses less water to produce than cow-hide leather. Removing the tray insert - constructed from 16-gauge fabric-wrapped steel and powder-coated steel - reveals a hidden storage compartment and keyed-lock. A chrome-finished bag hook located on the underside of the tray provides convenient storage for a backpack or coat. The large storage compartment underneath the lift-top tray has Charcoal powder-coated file bars and a fabric wrapped pencil tray. A second storage compartment is located underneath the seat.

C9 Meeting Tables

Designed by Morten Nikolajsen, Mohoni Studio, Svenborg, Denmark

Edge Options





Table Height Options

Meeting Tables

42



36

29.5


Occasional Tables

21

17



- Knurled glide detail



- 65mm twin-wheel caster, available on 4-leg tables only


C9 Meeting Tables
Size Logic



Table Top Options





Round & Square
30 - 60D x 30 - 60W



Rectangular/One-piece
24 - 60D x 36 - 96W







Two-piece
24 - 60D x 108 - 192W



Three-piece
36 - 60D x
216 - 288W

Broad Range of Sizes

Rectangular C9 Meeting Tables are offered in a broad range of sizes, for team and project rooms to formal boardrooms, in one, two, or three-piece surfaces. Grain direction runs the width of the table, and is matched at the seam on multi-surface tables.

60			
54			
48			
42			
36			
30			
24			
			
			
			

C9 Meeting Tables

In-Surface Power


The Dual-hinge power unit is Watson's unique 2-way access to C9 in-surface power/data. Lids are grain-matched to the worksurface and house ample space beneath for excess cables and remotes. Available in a single unit, or double unit (XL, shown below) depending on power/data needs.



Available in the following three power/data configurations:

Dual-hinge Full

- 3 Power
- USB A+C
- 1 HDMI
- 1 CAT6



Dual-hinge Basic

- Commercial 4 power plug strip
- 1 HDMI
- 1 CAT6
- 10' Cord




Dual-hinge Open (no power)

- 1 HDMI
- 1 CAT6



Power Locations

Each separate surface can be specified with a drop-in power unit, centered in the surface.



C9 Meeting Tables | Product Specification Details


Meeting Tables

The C9 Meeting Table and Occasional Table come with a worksurface constructed from any of the following core materials (depending on options): 18mm European birch multi-ply plywood with a waterborne edge stain, 3/4" double refined NAF MDF with a waterborne edge stain, or 3/4" M2 industrial NAF particle board with a 1.5mm polypropylene edge band. All core materials are finished with either horizontal or post-form grade high pressure laminate or Forbo furniture linoleum on the top surface. The bottom of the worksurface is laminated with the same material as the top unless the top is Forbo, in which case a horizontal grade backer sheet is applied. These laminates are cold pressed using Wilsonart 3100 PVA ultra-low VOC adhesive. The frame of the table is made from a proprietary welded roll formed steel tube made from SM355 high strength steel. The corners of the base are cast A380 aluminum designed to seamlessly integrate with the frame and leg tubes. The legs of the table are 40mm welded roll formed HC260LA steel. For tables with center legs, a center frame rail made from extruded 6005A T6 aluminum connects to the "T" joints which are also made from cast A380 aluminum. Most table sizes include 1.25"x2" hot-rolled steel tubes that further support the worksurface for better deflection performance. The support rails connect to the frame with drop in 12 gauge cold rolled steel brackets. An optional cable tray made from 18 gauge cold rolled steel connects to the support rails via tabbed hinges and thumbscrews. All metal components are powder coated.

Cable Management Tower

The main structure of the C9 Cable Management Tower is comprised of a 12 GACRS sheet metal frame precision cut on a TRUMPF TruLaser 2030 Laser, formed on a TRUMPF TruBend Press Brake, MIG welded together, and sent through the powder line to receive its final finish. The frame sits on four integrated, metal feet allowing itself to stand upright. Wire management cleats are designed into the frame to accommodate excess power, voice, and data cords which can be wrapped and stored safely inside the tower. Cords can be routed into the frame either up into or down into the center of the tower. The 40mm (1.6") wide vertical posterior frame members are designed to accommodate the attachment of ISOBAR 8 TRIPP LITE PS2408 power strips. The frame is completed with two 12 GACRS steel height adjustable mounting brackets which add 145mm (5.7") of height adjustment. Two wingnuts for each bracket can be loosed and tightened by hand to set the height of the brackets for securing the tower to the table. The brackets come equipped with 28lb Nickel-Plated Neodymium (rare earth) magnets threaded into the top of the brackets for easy yet secure attachment to metal cable trays or support rails under the meeting table. An alternate mounting method is to remove the magnets by unthreading them and replacing them with #8 wood screws mounted into the worksurface (verify that the length of screw will not pierce through the work surface). The brackets are oriented so the mounting points are within the footprint of the tower but can easily be flipped around and mounted outside the footprint for easier access to wood screws. The frame is shrouded with two symmetric 18 GACRS perforated steel covers. These covers are cut on a TRUMPF TruLaser 2030 Laser, formed on a TRUMPF TruBend Press Brake, spot welded with steel mounting hooks, and powdercoated. The shrouds can be hung with either a 5mm (0.2") or 20mm (0.8") bottom gap by choosing the appropriate hanging point. The 5mm gap would be appropriate when the tower is placed directly over a floor power unit when no cords need to exit the bottom of the tower. The 20mm gap should be used when cords need to run out the bottom of the tower. Nickel-Plated Neodymium magnets (rare earth) are attached to the outside of the frame with adhesive tape to guide and secure the shrouds into place. These work in tandem with the hooks to make the installation seamless.

Finish Guide



Surface Laminate

	Alabaster	AB
	Frosty White	FJ
	Markerboard [§]	WM
	Fashion Grey	FQ
	Black	BK
Woodgrain	White Cypress	WCS
	Fawn Cypress	FCZ
	Asian Sand	JS
	Phantom Pearl	PPE
	Phantom Ecru	PEC
	Grey Elm	GEL
	Field Elm	FLM
	Loft Oak	LOA
	Blond Echo	EH
	Veranda Teak	VTK
	Neo Walnut	NEW
	Walnut Heights	WTH
	Skyline Walnut	SKW
	Studio Teak	DT
	Ebony Recon	ERE
Craft Surface	Saddle	BKR

[§]Markerboard
+\$100 per surface
list upcharge

Fenix Laminate

Bianco Kos	MWH
Castoro Ottawa	MBR
Nero Ingo	MBK

*Fenix NTM Laminate

An extremely matte laminate with anti-finger-printing and anti-bacterial properties. **Upcharges by surface size:**
Under 30x72 +\$440 list
Over 30x72 +\$880 list

Forbo Linoleum

Forbo Ash	FAS
Forbo Pebble	FPE
Forbo Mushroom	FMU
Forbo Olive	FOL
Forbo Pewter	FPW
Forbo Noir	FNE
Forbo Smokey Blue	FSB

*Forbo Linoleum

A super green material with a leather-like texture and a matte finish.

Upcharge: +\$250 list ea.

Storage Laminate

	Alabaster	AB
	Frosty White	FJ
	Fashion Grey	FQ
	Satin Gray	GY
	Slate	SG
Woodgrain	Charcoal	CH
	Black	BK
	Field Elm	FLM
	Phantom Ecru	PEC
	Blond Echo	EH
	Fawn Cypress	FCZ
	Studio Teak	DT
	Walnut Heights	WTH

Edge Profile

90	Stain*	CU
	Trim	CQ
	Ply**	CV

***MDF edge**
+\$150 per surface
list upcharge

****Ply edge**
+\$350 per surface
list upcharge

Edge Trim Color

Stain	Charcoal [†]	CH
	Natural	ZE
Trim	Alabaster	AB
	Frosty White	FJ
	Fashion Grey	FQ
	Satin Gray	GY
	Slate	SG
	Charcoal	CH
	Black	BK
	Field Elm	FLM
	Phantom Ecru	PEC
	Blond Echo	EH
	Fawn Cypress	FCZ
	Studio Teak	DT
	Walnut Heights	WTH
Ply	Natural	ZE

[†]Charcoal Stain
+\$50 per surface
list upcharge

Powdercoat

Alabaster	AB
Frosty White	FJ
Markerboard	WM
Fashion Grey	FQ
Silver	WA
Satin Gray	GY
Slate	SG
Charcoal	CH
Black	BK
Aqua	AQU
Burnt Orange	REO
Mustard Seed	LEY
Emerald Green	PIG
Sage Green	PAG
Blue Steel	BLG
Stone	STG
Bark	BRK
Blush	BLU
Crema	CRE
Sapphire	SAP
Ruby	RBV
Clearcoat [†]	ZE

Fabric

Synergy 66*	Affix	AFI
	Allice	ALK
	Append	APP
	Chemistry	CHE
	Group	GRO
	Kinship	KIN
	Loop	LOO
	Mutual	MUT
	Pact	PAC
	Serendipity	SER
	Summon	SUM
	Work	WOR
Rivet	Tensile	TEN
	Vitreous	VIT
	Wire	WRE
	Forge	FRG
	Spark	SPK
	Molten	MLT
	Otter	OTR
	Alloy	ALY
	Grey Brindle	GRB
	Galvanize	GLV
	Lagoon	LGN
	Quench	QUE

***Synergy 66**
+\$250 per item
list upcharge

*Fabric Pad Options for Cart & Garage:
Light Fabric (Synergy 66 - Serendipity)
Dark Fabric (Synergy 66 - Chemistry)
If fabric is chosen for the Garage side panels, you will have the option to match this fabric.

Extended Powdercoat Program

Additional RAL colors are available as part of Watson's Extended Powdercoat Program. Please consult with your account manager to ensure your powder selection is available. Some pearls and metallics are not offered.

- **Upcharge: \$1760 list per order, per color**
- **Leadtime: Contact the factory for leadtime**


[†]Clearcoat Powdercoat (Raw Steel)

Preserves the look of exposed welds with visible heat bluing, grinding, natural blemishes and manufacturing tooling marks.
+\$110 list upcharge

Fabric cont.

PET	Light	SIA63
	Medium	HTA23
	Dark	CHA21
Anchorage	Angora	9A
	Asteroid	6D
	Birch	9H
	Cumin	9U
	Fossil	6X
	Geranium	R2
	Goose	9E
	Graphite	9R
	Green Aple	1G
	Henna	6H
	Pumpkin	99
	Straw	9S
	Sunshine	S8
	Waterfall	U8
	Vanilla	6V
Sprite	Sprite Snow	2W
	Sprite Linen	2I
	Sprite Khaki	7K
	Sprite Harvest	2V
	Sprite Sky	7Y

C9 Fixed-Height Desk



Options & Upcharges

Desk Heights: 29.5

Power & Tech: Utility Power (+\$300) / Cable Tray (+\$190) / Grommet (+\$55)

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)


Notes

- Desk depth and width are net sized, and are an inch less in actual dimension

D	W	H	MODEL NUMBER	PRICE W/ GLIDES
24	48	29.5	C9R4T2448	1590
24	51	29.5	C9R4T2451	1610
24	54	29.5	C9R4T2454	1620
24	57	29.5	C9R4T2457	1640
24	60	29.5	C9R4T2460	1660
24	63	29.5	C9R4T2463	1680
24	66	29.5	C9R4T2466	1700
24	69	29.5	C9R4T2469	1710
24	72	29.5	C9R4T2472	1730

D	W	H	MODEL NUMBER	PRICE W/ GLIDES
30	48	29.5	C9R4T3048	1660
30	51	29.5	C9R4T3051	1680
30	54	29.5	C9R4T3054	1700
30	57	29.5	C9R4T3057	1710
30	60	29.5	C9R4T3060	1730
30	63	29.5	C9R4T3063	1750
30	66	29.5	C9R4T3066	1770
30	69	29.5	C9R4T3069	1790
30	72	29.5	C9R4T3072	1800

C9 Fixed-Height Desk



Options & Upcharges

Desk Heights: 36H, 42H

Power & Tech: Utility Power (+\$300) / Cable Tray (+\$190) / Grommet (+\$55)

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)


Notes

- Desk depth and width are net sized, and are an inch less in actual dimension

D	W	H	MODEL NUMBER	PRICE W/ CASTERS
24	48	36/42	C9R4T2448	1590
24	51	36/42	C9R4T2451	1610
24	54	36/42	C9R4T2454	1620
24	57	36/42	C9R4T2457	1640
24	60	36/42	C9R4T2460	1660
24	63	36/42	C9R4T2463	1680
24	66	36/42	C9R4T2466	1700
24	69	36/42	C9R4T2469	1710
24	72	36/42	C9R4T2472	1730

D	W	H	MODEL NUMBER	PRICE W/ CASTERS
30	48	36/42	C9R4T3048	1660
30	51	36/42	C9R4T3051	1680
30	54	36/42	C9R4T3054	1700
30	57	36/42	C9R4T3057	1710
30	60	36/42	C9R4T3060	1730
30	63	36/42	C9R4T3063	1750
30	66	36/42	C9R4T3066	1770
30	69	36/42	C9R4T3069	1790
30	72	36/42	C9R4T3072	1800

C9 Height-Adjustable Desk



Options & Upcharges

Power & Tech: Utility Power (+\$300) / Cable Tray (included) / Grommet (+\$55)

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

Notes

- Desk depth and width are net sized, and are an inch less in actual dimension


D	W	MODEL NUMBER	LIST
24	48	C9R4D2448	3450
24	51	C9R4D2451	3480
24	54	C9R4D2454	3500
24	57	C9R4D2457	3520
24	60	C9R4D2460	3540
24	63	C9R4D2463	3570
24	66	C9R4D2466	3590
24	69	C9R4D2469	3610
24	72	C9R4D2472	3640

D	W	MODEL NUMBER	LIST
30	48	C9R4D3048	3470
30	51	C9R4D3051	3500
30	54	C9R4D3054	3520
30	57	C9R4D3057	3540
30	60	C9R4D3060	3560
30	63	C9R4D3063	3580
30	66	C9R4D3066	3610
30	69	C9R4D3069	3630
30	72	C9R4D3072	3650


C9 Desk Pendant Storage




Pencil




Pencil Open




Pencil Open




*File**



*Pencil Box**



*Pencil File**



CPU Holder

Options & Upcharges

Lock options: Factory Installed Lock Core / Field Installed Lock Core /Non-Locking


Notes

- *File, Pencil Box, and Pencil File only available on 30D desks.
- CPU Holder adjusts from 15H to 21H
- Pendant storage face edge in clear stain

PENDANT	D	W	H	MODEL NUMBER	LIST
Pencil	18	15	04	C9PSP181504	820
Pencil Open	18	15	11	C9PSP0181511	930
Pencil Open	18	15	15	C9PSP0181515	930
Pencil Box	18	15	11	C9PSPB181511	1180
File	18	15	11	C9PSF181511	960
Pencil File	18	15	15	C9PSPF181515	1260
CPU Holder	20	8	21	C9PSCPU200821	600

C9 Single Corner Desk Screen

Steel Return



Options & Upcharges

Handed: Return on left / Return on right (right shown)


Notes

- Screens are sized for 2/3 of desk width
- Screen slots can accommodate C9 Tools

H	DESK WIDTH	HA	MODEL NUMBER	LIST
24	48	17	C9DSCS20482417	940
24	51	17	C9DSCS20512417	940
24	54	17	C9DSCS20542417	940
24	57	17	C9DSCS20572417	940
24	60	17	C9DSCS20602417	940
24	63	17	C9DSCS20632417	1080
24	66	17	C9DSCS20662417	1080
24	69	17	C9DSCS20692417	1080
24	72	17	C9DSCS20722417	1080

H	DESK WIDTH	HA	MODEL NUMBER	LIST
30	48	23	C9DSCS20483023	1000
30	51	23	C9DSCS20513023	1000
30	54	23	C9DSCS20543023	1000
30	57	23	C9DSCS20573023	1000
30	60	23	C9DSCS20603023	1000
30	63	23	C9DSCS20633023	1140
30	66	23	C9DSCS20663023	1140
30	69	23	C9DSCS20693023	1140
30	72	23	C9DSCS20723023	1140

C9 Tools



Paper Tray



Tech Stand



Pencil Cup




Coat Hooks

	MODEL NUMBER	LIST
Paper Tray	C9TPT	160
Tech Stand	C9TTS	90
Pencil Cup	C9TPC	160
Coat Hooks (5)	C9NSACH5	90

C9 Single Corner Desk Screen

Markerboard Return



Options & Upcharges

Handed: Return on left / Return on right (right shown)

Notes


- Screens are sized for 2/3 of desk width

H	DESK WIDTH	HA	MODEL NUMBER	LIST
24	48	17	C9DSCW20482417	1080
24	51	17	C9DSCW20512417	1080
24	54	17	C9DSCW20542417	1080
24	57	17	C9DSCW20572417	1080
24	60	17	C9DSCW20602417	1080
24	63	17	C9DSCW20632417	1220
24	66	17	C9DSCW20662417	1220
24	69	17	C9DSCW20692417	1220
24	72	17	C9DSCW20722417	1220

H	DESK WIDTH	HA	MODEL NUMBER	LIST
30	48	23	C9DSCW20483023	1140
30	51	23	C9DSCW20513023	1140
30	54	23	C9DSCW20543023	1140
30	57	23	C9DSCW20573023	1140
30	60	23	C9DSCW20603023	1140
30	63	23	C9DSCW20633023	1140
30	66	23	C9DSCW20663023	1280
30	69	23	C9DSCW20693023	1280
30	72	23	C9DSCW20723023	1280

C9 Double Corner Desk Screen

Steel Return




Notes

- Screen slots can accommodate C9 Tools

H	DESK WIDTH	HA	MODEL NUMBER	LIST	H	DESK WIDTH	HA	MODEL NUMBER	LIST
24	48	17	C9DSDS20482417	1700	30	48	23	C9DSDS20483023	1850
24	51	17	C9DSDS20512417	1700	30	51	23	C9DSDS20513023	1850
24	54	17	C9DSDS20542417	1700	30	54	23	C9DSDS20543023	1850
24	57	17	C9DSDS20572417	1700	30	57	23	C9DSDS20573023	1850
24	60	17	C9DSDS20602417	1700	30	60	23	C9DSDS20603023	1850
24	63	17	C9DSDS20632417	1700	30	63	23	C9DSDS20633023	1850
24	66	17	C9DSDS20662417	1700	30	66	23	C9DSDS20663023	1850
24	69	17	C9DSDS20692417	1700	30	69	23	C9DSDS20693023	1850
24	72	17	C9DSDS20722417	1700	30	72	23	C9DSDS20723023	1850

C9 Tools



Paper Tray



Tech Stand



Pencil Cup




Coat Hooks

	MODEL NUMBER	LIST
Paper Tray	C9TPT	160
Tech Stand	C9TTS	90
Pencil Cup	C9TPC	160
Coat Hooks (5)	C9NSACH5	90

C9 Double Corner Desk Screen


Markerboard Return



H	DESK WIDTH	HA	MODEL NUMBER	LIST	H	DESK WIDTH	HA	MODEL NUMBER	LIST
24	48	17	C9DSDW20482417	1850	30	48	23	C9DSDW20483023	1980
24	51	17	C9DSDW20512417	1850	30	51	23	C9DSDW20513023	1980
24	54	17	C9DSDW20542417	1850	30	54	23	C9DSDW20543023	1980
24	57	17	C9DSDW20572417	1850	30	57	23	C9DSDW20573023	1980
24	60	17	C9DSDW20602417	1850	30	60	23	C9DSDW20603023	1980
24	63	17	C9DSDW20632417	1850	30	63	23	C9DSDW20633023	1980
24	66	17	C9DSDW20662417	1850	30	66	23	C9DSDW20663023	1980
24	69	17	C9DSDW20692417	1850	30	69	23	C9DSDW20693023	1980
24	72	17	C9DSDW20722417	1850	30	72	23	C9DSDW20723023	1980

C9 Straight Desk Screen, Landscape


Fabric



H	W	HA	MODEL NUMBER	LIST	H	W	HA	MODEL NUMBER	LIST
24	24	17	C9DSL242417	580	24	48	17	C9DSL244817	580
24	27	17	C9DSL242717	580	24	51	17	C9DSL245117	580
24	30	17	C9DSL243017	580	24	54	17	C9DSL245417	720
24	33	17	C9DSL243317	580	24	57	17	C9DSL245717	720
24	36	17	C9DSL243617	580	24	60	17	C9DSL246017	720
24	39	17	C9DSL243917	580	24	63	17	C9DSL246317	720
24	42	17	C9DSL244217	580	24	66	17	C9DSL246617	720
24	45	17	C9DSL244517	580	24	69	17	C9DSL246917	720
					24	72	17	C9DSL247217	720

C9 Straight Desk Screen, Gallery


Fabric



H	W	HA	MODEL NUMBER	LIST
32	48	23	C9DSG324823	720
32	51	23	C9DSG325123	720
32	54	23	C9DSG325423	720
32	57	23	C9DSG325723	940
32	60	23	C9DSG326023	940
32	63	23	C9DSG326323	940
32	66	23	C9DSG326623	940
32	69	23	C9DSG326923	940
32	72	23	C9DSG327223	940

C9 Desk Modesty

Fabric




Notes

- Desk modesty actual height is 9", hangs 12" below desk surface

H	W	MODEL NUMBER	LIST
09	48	C9MSL0948	580
09	51	C9MSL0951	580
09	54	C9MSL0954	580
09	57	C9MSL0957	580
09	60	C9MSL0960	580
09	63	C9MSL0963	580
09	66	C9MSL0966	580
09	69	C9MSL0969	580
09	72	C9MSL0972	580

C9 Straight Desk Screen, Landscape


Acrylic



H	W	HA	MODEL NUMBER	CLEAR -AC	FROSTED -AF
24	48	17	C9ADS2448	810	990
24	51	17	C9ADS2451	810	990
24	54	17	C9ADS2454	810	990
24	57	17	C9ADS2457	810	990
24	60	17	C9ADS2460	810	990
24	63	17	C9ADS2463	1250	1530
24	66	17	C9ADS2466	1250	1530
24	69	17	C9ADS2469	1250	1530
24	72	17	C9ADS2472	1250	1530
24	75	17	C9ADS2475	1250	1530
24	78	17	C9ADS2478	1250	1530
24	81	17	C9ADS2481	1250	1530
24	84	17	C9ADS2484	1250	1530

C9 Straight Desk Screen, Gallery


Acrylic



H	W	HA	MODEL NUMBER	CLEAR -AC	FROSTED -AF
30	48	23	C9ADS3048	810	990
30	51	23	C9ADS3051	950	1160
30	54	23	C9ADS3054	950	1160
30	57	23	C9ADS3057	950	1160
30	60	23	C9ADS3060	950	1160
30	63	23	C9ADS3063	1250	1530
30	66	23	C9ADS3066	1250	1530
30	69	23	C9ADS3069	1250	1530
30	72	23	C9ADS3072	1250	1530
30	75	23	C9ADS3075	1250	1530
30	78	23	C9ADS3078	1250	1530
30	81	23	C9ADS3081	1250	1530
30	84	23	C9ADS3084	1250	1530


C9 Side Screen

Acrylic




H	W	HA	MODEL NUMBER	CLEAR -AC	FROSTED -AF
24	24	17	C9ADSS2424	720	880
24	30	17	C9ADSS2430	810	990
30	24	23	C9ADSS3024	720	880
30	30	23	C9ADSS3030	810	990

C9 Desk Power & Data



Dean Power Unit




Trippel Power Unit

Notes


- Byrne Electric Dean and Trippel power units do not require surface cutouts

POWER/DATA	PART NUMBER	LIST
Dean: 2 PWR, 1 Dual USB-A+C, Fog	C9ADPD3F	700
Dean: 2 PWR, 1 Dual USB-A+C, Storm	C9ADPD3S	700
Dean: 2 PWR, 1 Open Data, 1 Dual USB-A+C, Fog	C9ADPD4F	700
Dean: 2 PWR, 1 Open Data, 1 Dual USB-A+C, Storm	C9ADPD4S	700
Trippel: 2 PWR, 1 USB-A, 1 USB-C, Qi Charging, Fog	C9ADPRF	440
Trippel: 2 PWR, 1 USB-A, 1 USB-C, Qi Charging, Storm	C9ADPRS	440


C9 Desk Tech Accessories



Monitor Arm Bracket



Utility Power




E-Chain

Notes

- E-Chain includes bracket for mounting to the C9 Desk
- Utility Power module includes 10' cord


PART	MODEL NUMBER	LIST
Monitor Arm Bracket	C9AM	60
E-Chain	WUEC	160
Utility Power Strip	C9AUP	290

C9 Stand By Power Kit





	MODEL NUMBER	LIST
Stand By Power Kit	C9SBP	700

C9 Mobility Kit



	MODEL NUMBER	LIST
Mobility Kit	C9MOB	160

C9 Cart & Garage



Garage Toppers

Options & Upcharges

Locks: Factory Installed Lock Core / Field Installed Lock Core / No Lock


Garage Side Panel: Laminate / Fabric (+\$280)

Cart Face Edge: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

10" Topper Slots: Specify solid steel or with tool slots


	D	W	H	MODEL NUMBER	LIST
Cart & Garage	30	13	42	C9SGC301542	2760
Cart Only	30	11	40	C9SC301240	1900
Topper 4"	30	13	04	C9SGS301504	160
Topper 10"	30	13	10	C9SGS301510	160

C9 Garage Ganging Kit



	MODEL NUMBER	LIST
C9 Garage Ganging Kit	C9MBG	150

C9 Tools



Paper Tray




Tech Stand



Pencil Cup

	MODEL NUMBER	LIST
Paper Tray	C9TPT	160
Tech Stand	C9TTS	90
Pencil Cup	C9TPC	160

C9 Trolley




Options & Upcharges

Contrasting perf powdercoat: \$140

D	W	H	MODEL NUMBER	LIST
30	15	20	C9ST301520	2190

C9 Occasional Table, Round



Options & Upcharges

Table Heights: 17H / 21H


Casters: +\$110 (table height is not altered)

Power & Tech: Grommet (+\$55)

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

D	MODEL NUMBER	LIST
30	C9R0030	1510
36	C9R0036	1530
42	C9R0042	1920
48	C9R0048	1940
54	C9R0054	2340
60	C9R0060	2370

C9 Occasional Table, Square



Options & Upcharges

Table Heights: 17H / 21H


Casters: +\$110 (table height is not altered)

Power & Tech: Grommet (+\$55)

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

D	W	MODEL NUMBER	LIST
30	30	C9SQ03030	1510
36	36	C9SQ03636	1530
42	42	C9SQ04242	1920
48	48	C9SQ04848	1940
54	54	C9SQ05454	2340
60	60	C9SQ06060	2370

C9 Occasional Table, Rectangle



Options & Upcharges

Table Heights: 17H / 21H

Casters: +\$110 (table height is not altered)



Power & Tech: Grommet (+\$55)

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

D	W	MODEL NUMBER	LIST
24	36	C9R02436	1580
24	42	C9R02442	1600
24	48	C9R02448	1620
24	54	C9R02454	1630
24	60	C9R02460	1650
24	66	C9R02466	1670
24	72	C9R02472	1690

D	W	MODEL NUMBER	LIST
30	36	C9R03036	1620
30	42	C9R03042	1630
30	48	C9R03048	1650
30	54	C9R03054	1670
30	60	C9R03060	1690
30	66	C9R03066	1710
30	72	C9R03072	1720

C9 Meeting Table, Round



Options & Upcharges

Table Heights: 29.5H

Power & Tech: Grommet (+\$55) / See pages 34-35 for power options and pricing

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

D	W	H	MODEL NUMBER	PRICE W/ GLIDES
36	36	29.5	C9ROM36	1800
42	42	29.5	C9ROM42	2240
48	48	29.5	C9ROM48	2270
54	54	29.5	C9ROM54	2740
60	60	29.5	C9ROM60	2770

Options & Upcharges



Table Heights: 36H, 42H

Power & Tech: Grommet (+\$55) / See pages 34-35 for power options and pricing

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

D	W	H	MODEL NUMBER	PRICE W/ CASTERS
36	36	36/42	C9ROM36	1800
42	42	36/42	C9ROM42	2240
48	48	36/42	C9ROM48	2270
54	54	36/42	C9ROM54	2740
60	60	36/42	C9ROM60	2770

C9 Meeting Table, Square



Options & Upcharges

Table Heights: 29.5H

Power & Tech: Grommet (+\$55) / See pages 34-35 for power options and pricing

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

Wire Management Trays: available on tables 48D x 48W or larger (+\$200)

D	W	H	MODEL NUMBER	PRICE W/ GLIDES
36	36	29.5	C9SQM36	1800
42	42	29.5	C9SQM42	2240
48	48	29.5	C9SQM48	2270
54	54	29.5	C9SQM54	2740
60	60	29.5	C9SQM60	2770

Options & Upcharges

Table Heights: 36H, 42H

Power & Tech: Grommet (+\$55) / See pages 34-35 for power options and pricing


Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

Wire Management Trays: available on tables 48D x 48W or larger (+\$200)


D	W	H	MODEL NUMBER	PRICE W/ CASTERS
36	36	36/42	C9SQM36	1800
42	42	36/42	C9SQM42	2240
48	48	36/42	C9SQM48	2270
54	54	36/42	C9SQM54	2740
60	60	36/42	C9SQM60	2770

C9 Meeting Table, Rectangle

Four-leg, one-piece surface



D	W	H	MODEL NUMBER	PRICE W/ GLIDES
24	48	29.5	C9RM2448	1590
24	60	29.5	C9RM2460	1660
24	72	29.5	C9RM2472	1730
24	84	29.5	C9RM2484	2340
24	96	29.5	C9RM2496	2370
30	48	29.5	C9RM3048	1660
30	60	29.5	C9RM3060	1730
30	72	29.5	C9RM3072	1800
30	84	29.5	C9RM3084	2460
30	96	29.5	C9RM3096	2490
36	72	29.5	C9RM3672	2590
36	84	29.5	C9RM3684	3220
36	96	29.5	C9RM3696	3260



D	W	H	MODEL NUMBER	PRICE W/ CASTERS
24	48	36/42	C9RM2448	1590
24	60	36/42	C9RM2460	1660
24	72	36/42	C9RM2472	1730
24	84	36/42	C9RM2484	2340
24	96	36/42	C9RM2496	2370
30	48	36/42	C9RM3048	1660
30	60	36/42	C9RM3060	1730
30	72	36/42	C9RM3072	1800
30	84	36/42	C9RM3084	2460
30	96	36/42	C9RM3096	2490
36	72	36/42	C9RM3672	2590
36	84	36/42	C9RM3684	3220
36	96	36/42	C9RM3696	3260

Options & Upcharges

Table Heights: 29.5H

Power & Tech: Grommet (+\$55) / See pages 34-35 for power options and pricing

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

Wire Management Trays: available on tables 36D x 48W or larger (+\$200)

D	W	H	MODEL NUMBER	PRICE W/ GLIDES
42	72	29.5	C9RM4272	2740
42	84	29.5	C9RM4284	3410
42	96	29.5	C9RM4296	3450
48	72	29.5	C9RM4872	2770
48	84	29.5	C9RM4884	3450
48	96	29.5	C9RM4896	3490
54	72	29.5	C9RM5472	2910
54	84	29.5	C9RM5484	3600
54	96	29.5	C9RM5496	3650
60	72	29.5	C9RM6072	2950
60	84	29.5	C9RM6084	3650
60	96	29.5	C9RM6096	3690

Options & Upcharges

Table Heights: 36H, 42H

Power & Tech: Grommet (+\$55) / See pages 34-35 for power options and pricing


Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

Wire Management Trays: available on tables 36D x 48W or larger (+\$200)

D	W	H	MODEL NUMBER	PRICE W/ CASTERS
42	72	36/42	C9RM4272	2740
42	84	36/42	C9RM4284	3410
42	96	36/42	C9RM4296	3450
48	72	36/42	C9RM4872	2770
48	84	36/42	C9RM4884	3450
48	96	36/42	C9RM4896	3490
54	72	36/42	C9RM5472	2910
54	84	36/42	C9RM5484	3600
54	96	36/42	C9RM5496	3650
60	72	36/42	C9RM6072	2950
60	84	36/42	C9RM6084	3650
60	96	36/42	C9RM6096	3690

C9 Meeting Table, Rectangle

Six-leg, two-piece surface



Options & Upcharges

Table Heights: 29.5H / 36H / 42H

Power & Tech: Grommet (+\$55) / See pages 34-35 for power options and pricing

Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700)

Wire Management Trays: available on tables 48D or larger only (+\$400)


Notes

- Tables 42D and larger only available in 29.5H

D	W	H	MODEL NUMBER	LIST
24	108	29.5 / 36 / 42	C9RM24108	3420
24	120	29.5 / 36 / 42	C9RM24120	3470
24	132	29.5 / 36 / 42	C9RM24132	3510
24	144	29.5 / 36 / 42	C9RM24144	3560
24	156	29.5 / 36 / 42	C9RM24156	4520
24	168	29.5 / 36 / 42	C9RM24168	4580
24	180	29.5 / 36 / 42	C9RM24180	4640
24	192	29.5 / 36 / 42	C9RM24192	4690
30	108	29.5 / 36 / 42	C9RM30108	3620
30	120	29.5 / 36 / 42	C9RM30120	3670
30	132	29.5 / 36 / 42	C9RM30132	3720
30	144	29.5 / 36 / 42	C9RM30144	3760
30	156	29.5 / 36 / 42	C9RM30156	4750
30	168	29.5 / 36 / 42	C9RM30168	4810
30	180	29.5 / 36 / 42	C9RM30180	4870
30	192	29.5 / 36 / 42	C9RM30192	4930
36	108	29.5 / 36 / 42	C9RM36108	4890
36	120	29.5 / 36 / 42	C9RM36120	5000
36	132	29.5 / 36 / 42	C9RM36132	5120
36	144	29.5 / 36 / 42	C9RM36144	5340
36	156	29.5 / 36 / 42	C9RM36156	6050
36	168	29.5 / 36 / 42	C9RM36168	6170
36	180	29.5 / 36 / 42	C9RM36180	6280
36	192	29.5 / 36 / 42	C9RM36192	6390
42	108	29.5	C9RM42108	4980
42	120	29.5	C9RM42120	5100
42	132	29.5	C9RM42132	5230
42	144	29.5	C9RM42144	5470
42	156	29.5	C9RM42156	6150
42	168	29.5	C9RM42168	6270
42	180	29.5	C9RM42180	6400
42	192	29.5	C9RM42192	6580

D	W	H	MODEL NUMBER	LIST
48	108	29.5	C9RM48108	5160
48	120	29.5	C9RM48120	5270
48	132	29.5	C9RM48132	5370
48	144	29.5	C9RM48144	5480
48	156	29.5	C9RM48156	6230
48	168	29.5	C9RM48168	6340
48	180	29.5	C9RM48180	6510
48	192	29.5	C9RM48192	6610
54	108	29.5	C9RM54108	5320
54	120	29.5	C9RM54120	5420
54	132	29.5	C9RM54132	5510
54	144	29.5	C9RM54144	5610
54	156	29.5	C9RM54156	6360
54	168	29.5	C9RM54168	6450
54	180	29.5	C9RM54180	6600
54	192	29.5	C9RM54192	6700
60	108	29.5	C9RM60108	5320
60	120	29.5	C9RM60120	5420
60	132	29.5	C9RM60132	5530
60	144	29.5	C9RM60144	5650
60	156	29.5	C9RM60156	6360
60	168	29.5	C9RM60168	6460
60	180	29.5	C9RM60180	6620
60	192	29.5	C9RM60192	6730

In-Surface Dual-Hinge Power Units



Single Unit

Double Unit: XL

POWER/DATA

FULL: 3 pwr, USB A+C, 1 HDMI, 1 CAT6 / 144" cord
 Full Chicago: 3 pwr, USB A+C, 1 HDMI, 1 CAT6 / 108" cord
 BASIC: Power Strip 4 pwr, 1 HDMI, 1 CAT6, 10' Cord
 OPEN: 1 HDMI, 1 CAT6
 XL Full : 6 pwr, 2 USB A+C, 1 HDMI, 1 CAT6 / 144" cord
 XL Full Chicago: 6 pwr, 2 USB A+C, 1 HDMI, 1 CAT6 / 108" cord
 XL Open: 1 HDMI, 1 CAT6


MODEL NUMBER

WATF
WATC
WATS
WATO
WATXLF
WATXLC
WATXLO

LIST


1540
 1540
 1210
 1050
 2520
 2590
 1540

Byrne E2X Drop-In Power Units



E2X - 3-port per side

E2X - 5-port per side



E2X - 8-port per side

Options & Upcharges

Power Connection Options: Plug-in / Hardwire (+\$200)/ Chicago

Notes

- All Byrne drop-in power units require surface cutout (+\$55)
- Finishes: Silver/Black, Silver/White, no upcharge. Black/Black (+\$420)

POWER/DATA

3-port per side: 2 PWR, 1 USB A+C per side
 3-port per side: 2 PWR, 1 Open per side
 5-port per side: 3 PWR, 1 USB A+C, 1 Open per side
 5-port per side: 3 PWR, 2 Open per side
 8-port per side: 5 PWR, 1 USB A+C, 2 Open per side
 8-port: 5 PWR, 3 Open per side

MODEL NUMBER

WPAE2X2P1D
WPAE2X2P1O
WPAE2X3P1D1O
WPAE2X3P2O
WPAE2X5P1D2O
WPAE2X5P3O

LIST


1460
 1165
 1565
 1280
 1945
 1650

Byrne Ellora Drop-In Power Units



Ellora - 3-port

Ellora - 5-port



Ellora - 8-port

Ellora Qi

Options & Upcharges

Power Connection Options: Plug-in / Hardwire (+\$100)/ Chicago

Notes

- All Byrne drop-in power units require surface cutout (+\$55)
- Finishes: Silver/Black, Silver/White, no upcharge. Black/Black (+\$120)
- Units with Qi Charging require \$150 upcharge for Black

POWER/DATA

3-port: 2 PWR, 1 Open
 5-port: 3 PWR, 1 USB A+C, 1 Open
 5-port: 3 PWR, 2 Open
 8-port: 5 PWR, 1 USB A+C, 2 Open
 8-port: 5 PWR, 3 Open
 Qi: 3 PWR, 1 USB A+C, 3 Qi coils
 Qi: 3 PWR, 1 Open, 3 Qi coils


MODEL NUMBER

WPAE2P1O
WPAE3P1D1O
WPAE3P2O
WPAE5P1D2O
WPAE5P3O
WPAEQ3P1D
WPAEQ3P1O

LIST

685
 850
 715
 1460
 1315
 1405
 1280

Byrne MhoB Drop-In Power Units



Options & Upcharges


Power Connection Options: Plug-in / Hardwire (+\$100)/ Chicago
Finish: Black/Black (+\$120)

Notes

- All Byrne drop-in power units require surface cutout (+\$55)

POWER/DATA	MODEL NUMBER	LIST
3-port: 2 PWR, 1 Open	WPAM2P10	495
3-port: 2 PWR, 1 USB A+C	WPAM2P1D	610
5-port: 3 PWR, 2 Open	WPAM3P20	525
5-port: 3 PWR, 2 USB A+C	WPAM3P2D	800

Byrne Minitap Drop-In Power Unit



Options & Upcharges

Power Connection Options: Plug-in / Hardwire (+\$100)/ Chicago

Notes

- All Byrne drop-in power units require surface cutout (+\$55)

POWER/DATA	MODEL NUMBER	LIST
2 PWR	WPASMT2P	475

Byrne Node Drop-In Power Units



Options & Upcharges


Power Connection Options: Plug-in / Hardwire (+\$100) Chicago

Notes

- All Byrne drop-in power units require surface cutout (+\$55)

POWER/DATA	MODEL NUMBER	LIST
2 PWR	WPANWP	345
1 PWR, 1 USB A+C	WPAN1P1D	475

Meeting Table Cable Tower



D	W	H	MODEL NUMBER	LIST
4	7	29	WCTP4729	850
4	7	36	WCTP4736	850
4	7	42	WCTP4742	850
7	7	29	WCTP7729	980
7	7	36	WCTP7736	980
7	7	42	WCTP7742	980
5	12	29	WCTP51229	1120
5	12	36	WCTP51236	1120
5	12	42	WCTP51242	1120

Meeting Table Cable Channel




Notes

- Specify casters or glides to accommodate the correct channel height

	H	MODEL NUMBER	LIST
Fixed	17	C9SCC17	160
Fixed	21	C9SCC21	160
Fixed	29	C9SCC29	160
Fixed	36	C9SCC36	160
Fixed	42	C9SCC42	160
Height-Adj	27	C9SCC27	160

Monitor Mount



MODEL NUMBER	LIST
C9FMAV	980