EDISON

Spec Guide & Price List

Bendable Power & Data Rail + Workbench + Privacy & Accessories





EDISON SPEC GUIDE

| Statement of Line | 3 |
|-----------------------|----|
| Junior Rail | 9 |
| Senior Rail | 14 |
| Rail Accessories | 19 |
| Edison Workbench | 23 |
| Workbench Accessories | 27 |
| Finish Guide | 32 |

EDISON PRICE LIST


| Junior Rail | 33 |
|---------------------------------|----|
| Senior Rail | 39 |
| Edison Workbench | 43 |
| Edison Universal Accessories | 48 |
| Rail Exclusive Accessories | 53 |
| Workbench Exclusive Accessories | 55 |

Prices effective January 2025


Edison Statement of Line

Edison Junior Rail System

Starter, Includes End-leg D: 4 W: 48 - 96



D: 4 W: 48 - 96



Bendable Adder, Includes Mid-leg


End-leg

Cable Basket **D:** 8 **W:** 36 - 96




Edison Senior Rail Starter, Includes End-leg D: 4


W: 48 - 96



D: 4 **W:** 48 - 96

Bendable Adder, Includes Mid-leg





Edison Workbench

Starter includes two end plates and option for power infeed / Adder includes jumper and ganging hardware

Dual-sided Starter / Dual-sided Adder Height adjustable, Rectangular

D: 55, 67 **W:** 54, 60, 66, 72, 78, 84



Single-sided Starter / Dual-sided Adder Height adjustable, Rectangular

D: 29, 35 **W:** 54, 60, 66, 72, 78, 84



Dual-sided Starter / Dual-sided Adder Height adjustable, Super Ellipse

D: 55, 67 **W:** 54, 60, 66, 72, 78, 84



Single-sided Starter / Dual-sided Adder Height adjustable, Super Ellipse


D: 29, 35 **W:** 54, 60, 66, 72, 78, 84

Edison Workbench

Starter includes Infeed and two end plates / adder includes jumper and ganging hardware

Dual-sided Starter / Dual-sided Adder Fixed height, Rectangular

D: 55, 67 **W:** 54, 60, 66, 72, 78, 84



Dual-sided Starter / Dual-sided Adder Fixed height, Super Ellipse

D: 55, 67 **W:** 54, 60, 66, 72, 78, 84



Single-sided Starter / Dual-sided Adder Fixed height, Rectangular

D: 29, 35 **W:** 54, 60, 66, 72, 78, 84



Single-sided Starter / Dual-sided Adder Fixed height, Super Ellipse

D: 29, 35 **W:** 54, 60, 66, 72, 78, 84



Edison Workbench Optional Accessories

Workbench End Plate (Starter includes 2)



Cable Tray

Cable Tray with Utility Power



Extended Connector Extended Connector Power Pole
W: 15 W: 30 H: 8, 10, 12

Universal Edison Accessories

Rail Screen

Landscape Fabric **W**: 24 - 96 **H**: 19, 25

Landscape

W: 24 - 96

H: 19, 25

Landscape Acrylic **W**: 24 - 96 **H**: 19, 25



Markerboard Laminate

Fabric W: 24 - 48 H: 31


Portrait






Gallery End Panels

Dual Sided W: 60 - 150 H: 30, 46, 52, 58







Tools

Tech Stand Pencil Cup





Paper

Tray




Coathooks

Personal Markerboard W: 24, 30, 36




Planter Box

D: 5.7 **W**: 18 - 90 **H**: 13




Gallery Mid Panels *Dual Sided Fabric* **W**: 60 - 150 **H**: 30, 46, 52, 58



Neighborhood Light DIA: 16 H: 42

 \square

Single Sided Fabric W: 35 - 80 H: 30, 46, 52, 58




Edison Junior Rail and Edison Senior Rail Exclusive Accessories

Workshelf

With Slots for Tools

Single D: 10 W: 24, 30, 36, 42, 48 H: 19





Dual









Rail Screen Accessories

Personal Shelf W: 24, 30, 36 H: 16



Rail Tables

Round W: 18, 24 H: 29.5








Riser Desk (Mounted Perpendicular) D: 24, 30 W: 48 - 84 H: 29.5 Riser Desk (Mounted Parallel)




Edison Workbench Exclusive Accessories

Surface Mounted Straight Screens


W: 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84 **H**: 20






Surface Mounted Corner Screens


Single W: 54, 60, 66, 72, 78, 84 H: 20, 26 HA: 17, 23




Double W: 54, 60, 66, 72, 78, 84 H: 20, 26 HA: 17, 23



Single Markerboard W: 54, 60, 66, 72, 78, 84 H: 20, 26 HA: 17, 23




Double Markerboard W: 54, 60, 66, 72, 78, 84 H: 20, 26 HA: 17, 23



Grommet Locations


All grommets are sized at 60mm in diameter, constructed of black plastic and come standard with a grommet cover. For alternate grommet locations, you can order DAGR grommets separately and install them in the field.



All 2-Leg desks can be specified with one grommet, left, right or centered.


Edison Junior Rail


Designed by Ethan Pearl, Watson Product Development Team



Starter + Adder Logic

Rail modular power meets UL standard for 4 circuit power and quickly connects between segments. The rail provides either 4 or 8 receptacles per user and provides needed cable management, cable stowage, and bending capability from 0 to 90 degrees in either direction.





For Edison Junior, Edison Senior, and Edison Workbench, specify the system connection from the Gallery Mid Panel. The product must be the same on each side of the Gallery Mid Panel. For e.g. you cannot use Gallery Mid panel to connect an Edison Junior starter to an Edison Senior adder.


Edison Junior Jumper Sizing Matrix

When connecting rail segments of differing widths, see the sizing chart below.

| Two Duplexes Segment 2 V Per User | | Width | | | Four Duplexes Per User | | es | Segment 2 Width | | | | | | |
|--------------------------------------|----|-------|----|----|---------------------------|----|----|-----------------|---------|----|----|----|----|----|
| | | 48 | 60 | 72 | 84 | 96 | | | | | 60 | 72 | 84 | 96 |
| Vidth | 48 | 37 | 43 | 49 | 55 | 61 | _ | | Width | 60 | 39 | 45 | 51 | 57 |
| Segment 1 Width | 60 | 43 | 49 | 55 | 61 | 67 | _ | | Ť | 72 | 45 | 51 | 57 | 63 |
| gmei | 72 | 49 | 55 | 61 | 67 | 73 | - | | Segment | 84 | 51 | 57 | 63 | 69 |
| Se | 84 | 55 | 61 | 67 | 73 | 79 | | | Se | 96 | 57 | 63 | 69 | 75 |
| | 96 | 61 | 67 | 73 | 79 | 85 | - | | | | • | | | |
| | | • | | 1 | I | I | | | | | | | | |

If jumpers are ordered separately and a Gallery Mid Panel is specified in a run, jumper length would need to increase by 6".

Edison Junior | Bending the Rail



The Edison Rail can bend to any angle from 0 degrees to 90 degrees in the field, by pivoting the bendable mid-leg between each rail segment. The mid-leg foot pivots as the rail segment bends to equalize the support of the rail system at any angle.



- Mid-legs include articulating joint
- Bendable rail can be repositioned in the field



Gallery Mid Panels can only be used between linear rail segments, and cannot be used to as a way to mix rail products


- Each Rail levels up to 2" by rotating foot
- · Foot includes low-profile plastic pad to protect flooring

Rail Sizing

Two Duplex per User **W:** 48, 60, 72, 84, 96




Four Duplex per User **W:** 60, 72, 84, 96




No Power **W:** 36, 48, 60, 72, 84, 96

If a Gallery End Panel is selected with power, add a table to finish off the run



Edison Junior | Power & Cable Management

The Edison Junior Rail is a bendable power, voice, and data solution with a simple and accessible cable management system.



Cable Basket

- Optional cable basket can be specified per rail segment to house excess power & data cables
- Made from solid formed sheet metal
- Can be finished in any Watson powdercoat, to match or contrast
 with the rail



Edison Junior | Product Specification Details

Edison Junior Rail


The Edison Jr. Rail is constructed from formed 12 gauge cold rolled steel that is welded into a rigid frame structure. The rail features a patterned accessory mounting slot on the top to allow for off module accessory sizing. The power is provided via an 8-wire 4-circuit double insulated modular power system and meets the UL 1286 Standard, Modular Wiring Systems for Office Furniture. The rail can accommodate 4 network connections per segment and has space to manage 30 separate data cables. All metal components are powder coated. The bender is the key to providing controlled movement between two rail segments and allows Edison Jr. to create its characteristic floorplans. The bender is constructed from 12 & 16 gauge cold rolled steel that welded to form an open cable pathway protecting cables during its motion. The leg utilizes 34mm DOM and 40mm roll-formed round tube constructed of E235 steel. These tubes provide 2" of leveling and a UHMW guiding system for robust support. The bender uses laser cut steel gears to ensure the ¼" thick hot rolled steel plate foot remains in the optimum location for rail support and the motion is controlled to only rotate 180 degrees. The modesty panels are constructed from either 18 gauge cold rolled steel or perforated 18 gauge steel. The modesty panels are mounted to the rail with 18 gauge cold rolled steel components which hook onto nylon standoffs and are held in place with neodymium magnets. The end caps are made from 16 gauge cold rolled steel which is formed to a large 3.375" radius to match the width of the rail.

Edison Junior Cable Basket

The Edison Jr. cable basket consists of an 18 gauge formed sheet metal channel, welded to a 12 gauge central spine and two 12 gauge end caps. The powder coated channel is secured to the underside of the Edison Jr. Rail with two 10 gauge powder coated cold rolled steel mounting brackets via screws from the underside of the channel and rail. The cable basket features two cutouts in the channel to allow cables or conduit to pass from the floor into the basket or into the rail. It also features ample capacity for stowing excess cable.


Edison Junior Power Pole


The Edison Jr. power pole replaces one of the end caps on a rail segment and is constructed from two telescoping pieces of steel tube. The tube diameter is 2.75" and can carry at least two power infeeds and 30 data cables. The power pole is designed to mount ceiling tile support structures, but the weight capacity needs to be confirmed per each building specifications as this can add 13 lbs. to the ceiling. All metal components are powder coated.



Starter + Adder Logic

Rail modular power meets UL standard for 4 circuit power and quickly connects between segments. The Rail provides either 4 or 8 receptacles per user and provides needed cable management, cable stowage, and bending capability from 0 to 90 degrees in either direction.





For Edison Junior, Edison Senior, and Edison Workbench, specify the system connection from the Gallery Mid Panel. The product must be the same on each side of the Gallery Mid Panel. For e.g. you cannot use Gallery Mid panel to connect an Edison Junior starter to an Edison Senior adder.


Edison Senior Jumper Sizing Matrix

When connecting rail segments of differing widths, see the sizing chart below.

| Two Duplexes Per User | | | Segment 2 Width | | | | Four Per U | Duplexe: Iser | s Seg | gment 2 | Width | |
|--------------------------|----|----|-----------------|----|----|----|---------------|------------------|-------|---------|-------|----|
| | | 48 | 60 | 72 | 84 | 96 | | | | 72 | 84 | 96 |
| Vidth | 48 | 27 | 33 | 39 | 45 | 51 | | Width | 72 | 25 | 31 | 37 |
| it 1 V | 60 | 33 | 39 | 45 | 51 | 57 | | 4 | 84 | 31 | 37 | 43 |
| Segment 1 Width | 72 | 39 | 45 | 51 | 57 | 63 | | Segment | 96 | 37 | 43 | 49 |
| Se | 84 | 45 | 51 | 57 | 63 | 69 | | Se | | | | |
| | 96 | 51 | 57 | 63 | 69 | 75 | | | | | | |
| | | • | • | • | | | | | | | | |

If jumpers are ordered separately and a Gallery Mid Panel is specified in a run, jumper length would need to increase by 6".

Edsison Senior | Bending the Rail



The Edison Rail can bend to any angle from 0 degrees to 90 degrees, by pivoting the bendable mid-leg between each rail segment. The mid-leg foot pivots as the rail segment bends to equalize the support of the rail system at any angle.



segments, and cannot be used to as a way to mix rail products

Gallery Mid Panels can only be used between linear rail


- · Foot includes low-profile plastic pad to protect flooring
- Rail can be pivoted in the field with one to two people



• Each Rail levels up to 2" by rotating foot


Rail Sizing

Two Duplex per User **W:** 48, 60, 72, 84, 96




power, add a table to finish off the run

Four Duplex per User **W:** 60, 72, 84, 96




No Power **W:** 36, 48, 60, 72, 84, 96



If a Gallery End Panel is selected with

Edison Senior | Power & Cable Mangement


The Edison Senior Rail is a power, voice, and data solution that provides ample volume and concealment for cable management in technology rich environments.



Intuitive Wire Management



- · Panel raises and lowers for user access
- Panel is removable for facility access



• Panel auto-closes to conceal wires and plug heads

Edison Senior | Product Specification Details

Rail

Rail is constructed from 12 gauge cold rolled steel that is laser cut, formed using computer-controlled brake presses and welded into a rigid frame structure. The rail features a continuous accessory mounting slot on the top to allow for off module accessory sizing. The power is provided via an 8-wire 4-circuit double insulated modular power system and meets the UL 1286 Standard, Modular Wiring Systems for Office Furniture. The rail can accommodate 4 network connections per segment and has space to manage 30 separate data cables. All metal components are powder coated.

The bender is the key to providing controlled movement between two rail segments and allows C9 to bend space. The bender is constructed from 12 & 16 gauge cold rolled steel that is laser cut, bent and welded to form an open cable pathway protecting wire during its motion. The leg utilizes our 34mm and 40mm drawn over mandrel round tube constructed of E235 steel. These tubes provide 2" of leveling and a UHMW guiding system for robust support. The bender uses laser cut steel gears to ensure the ¹/₄" thick hot rolled steel plate foot remains in the optimum location for rail support and the motion is controlled to only rotate 180 degrees.

The modesty panels are constructed from either ¼" double refined MDF NAF with laminate on both sides with horizontal or postform grade high pressure laminate and edge banded with ½ mm poly propylene edge material in a matching finish or ¼" double refined MDF NAF faced with low pressure laminate and wrapped in fabric attached to the core using a rubber emulsion Simalfa glue with 0 VOC's. The modesty panels are mounted to the rail with 16 gauge cold rolled steel components which hook onto lowprofile steel ball bearing slides, these panels are mounted to constant force spring assemblies which ensure they remain in their closed position when not in use.

The end caps are laser cut 16 gauge cold rolled steel which is braked formed to a large 3.375" radius to match the width of the rail.


Power Pole

The power pole replaces one of the end caps on a rail segment and is constructed from two telescoping pieces of steel tube. The tube diameter is 2.75" and can carry at least two power infeeds and 30 data cables. The power pole is designed to mount ceiling tile support structures, but the weight capacity needs to be confirmed per each building specifications as this can add 13 lbs. to the ceiling. All metal components are powder coated.

Edison Rail Compatable Accessories

Designed by Ethan Pearl, Watson Product Development Team


The modular nature of Edison lets you create a space for your individual needs. Rail accessories attach to the rail with a thru-bolt system from inside the rail. *Edison Junior shown below.*



Edison Accessories | Interchangeable Accessories for Junior and Senior Rails




- Planter Box ships with interior waterproof plant liner
- Specifiy the Planter Box for full or partial width of the rail



- Produces up to 2000 lumens of LED light.
- Includes one 60W USB-C and one 10W USB-A charging port
- · Continuously dimmable, with 6 hour auto-shutoff timer



• Rail accessories are repositionable along the length of the slotted Rail top. *Edison Senior shown.*



• C9 Tools clip directly into Rail Screens or Workshelf slots




- Personal Shelf clips into the top of the Rail screen
- Included 6" white pot is repositionable left or right
- Shock cord keeps taller items secure



- Workshelf brings storage capability to the Rail and accepts C9 Tools
- Black shock cord holds device cables in place

Edison Rail | System Heights

Tackable screens, markerboards, planter boxes, collaborative surfaces, and shelving mount directly into the Rail to delineate workstations and add function to the office landscape. System heights are the same for Junior and Senior Rails (shown).




*Plant Recommendation


Easy-care varieties that require very little sunlight and infrequent watering.

Edison Rail | Linear Configuration Guidelines


For maximum reconfiguration flexibility in linear applications, we recommend under sizing desk widths by 12. We recommend a maximum of 30 $^{\circ}$ bends for linear applications.



213"





206"



Worksurface

Rectangle





Super Ellipse


72

78 84

Base Options

Extended range height adjustable workbenches are controlled with an intuitive under surface paddle switch, with LED display and indicator lights. The control is always placed on the right-hand side of the worksurface.

Anti-collision sensor is incorporated into the control box.



24

49

Power and Tech

Optional Cable Tray

Starter segment can

optional power pole

accept power infeed from either floor or ceiling via

Technology Integration

Note: 4 duplexes per user not

available on 54"W workbenches.

Edison Workbench power and accessory beam comes standard with the option of 2 or 4 duplexes per user. Utility power can be added to the optional cable tray.


Two Duplexes Per User (shown)

4 Power 2 Data Per User

Four Duplexes Per User

8 Power 2 Data Per User

Gallery End Panels, when specified with optional power, are not compatible with Chicago power.



For Edison Junior, Edison Senior, and Edison Workbench, specify the system connection from the Gallery Mid Panel. The product must be the same on each side of the Gallery Mid Panel. For e.g. you cannot use Gallery Mid Panel to connect an Edison Junior starter to an Edison Workbench.

Edison Jumper Sizing Matrix

When connecting rail segments of differing widths, see the sizing chart below.

Integrated Cable management

Data Keystone knockouts

| Two D Per U |) Duplexe Iser | S | Q | | | | |
|-----------------|----------------------|----|----|----|----|----|----|
| | | 54 | 60 | 66 | 72 | 78 | 84 |
| | 54 | 43 | 49 | 49 | 55 | 55 | 61 |
| Segment 1 Width | 60 | 49 | 49 | 55 | 55 | 61 | 61 |
| | 66 | 49 | 55 | 55 | 61 | 61 | 67 |
| egme | 72 | 55 | 55 | 61 | 61 | 67 | 67 |
| Š | 78 | 55 | 61 | 61 | 67 | 67 | 73 |
| | 84 | 61 | 61 | 67 | 67 | 73 | 73 |

| | ^r Duple» User | es | Segment 2 Width | | | | | |
|-----------------|-----------------------------|----|-----------------|----|----|----|---|--|
| | | 60 | 66 | 72 | 78 | 84 | _ | |
| | 60 | 39 | 43 | 49 | 49 | 51 | | |
| Segment 1 Width | 66 | 43 | 49 | 49 | 51 | 57 | | |
| | 72 | 49 | 49 | 51 | 57 | 57 | | |
| emge | 78 | 49 | 51 | 57 | 57 | 63 | | |
| Ň | 84 | 51 | 57 | 57 | 63 | 63 | | |

If jumpers are ordered separately and a Gallery Mid Panel is specified in a run, jumper length would need to increase by 6".

Workbench Starter Adder Logic


Create a run using an easy starter-adder logic. Single-sided, dual-sided, fixed, and height adjustable workbenches can easily be combined in a single run. Note: Workbenches with 4 duplexes per user and 2 duplexes per user are not compatable in the same run. Edison Workbench does not integrate with Edison Rail.

Starter Adder

Starter includes two End Plates, used to secure to the ends of the power and accessory beam, and option for power infeed.

Adder includes Power Jumper and carriage bolts - no additional hardware is needed to connect workbenches, so adding and subtracting workbenches from a run is easy to do. This helps solve for changing density needs.

Workbench Extended Connector



Workbench Compatible Edison Accessories

Select Edison accessories can be mounted to the power and accessory beam using a through-bolt system


Beam-mounted screens can be in a portrait or landscape orientation and specified in a fabric or markerboard finish Planter boxes ship with an interior waterproof liner Watson suggests the Neighborhood Light be positioned at the end of a run for accessibility

Accessories like screens and planters can be specified to span across two workbenches

Edison Rail Screens



Landscape



 $52"/58"H-Full seated \ privacy \ and \ partial \ standing \ privacy \ 46"H-Partial \ seated \ privacy$

Desk Accessories


31"H Portrait Screen

Tools

Tools work with all slotted screens - single and double corner screens and side screens








Coathooks



Personal Markerboard



23

17


Surface Mounted Straight Screens

24"H (23" Height above) Full seated privacy and partial standing privacy 18"H (17" Height above) Partial seated privacy

Single Corner Screen



26"H" (23" Height above) and 20"H – (17" Height above) Full seated privacy and partial standing privacy



Slotted screens come with a single coat hook, and markerboard screens come with a pencil cup

28


Double Corner Screen




26"H" (23" Height above) and 20"H – (17" Height above) Full seated privacy and partial standing privacy

Workbench End Options

Dual and single-sided gallery end panels are available that secure to the power and accessory beam.







Edison Workbench | Product Specification Details

System Information

The dual-sided Edison Workbench is available in two system depths: 55" and 67" which reflect the overall footprint of the workbench. The true worksurface depths are 23" and 29" respectively. The single-sided Edison Workbench is available in two system depths: 29" and 35" and these sizes reflect the overall footprint of the workbench. The true worksurface depths are 23" and 29" respectively. Both single and dual-sided workbenches are available in widths ranging from 54" to 84", in 6" increments. The height-adjustable, three stage lifting column worksurface range is from 23" to 49". The fixed-height worksurface is at a height of 29.5".

The system is optioned in starter and adder configurations. The starter includes 2 end plates and option for power infeed, while the adder includes a power jumper.

An undersurface mounted coat hook comes standard with each worksurface, mounted at the user's left-hand side.

The height-adjustable worksurface is controlled via undersurface mounted paddle switch with display, and includes anti-collision technology integrated into the control box. Power optioning includes accommodation for location-specific electrical standards (i.e. Chicago power).

Edison Workbench Power Beam

The power beam, available in all Watson standard powdercoat finishes, reflects true width sizing (specifying a 60W workbench means a 60W power beam). The welded frame is composed of bent 12 and 16-gauge cold rolled steel components. Its removable access panels can be made of either 18-gauge perforated or solid steel. Removable 12-gauge steel end plates can be secured in place to cap off the end of a run, or removed to allow power, voice, and data cable access. The system height of the power beam and available accessories matches the overall system height of the Edison Junior Rail product. Option for 2 or 4 per user. Ganging of multiple bench units is accomplished via bolt and nut connection in the end plate holes.

Support Rail

Comprised of bent 12-gauge cold rolled steel with welded end plates, the support rail reinforces the worksurface from the underside. It is mounted directly to the underside of the worksurface through the existing brass inserts, and lifting columns and the control box mount directly to support rail in height-adjustable workbenches.

H-Legs

The workbench's leg assembly consists of 3" hollow steel tube welded to a rounded, bent $\frac{1}{4}$ " thick horizontal plate. The depth and construction of the leg assembly is dependent on the worksurface depth and whether the workbench is a single or dual-sided configuration. The leg assembly mounts directly to the underside of the power beam and aligned with 3" diameter tube with custom ABS bezel. The bezel color matches the color of the lifting column. Leveling of the bench system is achieved through threaded glides at the base of the leg assembly allowing for a $\frac{1}{2}$ " of overall adjustability.

Worksurface

The Edison Workbench worksurfaces are available in a core material type of NAF MDF, NAF particleboard, or Euro birch plywood, and is available in all standard surface finishes. Standard edge profiles are available, including new round under edge. It is not available in the comfort edge. Embedded brass inserts allow for easy fastening to the support rail. The worksurface utilizes net width under sizing of 2" from specified system width and comes standard with undersurface mounted wire management clips

Extended Connector

Constructed of welded 12-gauge cold rolled steel and 1.5" x 3" rectangular steel tube. Offers dedicated spacing between benches for storage while allowing for cable pass through and is available in all current powdercoat finishes.

Cable Tray

16-gauge cold rolled steel construction. It mounts directly to the underside of the worksurface. Optionable with Tripp Lite 4 outlet power distribution available. It includes strain relief mount points for cable bundling and organization.

Desk-Mounted Screens

Constructed of NAF tackboard, while mounting brackets are constructed of welded 10 and 12 gauge cold rolled steel. Clamp to the undersurface via a threaded glide or wood screws depending on the edge type of the worksurface.

Power Pole

The power pole replaces one of the end caps on a rail segment and is constructed from two telescoping pieces of steel tube. The tube diameter is 2.75" and can carry at least two power infeeds and 30 data cables. The power pole is designed to mount ceiling tile support structures, but the weight capacity needs to be confirmed per each building specifications as this can add 13 lbs. to the ceiling. All metal components are powder coated.

Edison Screens & Tools | Product Specification Details

Fabric Rail Screen

The fabric spine screen is made from three pieces of 12mm LDF. The outer two LDF panels are wrapped in fabric using a rubber emulsion Simalfa glue with 0 VOC's. The center panel has locations for two $\frac{1}{2}$ " x 2" HRPO steel tubes MIG welded to $\frac{1}{4}$ " cold rolled steel plate with 5/16-18 tapped holes which are the screen mounts. The ends of the screen are two half round aluminum extrusions which are wrapped in a matching fabric. The top of the screen is trimmed with an aluminum extrusion with cast end caps that provide a continuous accessory mounting location along its length. These ship with two coat hook accessories. All metal components are powder coated.

Markerboard Rail Screen

The markerboard spine screen is made from a center core of $\frac{1}{2}$ " LDF and two outer panels of markerboard laminated 3/8" double refined NAF MDF. The center panel has locations for two $\frac{1}{2}$ " x 2" HRPO steel tubes MIG welded to $\frac{1}{4}$ " cold rolled steel plate with 5/16-18 tapped holes which are the screen mounts. The ends and top of the screen are made of powder coated aluminum extrusions. The end extrusions are half round and press fit onto the three-panel screen. The top extrusion provides a continuous accessory mounting channel. These ship with two coat hook accessories. All metal components are powder coated.

Personal Markerboard

The personal markerboard is constructed from 18 gauge cold rolled steel and is powder coated using a special formulation of high gloss white markerboard powder that is tested to preform excellently after many erase cycles

Fabric Gallery End and Mid Panels

The gallery end panel are made from three pieces of 12mm LDF. The outer two LDF panels are wrapped in fabric using a rubber emulsion Simalfa glue with 0 VOC's. The center panel has locations for two $\frac{1}{2}$ " x 2" HRPO steel tubes MIG welded to $\frac{1}{4}$ " cold rolled steel plate with 40mm roll-formed tubes which form the feet. The ends of the Gallery Panel are two half round aluminum extrusions which are wrapped in a matching fabric. The top of the screen is trimmed with an aluminum extrusion with cast end caps that provide a continuous accessory mounting location along its length. For Gallery Panels larger than 72"W, the screen consists of multiple screen assemblies connected together with a fabric-wrapped piece of 3"4 thick NAF MDF. The screen is connected to the Edison Rail with a welded tube assembly that mates up with the end of a rail segment. All metal components are powder coated.

Gallery End Panel Power

Constructed of 16 gauge cold rolled steel and available in all Watson standard powdercoat finishes. The two duplexes are always on circuit one to tie into any standard power beam. Not compatible with Chicago power.

Edison Tools

The Paper Tray is constructed from 16 gauge cold rolled steel that is formed with 17.5mm radii and designed to hold up to 100 sheets of 8.5" x 11" paper. The tray is designed to hook into the top extrusion on spine screens or into the slot cutouts that are present in the work shelves and garage toppers. All metal components are powder coated.

The Tech Stand is constructed from 16 gauge cold rolled steel and designed to hold technology accessories from a smartphone up to a tablet. The stand comes with a cutout to allow for charging during use. The stand is designed to hook into the top extrusion on spine screens or into the slot cutouts that are present in the work shelves and garage toppers. All metal components are powder coated.

The Pencil Cup is constructed from 16 gauge cold rolled steel and designed to hold pens, pencils, markerboard erasers and other small accessories. The cup is designed to hold one eraser and 6-10 pens. The cut is designed to hook into the top extrusion on spine screens or into the slot cutouts that are present in the work shelves and garage toppers. All metal components are powder coated.

Edison Accessories | Product Specification Details

Planter Box

The planter is made from 16 gauge cold rolled laser cut steel that has been formed with a 17.5mm corner radius, this planter box is then continuously TIG seam welded to make a seamless planter box. The bottom of the planter box is made from 16 gauge cold rolled steel that is spot welded into the planter box and provides drain holes incase of accidental spillage. The planter ships with waterproof plastic plant liners. The planters are supported on two 40mm E235 steel tubes which ship with an adhesive plastic end protector to protect the top surface of the rail for future reconfiguration possibilities. All metal components are powder coated.

Rail Lamp

The Rail Lamp is comprised of three primary components: the stem, the light fixture, and the shade. The stem is constructed of powder coated extruded aluminum and is fitted with a precision machined powder coated aluminum button. Embedded within the stem are two USB charging receptacles – one USBC capable of charging up to 60W and one USBA capable of charging up to 10W. The light fixture produces up to 2000 lumens at 3000K CCT with a CRI of 90+. The light is continuously dimmable from 0 to 100% by pressing and holding the button in the stem. The light also features a frosted polycarbonate diffuser to provide clean, even light. The light is equipped with an automatic shutoff timer that powers the light off after six hours of inactivity. The shade is made of powder coated 16 gauge stamped aluminum and is 16 inches in diameter. Powdercoat is specifiable.

Work Shelf

The Workshelf is made from 12 gauge cold rolled steel which is cut with slotted channels which allow for some visual transfer between sides of the rail as well as form the mounting locations for a variety of tools and accessories. The steel part is laser cut and bent to a 17.5mm corner radius. The shelf is made from any of the following core materials depending on options, 18 mm European birch multi-ply plywood with a waterborne edge stain, 34" double refined NAF MDF with a waterborne edge stain or 34" M2 industrial NAF particle board with a 1.5mm polypropylene edge band. All of these core materials are finished with a horizontal or post-form grade high pressure laminate on both faces. The laminates are cold pressed using Wilsonart 3100 PVA ultra-low VOC adhesive. The work shelves are supported on two 40mm E235 steel tubes which ship with an adhesive plastic end protector to protect the top surface of the rail for future reconfiguration possibilities. The shelf on the Workshelf stops short of the metal ends by $\frac{1}{2}$ " to allow for a cable path down from the shelf to the rail, these cables can be held in place using $\frac{1}{4}$ " black shock cord fixed to the shelf. All metal components are powder coated. This unit ships with one aluminum coat hook accessory.

Rail Round Table

The Rail round is made from any of the following core materials depending on options, 18 mm European birch multi-ply plywood with a waterborne edge stain, ³/₄" double refined NAF MDF with a waterborne edge stain or ³/₄" M2 industrial NAF particle board with a 1.5mm polypropylene edge band. All of these core materials are finished with a horizontal or post-form grade high pressure laminate on the top face and a horizontal grade backer sheet for balanced construction. The laminates are cold pressed using Wilsonart 3100 PVA ultra-low VOC adhesive. The base of the rail round is two welded assemblies made from 12 gauge cold rolled steel and 40mm E235 steel tubes which ship with an adhesive plastic end protector to protect the top surface of the rail for future reconfiguration possibilities. All metal components are powder coated.


Rail Team Table

The offset rail team table is made from any of the following core materials depending on options, 18 mm European birch multi-ply plywood with a waterborne edge stain, ³/₄" double refined NAF MDF with a waterborne edge stain or ³/₄" M2 industrial NAF particle board with a 1.5mm polypropylene edge band. All of these core materials are finished with a horizontal or post-form grade high pressure laminate on the top face and a horizontal grade backer sheet for balanced construction. The laminates are cold pressed using Wilsonart 3100 PVA ultra-low VOC adhesive. The rail team table is connected to the rail using two 12 gauge cold rolled steel brackets. The table is further supported by a single telescoping tube leg which utilizes our 40mm and 34mm E235 drawn over mandrel steel tubes that offer 2" of height adjustment. All metal components are powder coated.

Riser Desk

The Edison Riser Desk is a mounted table featuring a 1.125" thick surface made of either NAF MDF or NAF particleboard. The surface has a 20mm corner radius and the edge is either finished with waterborne edge stain or 1.5mm polypropylene edge banding. The surface can be connected to either the Edison Jr. or Edison Sr. Rail and is secured with two sets of adjustable powder coated brackets, one made of 10 gauge cold rolled steel and the other made of 12 gauge cold rolled steel. The brackets allow for 1.5" of height adjustment and can be positioned on the desk for either parallel or perpendicular planning. The C9 post legs feature 40mm roll-formed steel tube welded to a 3/16" hot rolled steel plate and a 12 gauge cold rolled steel bracket The riser desk also features an 18 gauge cold rolled steel formed cable management channel that secures to the underside of the surface and has cutout features in the channel to allow cable stowage.

Finish Guide



Edge Color

| Surface Lami | nate | F |
|-------------------------|------|------|
| Alabaster | AB | |
| Frosty White | FJ | |
| Markerboard§ | WM | |
| Fashion Grey | FQ | |
| Black | BK | |
| Woodgrain White Cypress | WCS | |
| Fawn Cypress | FCZ | F |
| Asian Sand | JS | |
| Phantom Pearl | PPE | *F |
| Phantom Ecru | PEC | A |
| Grey Elm | GEL | а |
| Field Elm | FLM | m |
| Loft Oak | LOA | U |
| Blond Echo | EH | |
| Veranda Teak | VTK | 5 |
| Neo Walnut | NEW | |
| Walnut Heights | WTH | |
| Skyline Walnut | SKW | |
| Studio Teak | DT | |
| Ebony Recon | ERE | |
| Craft Surface Espresso | ESP | Wood |
| Saddle | BKR | |
| §Markerboard | | |
| +\$100 per surface | | |
| list upcharge | | |
| Fenix Laminate | ; | _ |
| BI 1/ | | - |

| Bianco Kos | MWH |
|----------------|-----|
| Castoro Ottawa | MBR |
| Nero Ingo | MBK |

*Fenix NTM Laminate Option Under 30x72 +\$440 list ea. Over 30x72 +\$880 list ea.

Forbo Linoleum Stain Forbo Ash FAS Forbo Pebble FPE Trim Forbo Mushroom FMU Forbo Olive FOL Forbo Pewter FPW Forbo Noir FNE Forbo Smokey Blue FSB Forbo Linoleum super green material with leather-like texture and a natte finish. pcharge: +\$250 list ea. Storage Laminate Alabaster AB Frosty White FJ Fashion Grey FQ Satin Gray GY Slate SG dgrain Charcoal CH

| Black | BK | | | | |
|--|-----|--|--|--|--|
| Field Elm | FLM | | | | |
| Phantom Ecru | PEC | | | | |
| Blond Echo | EH | | | | |
| Fawn Cypress | FCZ | | | | |
| Studio Teak | DT | | | | |
| Walnut Heights | WTH | | | | |
| | | | | | |
| Edge Profile | | | | | |
| 90 90 * | U | | | | |
| 90 Trim | Q | | | | |
| 90 Ply ** | V | | | | |
| Knife Knife * | К | | | | |
| Knife Trim * | J | | | | |
| Knife Ply ** | W | | | | |
| Round Under * | E | | | | |
| Round Under Ply ** | G | | | | |
| *MDF edge +\$150 per surface list upcharge | | | | | |

+9

**Ply edge +\$350 per surface list upcharge

| Stain | Charcoal [†] | СН |
|-----------------|--|----------------------------------|
| | Natural | ZE |
| Trim | Alabaster | AB |
| | Frosty White | FJ |
| | Fashion Grey | FQ |
| | Satin Gray | GY |
| | Slate | SG |
| | Charcoal | СН |
| | Black | BK |
| | Field Elm | FLM |
| | Phantom Ecru | PEC |
| | Blond Echo | EH |
| | Fawn Cypress | FCZ |
| | Studio Teak | DT |
| | Walnut Heights | WTH |
| | | |
| | Natural | |
| †Cha | | |
| | Natural | |
| +\$50 | Natural rcoal Stain | |
| +\$50 | Natural rcoal Stain per surface | |
| +\$50 list u | Natural rcoal Stain per surface | |
| +\$50 list u | Natural rcoal Stain per surface upcharge | |
| +\$50 list u | Natural rcoal Stain per surface upcharge | ZE |
| +\$50 list u | Natural rcoal Stain per surface upcharge owdercoat Alabaster | ZE |
| +\$50 list u | Natural rcoal Stain per surface upcharge owdercoat Alabaster Frosty White | ZE AB FJ |
| +\$50 list u | Natural rcoal Stain per surface upcharge owdercoat Alabaster Frosty White Markerboard | ZE AB FJ WM |
| +\$50 list u | Natural rcoal Stain per surface upcharge owdercoat Alabaster Frosty White Markerboard Fashion Grey | AB FJ WM FQ WA |
| +\$50 list u | Natural rcoal Stain per surface upcharge owdercoat Alabaster Frosty White Markerboard Fashion Grey Silver | AB FJ WM FQ WA |
| +\$50 list u | Natural Natural Per surface upcharge Owdercoat Alabaster Frosty White Markerboard Fashion Grey Silver Satin Gray | AB FJ WM FQ WA GY |

Black BK

Burnt Orange REO

Mustard Seed LEY

Emerald Green PIG Sage Green PAG Blue Steel BLG Stone STG

Aqua AQU

Bark BRK Blush BLU

Crema CRE

Ruby RBY

Sapphire SAP

| Synergy 66* Affix | AFI | PET |
|-------------------|-----|-------|
| Alike | ALK | |
| Append | APP | |
| Chemistry | CHE | Anch |
| Group | GRO | |
| Kinship | KIN | |
| Loop | L00 | |
| Mutual | MUT | |
| Pact | PAC | |
| Serendipity | SER | |
| Summon | SUM | |
| Work | WOR | |
| Rivet Tensile | TEN | |
| Vitreous | VIT | |
| Wire | WRE | |
| Forge | FRG | |
| Spark | SPK | |
| Molten | MLT | |
| Otter | OTR | Sprit |
| Alloy | ALY | |
| Grey Brindle | GRB | |
| Galvanize | GLV | |
| Lagoon | LGN | |
| Quench | QUE | |
| | | |

*Synergy 66

Fabric


+\$250 per item list upcharge

Fabric cont.

| PET Light | SIA63 |
|--------------------|------------|
| Medium | HTA23 |
| Dark | CHA21 |
| Anchorage Angora | 9A |
| Asteroid | 6D |
| Birch | 9H |
| Cumin | 9U |
| Fossil | 6X |
| Geranium | R2 |
| Goose | 9E |
| Graphite | 9R |
| Green Aple | 1G |
| Henna | 6H |
| Pumpkin | 99 |
| Straw | 9 S |
| Sunshine | S 8 |
| Waterfall | U8 |
| Vanilla | 6V |
| Sprite Sprite Snow | 2W |
| Sprite Linen | 21 |
| Sprite Khaki | 7K |
| Sprite Harvest | 2V |
| Sprite Sky | 7Y |

Edison Junior Rail, Two-Duplex Per Side

Dual-Sided, Starter



Options & Upcharges

Modesty Panel: Steel / Perforated Steel (+\$300)


End Panel: When specifying a Gallery End Panel, the panel replaces the leg. Deduction of (-\$340)

Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455)

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 48 | SWJDTS0448 | 1370 |
| 4 | 60 | SWJDTS0460 | 1370 |
| 4 | 72 | SWJDTS0472 | 1450 |
| 4 | 84 | SWJDTS0484 | 1450 |
| 4 | 96 | SWJDTS0496 | 1520 |

Edison Junior Rail, Two-Duplex Per Side

Dual-Sided, Bendable Adder




Options & Upcharges

Modesty Panel: Steel / Perforated Steel (+\$300) Mid Panel: When specifying a Gallery Mid Panel, the panel replaces the leg. Deduction of (-\$340) Jumper: Included

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 48 | SWJDTBA0448 | 1720 |
| 4 | 60 | SWJDTBA0460 | 1720 |
| 4 | 72 | SWJDTBA0472 | 1790 |
| 4 | 84 | SWJDTBA0484 | 1920 |
| 4 | 96 | SWJDTBA0496 | 1920 |

Edison Junior Rail, Four-Duplex Per Side

Dual-Sided, Starter



Options & Upcharges

Modesty Panel: Steel / Perforated Steel (+\$300)


End Panel: When specifying a Gallery End Panel, the panel replaces the leg. Deduction of (-\$340)

Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73"(+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455)

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 60 | SWJDFS0460 | 1580 |
| 4 | 72 | SWJDFS0472 | 1640 |
| 4 | 84 | SWJDFS0484 | 1720 |
| 4 | 96 | SWJDFS0496 | 1790 |

Edison Junior Rail, Four-Duplex Per Side

Dual-Sided, Bendable Adder



Options & Upcharges


Modesty Panel: Steel / Perforated Steel (+\$300) Mid Panel: When specifying a Gallery Mid Panel, the panel replaces the leg. Deduction of (-\$340)

Jumper: Included

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 60 | SWJDFBA0460 | 1920 |
| 4 | 72 | SWJDFBA0472 | 1980 |
| 4 | 84 | SWJDFBA0484 | 2040 |
| 4 | 96 | SWJDFBA0496 | 2140 |

Edison Junior Rail, Two-Duplex

Single-Sided, Starter



Options & Upcharges


Modesty Panel: Steel / Perforated Steel (+\$300)

End Panel: When specifying a Gallery End Panel, the panel replaces the leg. Deduction of (-\$340)

Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455)

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 48 | SWJSTS0448 | 1310 |
| 4 | 60 | SWJSTS0460 | 1310 |
| 4 | 72 | SWJSTS0472 | 1370 |
| 4 | 84 | SWJSTS0484 | 1370 |
| 4 | 96 | SWJSTS0496 | 1450 |

Edison Junior Rail, Two-Duplex



Options & Upcharges


Modesty Panel: Steel / Perforated Steel (+\$300) Mid Panel: When specifying a Gallery Mid Panel, the panel replaces the leg. Deduction of (-\$340)

Jumper: Included

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 48 | SWJSTBA0448 | 1640 |
| 4 | 60 | SWJSTBA0460 | 1640 |
| 4 | 72 | SWJSTBA0472 | 1720 |
| 4 | 84 | SWJSTBA0484 | 1850 |
| 4 | 96 | SWJSTBA0496 | 1850 |

Edison Junior Rail, Four-Duplex

Single-Sided, Starter



Options & Upcharges

Modesty Panel: Steel / Perforated Steel (+\$300)


End Panel: When specifying a Gallery End Panel, the panel replaces the leg. Deduction of (-\$340)

Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455)

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 60 | SWJSFS0460 | 1520 |
| 4 | 72 | SWJSFS0472 | 1580 |
| 4 | 84 | SWJSFS0484 | 1640 |
| 4 | 96 | SWJSFS0496 | 1720 |

Edison Junior Rail, Four-Duplex

Single-Sided, Bendable Adder



Options & Upcharges


Modesty Panel: Steel / Perforated Steel (+\$300) Mid Panel: When specifying a Gallery Mid Panel, the panel replaces the leg. Deduction of (-\$340) Jumper: Included

| Ju | m | pei | r: I | nci | uae | ; |
|----|---|-----|------|-----|-----|---|
| | | | | | | |

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 60 | SWJSFBA0460 | 1850 |
| 4 | 72 | SWJSFBA0472 | 1920 |
| 4 | 84 | SWJSFBA0484 | 1980 |
| 4 | 96 | SWJSFBA0496 | 2040 |

Edison Junior Rail, No Power

Starter



Options & Upcharges

Modesty Panel: Steel / Perforated Steel (+\$300)


End Panel: When specifying a Gallery End Panel, the panel replaces the leg. Deduction of (-\$340)

Infeed: Hardwire 72" +\$170 / Hardwire 144" +\$250 / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455)

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 36 | SWJDZS0436 | 1040 |
| 4 | 48 | SWJDZS0448 | 1100 |
| 4 | 60 | SWJDZS0460 | 1180 |
| 4 | 72 | SWJDZS0472 | 1230 |
| 4 | 84 | SWJDZS0484 | 1310 |
| 4 | 96 | SWJDZS0496 | 1370 |
| | | | |

Edison Junior Rail, No Power

Bendable Adder



Edison Junior Rail, End-Leg

Options & Upcharges

Modesty Panel: Steel / Perforated Steel (+\$300) Mid Panel: When specifying a Gallery Mid Panel, the panel replaces the leg. Deduction of (-\$340)


Jumper: Included

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 36 | SWJDZBA0436 | 1230 |
| 4 | 48 | SWJDZBA0448 | 1310 |
| 4 | 60 | SWJDZBA0460 | 1370 |
| 4 | 72 | SWJDZBA0472 | 1450 |
| 4 | 84 | SWJDZBA0484 | 1520 |
| 4 | 96 | SWJDZBA0496 | 1580 |

MODEL NUMBER LIST

| End-Leg | SWJDEL | 350 |
|--|--------|-----|
| Wall Mount Kit for Single-Sided Rails | SWJSWM | 100 |

Edison Junior Rail, Wire Basket



| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 8 | 36 | SWJDCB0836 | 350 |
| 8 | 48 | SWJDCB0848 | 350 |
| 8 | 60 | SWJDCB0860 | 440 |
| 8 | 72 | SWJDCB0872 | 440 |
| 8 | 84 | SWJDCB0884 | 500 |
| 8 | 96 | SWJDCB0896 | 500 |

Edison Junior Rail, Power Pole




Notes

- Includes approx. 12" of height adjustment
- Tube diameter is 2.75", and can carry at least two power infeeds and 30 data cables

| CEILING HEIGHT | MODEL NUMBER | LIST |
|-------------------|--------------|------|
| 8 ft | SWJAPP08 | 690 |
| 10 ft | SWJAPP10 | 690 |
| 12 ft | SWJAPP12 | 690 |

Edison Junior Rail Power Jumper




Notes

• Specifing seperate jumpers is only necessary when mixing different rail widths. Please reference the Jumper Sizing Matrix.

| L | MODEL NUMBER | LIST |
|----|--------------|------|
| 37 | WAPJ37 | 155 |
| 39 | WAPJ39 | 180 |
| 43 | WAPJ43 | 155 |
| 45 | WAPJ45 | 180 |
| 49 | WAPJ49 | 185 |
| 51 | WAPJ51 | 210 |
| 55 | WAPJ55 | 185 |
| 57 | WAPJ57 | 210 |
| 61 | WAPJ61 | 185 |
| 63 | WAPJ63 | 205 |
| 67 | WAPJ67 | 205 |
| 69 | WAPJ69 | 240 |
| 73 | WAPJ73 | 205 |
| 75 | WAPJ75 | 240 |
| 79 | WAPJ79 | 225 |

Edison Senior Rail, Two-Duplex Per User

Starter



Options & Upcharges

Modesty Panel: Laminate / Fabric (+\$280)


End Panel: When specifying a Gallery End Panel, the panel replaces the leg. Deduction of (-\$370)

Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455)

| W | MODEL NUMBER | LIST |
|----|----------------------|---|
| 48 | C9NTS0448 | 2520 |
| 60 | C9NTS0460 | 2520 |
| 72 | C9NTS0472 | 2520 |
| 84 | C9NTS0484 | 2520 |
| 96 | C9NTS0496 | 2520 |
| | 48 60 72 84 | 48 C9NTS0448 60 C9NTS0460 72 C9NTS0472 84 C9NTS0484 |

Edison Senior Rail, Two-Duplex Per User


Bendable Adder



Modesty Panel: Laminate / Fabric (+\$280) Mid Panel: When specifying a Gallery Mid Panel, the panel replaces the leg. Deduction of (-\$370)


Jumper: Included

| D | W | MODEL NUMBER | LIST |
|----|----|-------------------|------|
| 04 | 48 | C9NTBA0448 | 3140 |
| 04 | 60 | C9NTBA0460 | 3140 |
| 04 | 72 | C9NTBA0472 | 3140 |
| 04 | 84 | C9NTBA0484 | 3140 |
| 04 | 96 | C9NTBA0496 | 3140 |



Edison Senior Rail, Four-Duplex Per User

Starter



Options & Upcharges

Modesty Panel: Laminate / Fabric (+\$280)


End Panel: When specifying a Gallery End Panel, the panel replaces the leg. Deduction of (-\$370)

Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455)

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 72 | C9NFS0472 | 2860 |
| 4 | 84 | C9NFS0484 | 2860 |
| 4 | 96 | C9NFS0496 | 2860 |

Edison Senior Rail, Four-Duplex Per User

Bendable Adder




Options & Upcharges

Modesty Panel: Laminate / Fabric (+\$280) Mid Panel: When specifying a Gallery Mid Panel, the panel replaces the leg. Deduction of (-\$370) Jumper: Included

| D | W | MODEL NUMBER | LIST |
|---|----|--------------|------|
| 4 | 72 | C9NFBA0472 | 3500 |
| 4 | 84 | C9NFBA0484 | 3500 |
| 4 | 96 | C9NFBA0496 | 3500 |

Edison Senior Rail, No Power

Starter



Options & Upcharges

Modesty Panel: Laminate / Fabric (+\$280)


End Panel: When specifying a Gallery End Panel, the panel replaces the leg. Deduction of (-\$370)

Infeed: Hardwire 72" +\$170 / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455)

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 04 | 36 | C9NZS0436 | 1870 |
| 04 | 48 | C9NZS0448 | 1870 |
| 04 | 54 | C9NZS0454 | 1870 |
| 04 | 60 | C9NZS0460 | 1870 |
| 04 | 72 | C9NZS0472 | 1870 |
| 04 | 84 | C9NZS0484 | 1870 |
| 04 | 96 | C9NZS0496 | 1870 |
| | | | |

Edison Senior Rail, No Power

Bendable Adder



Options & Upcharges

Modesty Panel: Laminate / Fabric (+\$280) Mid Panel: When specifying a Gallery Mid Panel, the panel replaces the leg. Deduction of (-\$370) Jumper: Included

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 04 | 36 | C9NZBA0436 | 2520 |
| 04 | 48 | C9NZBA0448 | 2520 |
| 04 | 54 | C9NZBA0454 | 2520 |
| 04 | 60 | C9NZBA0460 | 2520 |
| 04 | 72 | C9NZBA0472 | 2520 |
| 04 | 84 | C9NZBA0484 | 2520 |
| 04 | 96 | C9NZBA0496 | 2520 |

Edison Senior Rail, End-Leg

| MODEL NUMBER | LIST |
|--------------|------|
| C9NEL | 380 |


Edison Senior Rail, Power Pole

Notes

- Includes approx. 12" of height adjustment
- Tube diameter is 2.75", and can carry at least two power infeeds and 30 data cables

| CEILING HEIGHT | MODEL NUMBER | LIST |
|-------------------|--------------|------|
| 8 ft | C9NAPP8 | 730 |
| 10 ft | C9NAPP10 | 730 |
| 12 ft | C9NAPP12 | 730 |

Edison Senior Rail Power Jumper



Notes

• Specifing seperate jumpers is only necessary when mixing different rail widths. Please reference the <u>Jumper Sizing Matrix</u>.

| L | MODEL NUMBER | LIST |
|----|--------------|------|
| 25 | WAPJ25 | 180 |
| 27 | WAPJ27 | 180 |
| 31 | WAPJ31 | 135 |
| 33 | WAPJ33 | 180 |
| 37 | WAPJ37 | 155 |
| 39 | WAPJ39 | 180 |
| 43 | WAPJ43 | 155 |
| 45 | WAPJ45 | 180 |
| 49 | WAPJ49 | 185 |
| 51 | WAPJ51 | 210 |
| 57 | WAPJ57 | 210 |
| 63 | WAPJ63 | 205 |
| 69 | WAPJ69 | 240 |
| 75 | WAPJ75 | 240 |

Edison Dual-Sided Workbench

Rectangle, Two-Duplex per user



Options & Upcharges

Beam Panel: Steel / Perforated Steel (+\$300)

Adder

Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455) / Grommet (Left, Right, Center) (+\$55 each)

Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700) / Knife (+\$300) /


Knife Trim (+\$300) / Knife Ply (+\$700) / Round Under (+300) / Round Under Ply (+\$700)

Starter

| D | w | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE | D | W | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE |
|----|----|--------------|-------------------------|---------------------------|----|----|--------------|-------------------------|---------------------------|
| 55 | 54 | EWBDRTS5554 | 3350 | 5150 | 55 | 54 | EWBDRTA5554 | 3510 | 5310 |
| 55 | 60 | EWBDRTS5560 | 3450 | 5250 | 55 | 60 | EWBDRTA5560 | 3610 | 5410 |
| 55 | 66 | EWBDRTS5566 | 3560 | 5360 | 55 | 66 | EWBDRTA5566 | 3720 | 5520 |
| 55 | 72 | EWBDRTS5572 | 3660 | 5460 | 55 | 72 | EWBDRTA5572 | 3820 | 5620 |
| 55 | 78 | EWBDRTS5578 | 4610 | 6410 | 55 | 78 | EWBDRTA5578 | 4770 | 6570 |
| 55 | 84 | EWBDRTS5584 | 4710 | 6510 | 55 | 84 | EWBDRTA5584 | 4870 | 6670 |
| 67 | 54 | EWBDRTS6754 | 3560 | 5360 | 67 | 54 | EWBDRTA6754 | 3450 | 5520 |
| 67 | 60 | EWBDRTS6760 | 3660 | 5460 | 67 | 60 | EWBDRTA6760 | 3820 | 5620 |
| 67 | 66 | EWBDRTS6766 | 3770 | 5570 | 67 | 66 | EWBDRTA6766 | 3930 | 5730 |
| 67 | 72 | EWBDRTS6772 | 3870 | 5670 | 67 | 72 | EWBDRTA6772 | 4030 | 5830 |
| 67 | 78 | EWBDRTS6778 | 4820 | 6260 | 67 | 78 | EWBDRTA6778 | 4980 | 6780 |
| 67 | 84 | EWBDRTS6784 | 4920 | 6720 | 67 | 84 | EWBDRTA6784 | 5080 | 6880 |

Edison Dual-Sided Workbench

Rectangle, Four-Duplex per user



Options & Upcharges

Beam Panel: Steel / Perforated Steel (+\$300)

Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455) / Grommet (Left, Right, Center) (+\$55 each)

Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700) / Knife (+\$300) /

Knife Trim (+\$300) / Knife Ply (+\$700) / Round Under (+300) / Round Under Ply (+\$700)

Starter

| D | W | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE |
|----|----|--------------|-------------------------|---------------------------|
| 55 | 60 | EWBDRFS5560 | 3660 | 5460 |
| 55 | 66 | EWBDRFS5566 | 3770 | 5570 |
| 55 | 72 | EWBDRFS5572 | 3870 | 5670 |
| 55 | 78 | EWBDRFS5578 | 4820 | 6620 |
| 55 | 84 | EWBDRFS5584 | 4920 | 6720 |
| 67 | 60 | EWBDRFS6760 | 3870 | 5670 |
| 67 | 66 | EWBDRFS6766 | 3980 | 5780 |
| 67 | 72 | EWBDRFS6772 | 4080 | 5880 |
| 67 | 78 | EWBDRFS6778 | 5030 | 6830 |
| 67 | 84 | EWBDRFS6784 | 5130 | 6930 |

| D | w | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE |
|----|----|--------------|-------------------------|---------------------------|
| 55 | 60 | EWBDRFA5560 | 3820 | 5620 |
| 55 | 66 | EWBDRFA5566 | 3930 | 5730 |
| 55 | 72 | EWBDRFA5572 | 4030 | 5830 |
| 55 | 78 | EWBDRFA5578 | 4980 | 6780 |
| 55 | 84 | EWBDRFA5584 | 5080 | 6880 |
| 67 | 60 | EWBDRFA6760 | 4030 | 5830 |
| 67 | 66 | EWBDRFA6766 | 4140 | 5940 |
| 67 | 72 | EWBDRFA6772 | 4240 | 6040 |
| 67 | 78 | EWBDRFA6778 | 5190 | 6990 |
| 67 | 84 | EWBDRFA6784 | 5290 | 7090 |

Edison Single-Sided Workbench

Rectangle, Two-Duplex per user



Starter

Options & Upcharges

Beam Panel: Steel / Perforated Steel (+\$300)

Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455) / Grommet (Left, Right, Center) (+\$55 each)

Edge Profiles: 90 (+\$100) / 90 Trim / 90 Ply (+\$150) / Knife (+\$150) /

Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

| I | D W | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE | D | W | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE |
|---|------|--------------|-------------------------|---------------------------|----|----|--------------|-------------------------|---------------------------|
| 2 | 9 54 | EWBSRTS2954 | 2570 | 3470 | 29 | 54 | EWBSRTA2954 | 2730 | 3630 |
| 2 | 9 60 | EWBSRTS2960 | 2670 | 3570 | 29 | 60 | EWBSRTA2960 | 2830 | 3730 |
| 2 | 9 66 | EWBSRTS2966 | 2780 | 3680 | 29 | 66 | EWBSRTA2966 | 2940 | 3840 |
| 2 | 9 72 | EWBSRTS2972 | 2880 | 3780 | 29 | 72 | EWBSRTA2972 | 3040 | 3940 |
| 2 | 9 78 | EWBSRTS2978 | 3250 | 4150 | 29 | 78 | EWBSRTA2978 | 3410 | 4310 |
| 2 | 9 84 | EWBSRTS2984 | 3360 | 4260 | 29 | 84 | EWBSRTA2984 | 3510 | 4410 |
| 3 | 5 54 | EWBSRTS3554 | 2670 | 3570 | 35 | 54 | EWBSRTA3554 | 2830 | 3730 |
| 3 | 5 60 | EWBSRTS3560 | 2780 | 3680 | 35 | 60 | EWBSRTA3560 | 2940 | 3840 |
| 3 | 5 66 | EWBSRTS3566 | 2880 | 3780 | 35 | 66 | EWBSRTA3566 | 3040 | 3940 |
| 3 | 5 72 | EWBSRTS3572 | 3890 | 3890 | 35 | 72 | EWBSRTA3572 | 3150 | 4050 |
| 3 | 5 78 | EWBSRTS3578 | 3360 | 4260 | 35 | 78 | EWBSRTA3578 | 3510 | 4410 |
| 3 | 5 84 | EWBSRTS3584 | 3460 | 4360 | 35 | 84 | EWBSRTA3584 | 3620 | 4520 |
| | | | | | | | | | |

Adder

Edison Single-Sided Workbench

Rectangle, Four-Duplex per user



Options & Upcharges

Beam Panel: Steel / Perforated Steel (+\$300) Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455) / Grommet (Left, Right, Center) (+\$55 each) Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

Starter

| otaric | , | | | | Adder | | | | |
|--------|----|--------------|-------------------------|---------------------------|-------|----|--------------|-------------------------|---------------------------|
| D | W | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE | D | W | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE |
| 29 | 60 | EWBSRFS2960 | 2830 | 3730 | 29 | 60 | EWBSRFA2960 | 2990 | 3890 |
| 29 | 66 | EWBSRFS2966 | 2940 | 3840 | 29 | 66 | EWBSRFA2966 | 3090 | 3990 |
| 29 | 72 | EWBSRFS2972 | 3040 | 3940 | 29 | 72 | EWBSRFA2972 | 3200 | 4100 |
| 29 | 78 | EWBSRFS2978 | 3410 | 4300 | 29 | 78 | EWBSRFA2978 | 3570 | 4470 |
| 29 | 84 | EWBSRFS2984 | 3510 | 4410 | 29 | 84 | EWBSRFA2984 | 3670 | 4570 |
| 35 | 60 | EWBSRFS3560 | 2940 | 3840 | 35 | 60 | EWBSRFA3560 | 3090 | 3990 |
| 35 | 66 | EWBSRFS3566 | 3040 | 3940 | 35 | 66 | EWBSRFA3566 | 3200 | 4100 |
| 35 | 72 | EWBSRFS3572 | 3150 | 4050 | 35 | 72 | EWBSRFA3572 | 3300 | 4200 |
| 35 | 78 | EWBSRFS3578 | 3510 | 4410 | 35 | 78 | EWBSRFA3578 | 3670 | 4570 |
| 35 | 84 | EWBSRFS3584 | 3620 | 4520 | 35 | 84 | EWBSRFA3584 | 3780 | 4680 |

Adder

Edison Dual-Sided Workbench

Super Elipse, Two-Duplex per user



Options & Upcharges

Beam Panel: Steel / Perforated Steel (+\$300)

Adder

Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455) / Grommet (Left, Right, Center) (+\$55 each)

Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700) / Knife (+\$300) /

Knife Trim (+\$300) / Knife Ply (+\$700) / Round Under (+\$300) / Round Under Ply (+\$700)

| Starter |
|---------|
|---------|

| D | W | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE | D | W | MODEL NUMBER | LIST Fixed Height | LIST EXTENDED RANGE |
|----|----|--------------|--------------------------------|---------------------------|----|----|--------------|-------------------------|---------------------------|
| 55 | 54 | EWBDSTS5554 | 3550 | 5350 | 55 | 54 | EWBDSTA5554 | 3710 | 5510 |
| 55 | 60 | EWBDSTS5560 | 3650 | 5450 | 55 | 60 | EWBDSTA5560 | 3810 | 5610 |
| 55 | 66 | EWBDSTS5566 | 3760 | 5560 | 55 | 66 | EWBDSTA5566 | 3920 | 5720 |
| 55 | 72 | EWBDSTS5572 | 3860 | 5660 | 55 | 72 | EWBDSTA5572 | 4020 | 5820 |
| 55 | 78 | EWBDSTS5578 | 4810 | 6610 | 55 | 78 | EWBDSTA5578 | 4970 | 6770 |
| 55 | 84 | EWBDSTS5584 | 4910 | 6710 | 55 | 84 | EWBDSTA5584 | 5070 | 6870 |
| 67 | 54 | EWBDSTS6754 | 3760 | 5560 | 67 | 54 | EWBDSTA6754 | 3920 | 5720 |
| 67 | 60 | EWBDSTS6760 | 3860 | 5660 | 67 | 60 | EWBDSTA6760 | 4020 | 5820 |
| 67 | 66 | EWBDSTS6766 | 3970 | 5770 | 67 | 66 | EWBDSTA6766 | 4130 | 5930 |
| 67 | 72 | EWBDSTS6772 | 4070 | 5870 | 67 | 72 | EWBDSTA6772 | 4230 | 6030 |
| 67 | 78 | EWBDSTS6778 | 5020 | 6820 | 67 | 78 | EWBDSTA6778 | 5180 | 6980 |
| 67 | 84 | EWBDSTS6784 | 5120 | 6920 | 67 | 84 | EWBDSTA6784 | 5280 | 7080 |

Edison Dual-Sided Workbench

Super Elipse, Four-Duplex per user



Options & Upcharges

Beam Panel: Steel / Perforated Steel (+\$300) Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455) / Grommet (Left, Right, Center) (+\$55 each) Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700) / Knife (+\$300) / Knife Trim (+\$300) / Knife Ply (+\$700) / Round Under (+\$300) / Round Under Ply (+\$700)

> LIST EXTENDED RANGE

> > 5820

5930

6030

6980

7080

6030

6140

6240

7190

7290

| Starte | r | | | | Adder | | | | |
|--------|----|--------------|-------------------------|---------------------------|-------|----|--------------|-------------------------|---|
| D | W | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE | D | W | MODEL NUMBER | LIST FIXED HEIGHT | I |
| 55 | 60 | EWBDSFS5560 | 3860 | 5660 | 55 | 60 | EWBDSFA5560 | 4020 | |
| 55 | 66 | EWBDSFS5566 | 3970 | 5770 | 55 | 66 | EWBDSFA5566 | 4130 | |
| 55 | 72 | EWBDSFS5572 | 4070 | 5870 | 55 | 72 | EWBDSFA5572 | 4230 | |
| 55 | 78 | EWBDSFS5578 | 5020 | 6820 | 55 | 78 | EWBDSFA5578 | 5180 | |
| 55 | 84 | EWBDSFS5584 | 5120 | 6920 | 55 | 84 | EWBDSFA5584 | 5280 | |
| 67 | 60 | EWBDSFS6760 | 4070 | 5870 | 67 | 60 | EWBDSFA6760 | 4230 | |
| 67 | 66 | EWBDSFS6766 | 4180 | 5980 | 67 | 66 | EWBDSFA6766 | 4340 | |
| 67 | 72 | EWBDSFS6772 | 4280 | 6080 | 67 | 72 | EWBDSFA6772 | 4440 | |
| 67 | 78 | EWBDSFS6778 | 5230 | 7030 | 67 | 78 | EWBDSFA6778 | 5390 | |
| 67 | 84 | EWBDSFS6784 | 5330 | 7130 | 67 | 84 | EWBDSFA6784 | 5490 | |

Edison Single-Sided Workbench

Super Elipse, Two-Duplex per user



Options & Upcharges

Beam Panel: Steel / Perforated Steel (+\$300)

Adder

Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455) / Grommet (Left, Right, Center) (+\$55 each)

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) /

Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

Starter

| D | W | MODEL NUMBER | LIST Fixed Height | LIST EXTENDED RANGE | D | W | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE |
|----|----|--------------|-------------------------|---------------------------|----|----|--------------|--------------------------------|---------------------------|
| 29 | 54 | EWBSSTS2954 | 2670 | 3470 | 29 | 54 | EWBSSTA2954 | 2830 | 3730 |
| 29 | 60 | EWBSSTS2960 | 2770 | 3570 | 29 | 60 | EWBSSTA2960 | 2930 | 3830 |
| 29 | 66 | EWBSSTS2966 | 2880 | 3680 | 29 | 66 | EWBSSTA2966 | 3040 | 3940 |
| 29 | 72 | EWBSSTS2972 | 2980 | 3780 | 29 | 72 | EWBSSTA2972 | 3140 | 4040 |
| 29 | 78 | EWBSSTS2978 | 3350 | 4150 | 29 | 78 | EWBSSTA2978 | 3510 | 4410 |
| 29 | 84 | EWBSSTS2984 | 3460 | 4260 | 29 | 84 | EWBSSTA2984 | 3610 | 4510 |
| 35 | 54 | EWBSSTS3554 | 2770 | 3570 | 35 | 54 | EWBSSTA3554 | 2930 | 3830 |
| 35 | 60 | EWBSSTS3560 | 2880 | 3680 | 35 | 60 | EWBSSTA3560 | 3040 | 3940 |
| 35 | 66 | EWBSSTS3566 | 2980 | 3780 | 35 | 66 | EWBSSTA3566 | 3140 | 4040 |
| 35 | 72 | EWBSSTS3572 | 2990 | 3890 | 35 | 72 | EWBSSTA3572 | 3250 | 4150 |
| 35 | 78 | EWBSSTS3578 | 3460 | 4260 | 35 | 78 | EWBSSTA3578 | 3610 | 4510 |
| 35 | 84 | EWBSSTS3584 | 3560 | 4360 | 35 | 84 | EWBSSTA3584 | 3720 | 4620 |

Edison Single-Sided Workbench

Super Elipse, Four-Duplex per user



Options & Upcharges

Beam Panel: Steel / Perforated Steel (+\$300) Infeed: Hardwire 72" (+\$170) / Hardwire 144" (+\$250) / Single-Circuit Plug 73" (+\$200) / Hardwire SF 72" (+\$305) / Hardwire SF 144" (+\$465) / Hardwire NY 18" (+\$455) / Grommet (Left, Right, Center) (+\$55 each) Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

| Starte | r | | | | Adder | | | | |
|--------|----|--------------|-------------------------|---------------------------|-------|----|--------------|-------------------------|---------------------------|
| D | W | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE | D | W | MODEL NUMBER | LIST FIXED HEIGHT | LIST EXTENDED RANGE |
| 29 | 60 | EWBSSFS2960 | 2930 | 3830 | 29 | 60 | EWBSSFA2960 | 3090 | 3990 |
| 29 | 66 | EWBSSFS2966 | 3040 | 3940 | 29 | 66 | EWBSSFA2966 | 3190 | 4090 |
| 29 | 72 | EWBSSFS2972 | 3140 | 4040 | 29 | 72 | EWBSSFA2972 | 3300 | 4200 |
| 29 | 78 | EWBSSFS2978 | 3510 | 4410 | 29 | 78 | EWBSSFA2978 | 3670 | 4570 |
| 29 | 84 | EWBSSFS2984 | 3610 | 4510 | 29 | 84 | EWBSSFA2984 | 3770 | 4670 |
| 35 | 60 | EWBSSFS3560 | 3040 | 3940 | 35 | 60 | EWBSSFA3560 | 3190 | 4090 |
| 35 | 66 | EWBSSFS3566 | 3140 | 4040 | 35 | 66 | EWBSSFA3566 | 3300 | 4200 |
| 35 | 72 | EWBSSFS3572 | 3250 | 4150 | 35 | 72 | EWBSSFA3572 | 3400 | 4300 |
| 35 | 78 | EWBSSFS3578 | 3610 | 4510 | 35 | 78 | EWBSSFA3578 | 3770 | 4670 |
| 35 | 84 | EWBSSFS3584 | 3720 | 4620 | 35 | 84 | EWBSSFA3584 | 3880 | 4780 |


Edison Workbench, Cable Tray


Cable Tray

Cable Tray with Utility Power

Options & Upcharges

Utility Power +\$270






| W | MODEL NUMBER | LIST |
|----|--------------|------|
| 54 | EWBCT54 | 140 |
| 60 | EWBCT60 | 150 |
| 66 | EWBCT66 | 160 |
| 72 | EWBCT72 | 170 |
| 78 | EWBCT78 | 180 |
| 84 | EWBCT84 | 190 |
| | | |

Edison Workbench, Extended Connector



| W | MODEL NUMBER | LIST |
|----|--------------|------|
| 15 | EWBEXT15 | 320 |
| 30 | EWBEXT30 | 350 |

Edison Workbench, Power Pole



Notes


- Includes approx. 12" of height adjustment
- Tube diameter is 2.75", and can carry at least two power infeeds and 30 data cables

| CEILING HEIGHT | MODEL NUMBER | LIST |
|-------------------|--------------|------|
| 8 ft | EWBAPP08 | 690 |
| 10 ft | EWBAPP10 | 690 |
| 12 ft | EWBAPP12 | 690 |

Edison Workbench, End Plate

| MODEL NUMBER | LIST |
|--------------|------|
| EWBEP | 60 |

Edison Workbench Power Jumper




Notes

• Specifing seperate jumpers is only necessary when mixing different rail widths. Please reference the <u>Jumper Sizing Matrix.</u>

| L | MODEL NUMBER | LIST | L | MODEL NUMBER | LIST |
|----|--------------|------|----|--------------|------|
| 39 | WAPJ39 | 180 | 57 | WAPJ57 | 205 |
| 43 | WAPJ43 | 155 | 61 | WAPJ61 | 185 |
| 45 | WAPJ45 | 180 | 63 | WAPJ63 | 205 |
| 49 | WAPJ49 | 185 | 67 | WAPJ67 | 205 |
| 51 | WAPJ51 | 210 | 69 | WAPJ69 | 240 |
| 55 | WAPJ55 | 185 | 73 | WAPJ73 | 205 |

Edison Rail Screens, Fabric

Landscape




Notes

• Edison Tools can clip into the top steel bar of the rail screens

| н | w | SYSTEM HEIGHT | MODEL NUMBER | LIST | н | w | SYSTEM HEIGHT | MODEL NUMBER | LIST |
|----|----|------------------|-------------------|------|----|----|------------------|--------------|------|
| | ** | HEIGHT | | LIST | | ** | HEIGHT | MODEL NOMBER | LIST |
| 19 | 24 | 46 | C9NALS1924 | 800 | 25 | 24 | 52 | C9NALS2524 | 800 |
| 19 | 30 | 46 | C9NALS1930 | 800 | 25 | 30 | 52 | C9NALS2530 | 800 |
| 19 | 36 | 46 | C9NALS1936 | 800 | 25 | 36 | 52 | C9NALS2536 | 800 |
| 19 | 42 | 46 | C9NALS1942 | 940 | 25 | 42 | 52 | C9NALS2542 | 940 |
| 19 | 48 | 46 | C9NALS1948 | 940 | 25 | 48 | 52 | C9NALS2548 | 940 |
| 19 | 54 | 46 | C9NALS1954 | 940 | 25 | 54 | 52 | C9NALS2554 | 940 |
| 19 | 60 | 46 | C9NALS1960 | 940 | 25 | 60 | 52 | C9NALS2560 | 940 |
| 19 | 66 | 46 | C9NALS1966 | 1080 | 25 | 66 | 52 | C9NALS2566 | 1080 |
| 19 | 72 | 46 | C9NALS1972 | 1080 | 25 | 72 | 52 | C9NALS2572 | 1080 |
| 19 | 78 | 46 | C9NALS1978 | 1080 | 25 | 78 | 52 | C9NALS2578 | 1080 |
| 19 | 84 | 46 | C9NALS1984 | 1220 | 25 | 84 | 52 | C9NALS2584 | 1220 |
| 19 | 90 | 46 | C9NALS1990 | 1220 | 25 | 90 | 52 | C9NALS2590 | 1220 |
| 19 | 96 | 46 | C9NALS1996 | 1220 | 25 | 96 | 52 | C9NALS2596 | 1220 |
| | | | | | | | | | |

Edison Rail Screens, Fabric

Portrait



Notes

• Edison Tools can clip into the top steel bar of the rail screens

| н | W | SYSTEM HEIGHT | MODEL NUMBER | LIST |
|----|----|------------------|--------------|------|
| 31 | 24 | 58 | C9NAPS3124 | 870 |
| 31 | 30 | 58 | C9NAPS3130 | 870 |
| 31 | 36 | 58 | C9NAPS3136 | 870 |
| 31 | 42 | 58 | C9NAPS3142 | 1090 |
| 31 | 48 | 58 | C9NAPS3148 | 1090 |


Edison Rail Screens, Markerboard

Landscape



| н | w | SYSTEM HEIGHT | MODEL NUMBER | LIST |
|----|----|------------------|--------------|------|
| 19 | 36 | 46 | SWNAML1936 | 500 |
| 19 | 48 | 46 | SWNAML1948 | 500 |
| 19 | 60 | 46 | SWNAML1960 | 630 |
| 19 | 72 | 46 | SWNAML1972 | 630 |
| 19 | 84 | 46 | SWNAML1984 | 780 |
| 19 | 96 | 46 | SWNAML1996 | 780 |
| | | | | |
| 25 | 36 | 52 | SWNAML2536 | 560 |
| 25 | 48 | 52 | SWNAML2548 | 560 |
| 25 | 60 | 52 | SWNAML2560 | 730 |
| 25 | 72 | 52 | SWNAML2572 | 730 |
| 25 | 84 | 52 | SWNAML2584 | 910 |
| 25 | 96 | 52 | SWNAML2596 | 910 |
| | | | | |


Edison Rail Screens, Markerboard



| н | W | SYSTEM HEIGHT | MODEL NUMBER | LIST |
|----|----|------------------|--------------|------|
| 31 | 24 | 58 | SWNAMP3124 | 500 |
| 31 | 30 | 58 | SWNAMP3130 | 500 |
| 31 | 36 | 58 | SWNAMP3136 | 630 |
| 31 | 42 | 58 | SWNAMP3142 | 630 |
| 31 | 48 | 58 | SWNAMP3148 | 630 |

Edison Rail Screens, Acrylic

Landscape




Do not see these in PD's spreadsheet, please indicate where you are seeing them.

| н | w | System Height | MODEL NUMBER | CLEAR -AC | FROSTED -AF | н | W | SYSTEM HEIGHT | MODEL NUMBER | CLEAR -AC | FROSTED -AF |
|----|----|------------------|-------------------|--------------|----------------|----|----|------------------|-------------------|--------------|----------------|
| 19 | 24 | 46 | C9NALA1924 | 500 | 610 | 25 | 24 | 52 | C9NALA2524 | 580 | 710 |
| 19 | 30 | 46 | C9NALA1930 | 500 | 610 | 25 | 30 | 52 | C9NALA2530 | 630 | 780 |
| 19 | 36 | 46 | C9NALA1936 | 630 | 780 | 25 | 36 | 52 | C9NALA2536 | 770 | 940 |
| 19 | 42 | 46 | C9NALA1942 | 630 | 780 | 25 | 42 | 52 | C9NALA2542 | 770 | 940 |
| 19 | 48 | 46 | C9NALA1948 | 630 | 780 | 25 | 48 | 52 | C9NALA2548 | 770 | 940 |
| 19 | 54 | 46 | C9NALA1954 | 670 | 820 | 25 | 54 | 52 | C9NALA2554 | 930 | 1130 |
| 19 | 60 | 46 | C9NALA1960 | 770 | 940 | 25 | 60 | 52 | C9NALA2560 | 930 | 1130 |
| 19 | 66 | 46 | C9NALA1966 | 930 | 1130 | 25 | 66 | 52 | C9NALA2566 | 1340 | 1630 |
| 19 | 72 | 46 | C9NALA1972 | 930 | 1130 | 25 | 72 | 52 | C9NALA2572 | 1340 | 1630 |
| 19 | 78 | 46 | C9NALA1978 | 930 | 1130 | 25 | 78 | 52 | C9NALA2578 | 1340 | 1630 |
| 19 | 84 | 46 | C9NALA1984 | 930 | 1130 | 25 | 84 | 52 | C9NALA2584 | 1340 | 1630 |
| 19 | 90 | 46 | C9NALA1990 | 930 | 1130 | 25 | 90 | 52 | C9NALA2590 | 1340 | 1630 |
| 19 | 96 | 46 | C9NALA1996 | 930 | 1130 | 25 | 96 | 52 | C9NALA2596 | 1340 | 1630 |


Edison Gallery End Panel, Fabric

Dual-Sided



Edison Gallery End Panel, Fabric

Single-Sided



Options & Upcharges

Rail Type: Specify mounting hardware for Edison Junior (SJ), Edison Senior (SS) or Edison Workbench (WB) Power: (+\$350)

Notes

- Edison Tools can clip into the top steel bar of the rail screens
- Screens at 58"H not available in PET or Rivet fabrics

| н | w | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 30 | 35 | SWNASAS3035 | 1100 |
| 30 | 41 | SWNASAS3041 | 1100 |
| 46 | 35 | SWNASAS4635 | 1310 |
| 46 | 41 | SWNASAS4641 | 1310 |
| 46 | 68 | SWNASAS4668 | 1790 |
| 46 | 80 | SWNASAS4680 | 1790 |
| 52 | 35 | SWNASAS5235 | 1370 |
| 52 | 41 | SWNASAS5241 | 1370 |
| 52 | 68 | SWNASAS5268 | 1920 |
| 52 | 80 | SWNASAS5280 | 1920 |
| 58 | 35 | SWNASAS5835 | 1520 |
| 58 | 41 | SWNASAS5841 | 1520 |
| 58 | 68 | SWNASAS5868 | 2040 |
| 58 | 80 | SWNASAS5880 | 2040 |

Rail Type: Specify mounting hardware for Edison Junior (SJ), Edison Senior (SS) or Edison Workbench (WB) Power: (+\$350)

Options & Upcharges


Notes

- Edison Tools can clip into the top steel bar of the rail screens
- Screens at 58"H not available in PET or Rivet fabrics

| н | W | MODEL NUMBER | LIST |
|----|-----|--------------|------|
| 30 | 60 | SWNAFAS3060 | 1370 |
| 30 | 72 | SWNAFAS3072 | 1370 |
| 46 | 60 | SWNAFAS4660 | 1720 |
| 46 | 72 | SWNAFAS4672 | 1720 |
| 46 | 126 | SWNAFAS46126 | 3540 |
| 46 | 150 | SWNAFAS46150 | 3540 |
| 52 | 60 | SWNAFAS5260 | 1850 |
| 52 | 72 | SWNAFAS5272 | 1850 |
| 52 | 126 | SWNAFAS52126 | 3760 |
| 52 | 150 | SWNAFAS52150 | 3760 |
| 58 | 60 | SWNAFAS5860 | 1980 |
| 58 | 72 | SWNAFAS5872 | 1980 |
| 58 | 126 | SWNAFAS58126 | 3950 |
| 58 | 150 | SWNAFAS58150 | 3950 |

Edison Gallery Mid Panel, Fabric

Dual-Sided



Options & Upcharges

Rail Type: Specify mounting hardware for Edison Junior (SJ), Edison Senior (SS) or Edison Workbench (WB)


Notes

- Edison Tools can clip into the top steel bar of the rail screens
- Screens at 58"H not available in PET or Rivet fabrics

| н | W | MODEL NUMBER | LIST |
|----|-----|--------------|------|
| 30 | 60 | SWNMFAS3060 | 1420 |
| 30 | 72 | SWNMFAS3072 | 1420 |
| 46 | 60 | SWNMFAS4660 | 1770 |
| 46 | 72 | SWNMFAS4672 | 1770 |
| 46 | 126 | SWNMFAS46126 | 3850 |
| 46 | 150 | SWNMFAS46150 | 3850 |
| 52 | 60 | SWNMFAS5260 | 1900 |
| 52 | 72 | SWNMFAS5272 | 1900 |
| 52 | 126 | SWNMFAS52126 | 4060 |
| 52 | 150 | SWNMFAS52150 | 4060 |
| 58 | 60 | SWNMFAS5860 | 2030 |
| 58 | 72 | SWNMFAS5872 | 2030 |
| 58 | 126 | SWNMFAS58126 | 4260 |
| 58 | 150 | SWNMFAS58150 | 4260 |

Edison Gallery Mid Panel, Fabric

Single-Sided



Options & Upcharges


Rail Type: Specify mounting hardware for Edison Junior (SJ), Edison Senior (SS) or Edison Workbench (WB)

Notes

- Edison Tools can clip into the top steel bar of the rail screens
- Screens at 58"H not available in PET or Rivet fabrics

| Н | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 30 | 35 | SWNMSAS3035 | 1150 |
| 30 | 41 | SWNMSAS3041 | 1150 |
| 46 | 35 | SWNMSAS4635 | 1360 |
| 46 | 41 | SWNMSAS4641 | 1360 |
| 46 | 68 | SWNMSAS4668 | 1840 |
| 46 | 80 | SWNMSAS4680 | 1790 |
| 52 | 35 | SWNMSAS5235 | 1420 |
| 52 | 41 | SWNMSAS5241 | 1420 |
| 52 | 68 | SWNMSAS5268 | 1970 |
| 52 | 80 | SWNMSAS5280 | 1970 |
| 58 | 35 | SWNMSAS5835 | 1570 |
| 58 | 41 | SWNMSAS5841 | 1570 |
| 58 | 68 | SWNMSAS5868 | 2100 |
| 58 | 80 | SWNMSAS5880 | 2100 |
| | | | |

Edison Tools




Paper Tray




Pencil Cup Coat Hooks

Edison Rail Screen Personal Markerboard

Tech Stand



Edison Neighborhood Light



Options & Upcharges

Edison Neighborhood Lamp: standard powdercoats are Frosty White and Black, all other powdercoats (+\$350)

| DIA | Н | MODEL NUMBER | LIST |
|-----|----|--------------|------|
| 16 | 42 | ENL1642 | 4240 |

Edison Rail Planter Box



Notes

• Includes waterproof plant liner

| D | W | н | MODEL NUMBER | LIST |
|-----|----|----|--------------|------|
| 5.2 | 18 | 13 | C9NAP061813 | 590 |
| 5.2 | 24 | 13 | C9NAP062413 | 590 |
| 5.2 | 30 | 13 | C9NAP063013 | 590 |
| 5.2 | 36 | 13 | C9NAP063613 | 730 |
| 5.2 | 42 | 13 | C9NAP064213 | 730 |
| 5.2 | 48 | 13 | C9NAP064813 | 730 |
| 5.2 | 54 | 13 | C9NAP065413 | 730 |
| 5.2 | 60 | 13 | C9NAP066013 | 730 |
| 5.2 | 66 | 13 | C9NAP066613 | 730 |
| 5.2 | 72 | 13 | C9NAP067213 | 730 |
| 5.2 | 78 | 13 | C9NAP067813 | 870 |
| 5.2 | 84 | 13 | C9NAP068413 | 870 |
| 5.2 | 90 | 13 | C9NAP069013 | 870 |

Р

Notes

| | MODEL NUMBER | LIST |
|----------------|--------------|------|
| Paper Tray | C9TPT | 160 |
| Tech Stand | C9TTS | 90 |
| Pencil Cup | C9TPC | 160 |
| Coat Hooks (5) | C9NSACH5 | 90 |
| | | |

MODEL NUMBER

C9NSAPM1624

C9NSAPM1630

C9NSAPM1636

• Tools clip into top of Rail Screens and Workshelf

Notes

D 16

16

16

W

24

30

36

• Personal Shelf clips into the top of the Rail Screens (not available on acrylic)


LIST

160

160

160

Edison Rail Screen Personal Shelf



Edison Rail Workshelf



Edison Rail Workshelf



Notes

- Personal Shelf clips into the top of the Rail screen (not available on acrylic)
- Included 6" white planter pot is repositionable left or right

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 16 | 24 | C9NSAPS1624 | 440 |
| 16 | 30 | C9NSAPS1630 | 440 |
| 16 | 36 | C9NSAPS1636 | 440 |

Options & Upcharges

Slots: Available with slots or in solid steel, no upcharge

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 10 | 24 | C9NAWS102419 | 510 |
| 10 | 30 | C9NAWS103019 | 510 |
| 10 | 36 | C9NAWS103619 | 510 |
| 10 | 42 | C9NAWS104219 | 580 |
| 10 | 48 | C9NAWS104819 | 580 |
| | | | |


Options & Upcharges

Slots: Available with slots or in solid steel, no upcharge

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 17 | 30 | C9NAWD173019 | 640 |
| 17 | 36 | C9NAWD173619 | 640 |
| 17 | 42 | C9NAWD174219 | 640 |
| 17 | 48 | C9NAWD174819 | 640 |

Edison Junior Rail and Senior Rail Exclusive Accessories, cont.

Edison Rail Round



Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

Notes

• Table height: 29.5

| W | MODEL NUMBER | LIST |
|----|--------------|------|
| 18 | C9NARTRC1829 | 720 |
| 24 | C9NARTRC2429 | 720 |

Edison Rail Team



Options & Upcharges


Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

Notes

• Table height: 29.5

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 42 | 48 | C9NARTH04829 | 1130 |

Edison Rail Riser Desk



| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 24 | 48 | SWNARMD2448 | 1040 |
| 24 | 51 | SWNARMD2451 | 1230 |
| 24 | 54 | SWNARMD2454 | 1230 |
| 24 | 57 | SWNARMD2457 | 1230 |
| 24 | 60 | SWNARMD2460 | 1230 |
| 24 | 63 | SWNARMD2463 | 1230 |
| 24 | 66 | SWNARMD2466 | 1230 |
| 24 | 69 | SWNARMD2469 | 1230 |
| 24 | 72 | SWNARMD2472 | 1230 |

Options & Upcharges


Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)

Notes

- Table height: 29.5
- Mounts to rail perpendicular (as shown), or parallel

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 30 | 48 | SWNARMD3048 | 1040 |
| 30 | 51 | SWNARMD3051 | 1230 |
| 30 | 54 | SWNARMD3054 | 1230 |
| 30 | 57 | SWNARMD3057 | 1230 |
| 30 | 60 | SWNARMD3060 | 1230 |
| 30 | 63 | SWNARMD3063 | 1230 |
| 30 | 66 | SWNARMD3066 | 1230 |
| 30 | 69 | SWNARMD3069 | 1230 |
| 30 | 72 | SWNARMD3072 | 1230 |

Surface Mounted Straight Screen



| _ | |
|---|---|
| B | ß |

| н | w | HEIGHT ABOVE | MODEL NUMBER | LIST |
|----|----|-----------------|--------------|-------|
| 20 | 24 | 17 | EWBSBL202417 | 580 |
| 20 | 30 | 17 | EWBSBL203017 | 580 |
| 20 | 36 | 17 | EWBSBL203617 | 640 |
| 20 | 42 | 17 | EWBSBL204217 | 640 |
| 20 | 48 | 17 | EWBSBL204817 | 640 |
| 20 | 54 | 17 | EWBSBL205417 | 770 |
| 20 | 60 | 17 | EWBSBL206017 | 770 |
| 20 | 66 | 17 | EWBSBL206617 | 770 |
| 20 | 72 | 17 | EWBSBL207217 | 770 |
| 20 | 78 | 17 | EWBSBL207817 | 880 |
| 20 | 84 | 17 | EWBSBL208417 | 880 |
| | | | | |
| Н | W | HEIGHT ABOVE | MODEL NUMBER | LIST |
| 26 | 54 | 23 | EWBSBG265423 | 770 |
| 26 | 60 | 23 | EWBSBG266023 | 990 |
| 26 | 66 | 23 | EWBSBG266623 | 990 |
| 26 | 72 | 23 | EWBSBG267223 | 990 |
| 26 | 78 | 23 | EWBSBG267823 | 1,040 |
| 26 | 84 | 23 | EWBSBG268423 | 1,040 |
| | | | | |


Surface Mounted Corner Screen, Single

Notes

- Screens are non-handed, can be reversed in the field
- Single-Corner screens are sized for 2/3 of desk width
- Screen slots can accommodate Tools



Single Markerboard




| | DESK | | | | | | DESK | | | | |
|----|-------|----|----|--------------|-------|----|-------|----|----|--------------|-------|
| Н | WIDTH | HA | D | MODEL NUMBER | LIST | н | WIDTH | HA | D | MODEL NUMBER | LIST |
| 20 | 54 | 17 | 22 | EWBSCS205417 | 880 | 20 | 54 | 17 | 22 | EWBSCW205417 | 880 |
| 20 | 60 | 17 | 22 | EWBSCS206017 | 880 | 20 | 60 | 17 | 22 | EWBSCW206017 | 880 |
| 20 | 66 | 17 | 22 | EWBSCS206617 | 880 | 20 | 66 | 17 | 22 | EWBSCW206617 | 880 |
| 20 | 72 | 17 | 22 | EWBSCS207217 | 930 | 20 | 72 | 17 | 22 | EWBSCW207217 | 930 |
| 20 | 78 | 17 | 22 | EWBSCS207817 | 930 | 20 | 78 | 17 | 22 | EWBSCW207817 | 930 |
| 20 | 84 | 17 | 22 | EWBSCS208417 | 930 | 20 | 84 | 17 | 22 | EWBSCW208417 | 930 |
| 26 | 54 | 23 | 22 | EWBSCS265423 | 980 | 26 | 54 | 23 | 22 | EWBSCW265423 | 980 |
| 26 | 60 | 23 | 22 | EWBSCS266023 | 980 | 26 | 60 | 23 | 22 | EWBSCW266023 | 980 |
| 26 | 66 | 23 | 22 | EWBSCS266623 | 980 | 26 | 66 | 23 | 22 | EWBSCW266623 | 980 |
| 26 | 72 | 23 | 22 | EWBSCS267223 | 1,030 | 26 | 72 | 23 | 22 | EWBSCW267223 | 1,030 |
| 26 | 78 | 23 | 22 | EWBSCS267823 | 1,030 | 26 | 78 | 23 | 22 | EWBSCW267823 | 1,030 |
| 26 | 84 | 23 | 22 | EWBSCS268423 | 1,030 | 26 | 84 | 23 | 22 | EWBSCW268423 | 1,030 |

Surface Mounted Corner Screen, Double


Notes

Screen slots can accommodate Tools

Double



Double Markerboard



| н | DESK WIDTH | НА | D | MODEL NUMBER | LIST | н | DESK WIDTH | HA | D | MODEL NUMBER | LIST |
|----|---------------|----|----|--------------|-------|----|---------------|----|----|--------------|-------|
| 20 | 54 | 17 | 22 | EWBSDS205417 | 1,640 | 20 | 54 | 17 | 22 | EWBSDW205417 | 1,640 |
| 20 | 60 | 17 | 22 | EWBSDS206017 | 1,700 | 20 | 60 | 17 | 22 | EWBSDW206017 | 1,700 |
| 20 | 66 | 17 | 22 | EWBSDS206617 | 1,750 | 20 | 66 | 17 | 22 | EWBSDW206617 | 1,750 |
| 20 | 72 | 17 | 22 | EWBSDS207217 | 1,800 | 20 | 72 | 17 | 22 | EWBSDW207217 | 1,800 |
| 20 | 78 | 17 | 22 | EWBSDS207817 | 1,850 | 20 | 78 | 17 | 22 | EWBSDW207817 | 1,850 |
| 20 | 84 | 17 | 22 | EWBSDS208417 | 1,900 | 20 | 84 | 17 | 22 | EWBSDW208417 | 1,900 |
| 26 | 54 | 23 | 22 | EWBSDS265423 | 1,750 | 26 | 54 | 23 | 22 | EWBSDW265423 | 1,750 |
| 26 | 60 | 23 | 22 | EWBSDS266023 | 1,800 | 26 | 60 | 23 | 22 | EWBSDW266023 | 1,800 |
| 26 | 66 | 23 | 22 | EWBSDS266623 | 1,850 | 26 | 66 | 23 | 22 | EWBSDW266623 | 1,850 |
| 26 | 72 | 23 | 22 | EWBSDS267223 | 1,900 | 26 | 72 | 23 | 22 | EWBSDW267223 | 1,900 |
| 26 | 78 | 23 | 22 | EWBSDS267823 | 1,950 | 26 | 78 | 23 | 22 | EWBSDW267823 | 1,950 |
| 26 | 84 | 23 | 22 | EWBSDS268423 | 2,000 | 26 | 84 | 23 | 22 | EWBSDW268423 | 2,000 |