HAVEN

Spec Guide & Price List

Social Tables + Recharge Bench + Laptop Table





HAVEN SPEC GUIDE

| Statement of Line | 3 |
|----------------------------------|-----|
| Social Tables | 6 |
| HighLow Tables | .11 |
| Perch Table | .13 |
| Laptop Table | .14 |
| Recharge Bench | 15 |
| Technical Product Details | 16 |
| Finish Guide | 19 |

HAVEN PRICE LIST

| Social Tables | .20 |
|---------------------|-----|
| HighLow Tables | .31 |
| Perch Table | .34 |
| Laptop Table | .35 |
| Recharge Bench | .36 |
| Accessories & Power | 37 |

Prices effective January 2025

Haven Statement of Line

Social Tables

Oblong, 4-Leg

D: 36, 42, 48, 54, 60

W: 48 - 96

H: 29.5, 36, 42*

*See pricing section for

Foot Bar options



Oblong, 6-Leg

D: 36, 42, 48, 54, 60

W: 108 - 192

H: 29.5, 36, 42*

*See pricing section for

Foot Bar options



Oblong, 8-Leg

D: 36, 42, 48, 54, 60

W: 216 - 288

H: 29.5, 36, 42*

*See pricing section for



Rectangle, 4-Leg

D: 36, 42, 48, 54, 60

W: 48 - 96

H: 29.5, 36, 42*

*See pricing section for

Foot Bar options



Rectangle, 6-Leg

D: 36, 42, 48, 54, 60

W: 108 - 192

H: 29.5, 36, 42*

*See pricing section for

Foot Bar options



Rectangle, 8-Leg

D: 36, 42, 48, 54, 60

W: 216 - 288

H: 29.5, 36, 42*

*See pricing section for



Peninsula, 4-Leg

D: 36, 42, 48, 54, 60

W: 48 - 96

H: 29.5, 36, 42*

*See pricing section for

Foot Bar options



Peninsula, 6-Leg

D: 36, 42, 48, 54, 60

W: 108 - 192

H: 29.5, 36, 42*

*See pricing section for

Foot Bar options



Peninsula, 8-Leg

D: 36, 42, 48, 54, 60

W: 216 - 288

H: 29.5, 36, 42*

*See pricing section for



Round, 4-Leg

D: 36, 42, 48, 54, 60

H: 29.5, 36, 42

*See pricing section for

Foot Bar options



Square, 4-Leg

D: 36, 42, 48, 54, 60

W: 36, 42, 48, 54, 60

H: 29.5, 36, 42

*See pricing section for

Foot Bar options



Wall Round

D: 42, 54

W: 48, 60

H: 29.5, 36, 42



Haven Statement of Line

HighLow Float Tables

W/ Round Floating Surface **Surface Depth:** 36/36, 42/42 **Low Surface Width:** 72, 84, 96 **Total Surface Width: 90, 102, 114**

Height: 36/42



HighLow Tables

Oblong

Surface Depth: 36/36, 42/42, 48/36, 60/42

Low Surface Width: 84, 96 High Surface Width: 72, 84, 96

Total Surface Width: 137, 149, 161, 173

Height: 29.5/36, 36/42





Perch Tables

Perch, 4-Leg **D**: 18 **W:** 48 - 96





Perch, 6-Leg

D: 18 W: 108 - 120



W/ Oblong Floating Surface

Surface Depth: 36/24, 42/24 **Low Surface Width:** 72, 84, 96 High Surface Width: 36, 42 **Total Surface Width:** 90, 102, 114

Height: 36/42



Rectangle

Surface Depth: 36/36, 42/42, 48/36, 60/42

Low Surface Width: 84, 96 High Surface Width: 72, 84, 96

Total Surface Width: 137, 149, 161, 173

Height: 29.5/36, 36/42





Laptop Table

D: 12 **W:** 22 **H:** 25



Recharge Bench

No Accessories

D: 16 **W:** 72 **H:** 18

W/ Neighborhood Light*

D: 16 **W:** 72 **H:** 58



W/ Round Surface

D: 16 **W:** 72 **H:** 25

W/ Oblong Surface

D: 16 **W:** 72 **H:** 25

W/ Planter Tray

D: 16 **W:** 72 **H:** 24





Haven Statement of Line

Table Accessories

Neighborhood Light*

D: 16 **H:** 28



Floating Planter Tray

W: 14 **H:** 6



In-Surface Planter

W: 8 **H:** 6




Cable Tower

D: 4, 5, 7 **W**: 7, 12 **H**: 29.5, 36, 42



Cable Channel

H: 29.5, 36, 42



Monitor Mount

Table Screens

Table Screen, Round

W: 52 **H:** 52



Media Panel, Round

W: 52 **H:** 52



Table Screen, Rectangle

W: 48 **H:** 42



Media Panel, Rectangle

W: 48 **H:** 42



Haven Social Tables

Designed in collaboration with Mike&Maaike, San Francisco, CA

A collection of tables offering soft shapes, inviting touchpoints, and flexible layouts, bringing people together intentionally and purposefully.




Table Shapes & Sizes

Oblong

D: 36, 42, 48, 54, 60

W: 48 - 288 **H:** 29.5, 36, 42



Round **D:** 36, 42, 48, 54, 60

H: 29.5, 36, 42



Rectangle

D: 36, 42, 48, 54, 60

W: 48 - 288

H: 29.5, 36, 42

Square

D: 36, 42, 48, 54, 60

W: 36, 42, 48, 54, 60

H: 29.5, 36, 42



Peninsula

D: 36, 42, 48, 54, 60

W: 48 - 288

H: 29.5, 36, 42



Accessories

Neighborhood Light

D: 16

H: 28



Planter Tray

D: 14

H: 6



In-Surface Planter*

D: 8

H: 6 (sits flush with surface)



Wall Round


H: 29.5, 36, 42

D: 42, 54 **W:** 48, 60

*Available on Social Tables 60"W or smaller

Haven Social Table Sizing

Oblong, Rectangle, and Peninsula shape tables come in one-piece (4-leg), two-piece (6-leg), and three-piece (8-leg) surfaces depending on width. Grain direction runs the width of the table, and is matched at the seam on multi-surface tables.




36 - 60"D x 216 - 288"W



- *An optional steel foot bar is available on 42H Social Tables (dependent on depth and width), adding a comfortable touchpoint to a standing height table. See pricing pages for details.
- All 36H & 42H Social Tables come with low profile bag hooks directly under the surface on each leg
- Foot bars and bag hooks are powdercoated to match the base of the table
- Casters available on 4-leg Social Tables, table height remains the same whether casters or glides are specified

Edge Options






Haven Accessories


Designed in collaboration with Mike&Maaike, San Francisco, CA

Haven enhances the social dynamic and facilitates collaboration with an array of accessories, bringing ambiance, convenient tech support, and biophilic elements.










In-Surface Planter



- Produces up to 2000 lumens of LED light.
- Includes one 60W USB-C and one 10W USB-A charging port located on the stem of the light, an integrated continuously dimmable button (press and hold), and an auto-shutoff timer that powers the light off after 6 hours of inactivity.
- Powered by a 24V 120W power supply with a 72" cord.
- Available in Frosty White and Black powdercoats, all other powdercoats +\$350.
- Optional add-on: Byrne Pepper single-outlet units on each side of the Neighborhood Light for added power supply.

- Displays plants or other items above the surface adding visual intrigue and biophilic elements.
- Available in any Watson powdercoat.
- Made from 16 gauge spun aluminum, available in any Watson powdercoat.
- Sits flush with surface, extends 6" below surface.
- Waterproof container, designed to fit a standard 6" planter.
- Optional on Round and Square Social Tables or Perch Tables.

Haven Table & Media Screens

Designed in collaboration with Mike&Maaike, San Francisco, CA

The Media Screen can turn any Haven table into a video conferencing pod. The fabric-covered Table Screen comes in a circle or square and looks great from any angle.




Table Screens

Table Screen, Round

W: 52

H: 52



Table Screen, Rectangle

W: 48

H: 42



Monitor Mount



Media Screen, Round

W: 52

H: 52

Media Screen, Rectangle

W: 48

H: 42



- Rectangle screen system heights for 29.5, 36, or 42"H tables: 58", 64", 70"
- Round screen system heights for 29.5, 36, or 42"H tables: 62", 68", 74"


Table Screen Heights




The Dual-hinge power unit is Watson's unique 2-way access to in-surface power/data. Lids are grain-matched to the worksurface and house ample space beneath for excess cables and remotes. Available in a single unit, or double unit (XL) depending on power/data needs (see pricing section for additional drop-in power units). Available with the following options:



*XL model shown in above images




Round High Surface: 36, 42"D



Haven Perch Tables

Designed in collaboration with Mike&Maaike, San Francisco, CA



Haven Laptop Table

Designed in collaboration with Mike&Maaike, San Francisco, CA




Laptop Table Details

- Laptop Tables ship flat-packed and require minimal assembly with only (7) screws total
- The steel bottom is finished with smooth sliders, to facilitate movement on a variety of surfaces
- Depending on specification, the surface is either 3/16" powdercoated steel plate, 18mm European birch plywood (if a Ply Edge is chosen), or 3/4" NAF MDF (if a sanded MDF edge is chosen with a clear or charcoal stain)

Laptop Table Edge Options



Laptop Table Sizing



Haven Recharge Bench


Designed in collaboration with Mike&Maaike, San Francisco, CA

The Recharge Bench is a versatile upholstered bench that comes with optional accessories providing a convenient touch-down spot. Perfect for transitional places, outside of meeting rooms, lobbies, and periphery spaces.



D: 16 **H**: 40


H + Bench: 58



- Neighborhood Light produces up to 2000 lumens of LED light, includes one 60W USB-C and one 10W USB-A charging port located on the stem of the light, an integrated continuously dimmable button (press and hold), and an auto-shutoff timer that powers the light off after 6 hours of inactivity. Powered by a 24V 120W power supply with a 72" cord.
- Planter Tray is powdercoated steel and displays plants or other items above the surface adding visual intrigue and biophilic elements.
- Round and Oblong Surfaces are constructed of either 18mm
 European birch plywood (if a Ply Edge is chosen), or 3/4" NAF
 MDF (if a sanded MDF edge is chosen with a clear or charcoal
 stain) and sit 9" above the bench frame. Oblong Surface pivots to
 accommodate either bench seat. All Watson surface laminates and
 Forbo finishes available.

Recharge Bench Sizing

Bench including accessories measures 72"W Bench without accessories measures 70"W Seat cushions are always 33.5"W



Round and Oblong Surface Edge Options



Haven | Product Specification Details

Social Tables

The Haven Social Table comes with a worksurface that is constructed from any of the following core materials depending on options: 27mm double refined NAF MDF, 1-1/8" M2 industrial NAF particleboard, or 25mm European birch multi-ply plywood. Particleboard edges are finished with polypropylene edgeband while MDF and plywood edges are sealed with a waterborne edge stain. All core materials are finished on top with either horizontal or post-form grade high pressure laminate or Forbo furniture linoleum and on bottom with horizontal grade backer sheet for a balanced construction. The complexity of the base depends on the width of the table. If the table is 72" wide or larger, the base consists of bridge legs with integrated support rails. If the table is between 60" wide and 72" wide, the base consists of four bolt-on legs with bolt-on support rails. If the table is 60" wide or smaller, the base has the same bolt-on legs without support rails. Each bridge leg is a weldment with a 12 gauge cold rolled steel top, a 12 gauge cold rolled steel cross rail, multiple 12 gauge cold rolled bent steel rail brackets, two "D" shaped, proprietary welded rollformed steel tubes, and cast A380 aluminum feet that mate seamlessly to the tubes using a proprietary clamping design. The feet are finished with either an M10, 1" diameter, knurled nylon glide or a 65mm twin wheel caster with two locking wheels. Casters are not offered on 6- and 8-leg tables. Legs for surfaces at 36" high or taller receive a bent 12 gauge cold rolled steel bracket hook for hanging bags or coats. Each bolt-on leg is a weldment of a 3/16" cold rolled steel top plate, a "D" shaped, proprietary welded roll-formed steel tube, and a cast A380 aluminum foot that mates seamlessly to the tube using a proprietary clamping design. The foot is finished with either an M10, 1" diameter, knurled nylon glide or a 65mm twin wheel caster with two locking wheels. Bolt-on legs for surfaces at 36" high or taller also receive a hook. Integrated support rails are made from either 12ga cold rolled steel "U" channels or 1-1/2" x 1-1/2" x 0.12" A513 steel depending on the width of the table. Bolt-on support rails are 12ga cold rolled steel bent into a "U" channel with rounded ends to soften the aesthetic. A foot bar can be option on tables that are 42" H. The foot bar is an assembly of 1-1/8" x 0.156" thick tubes connected with stainless steel connectors and M6 set screws. Some of the tubes have tabs welded on to them which allow the foot bar to be attached to flow drilled, M6 threaded holes in the "D" shaped legs. An optional cable tray can be attached to the table via several bent 12 gauge cold rolled steel brackets or via the table's support rails (depending on table depth). All metal components are powder coated.

HighLow Float Tables

The Haven HighLow Float Table comes with two worksurface that are constructed from any of the following core materials depending on options: 27mm double refined NAF MDF, 1-1/8" M2 industrial NAF particleboard, or 25mm European birch multiply plywood. Particleboard edges are finished with polypropylene edgeband while MDF and plywood edges are sealed with a waterborne edge stain. All core materials are finished on top with either horizontal or post-form grade high pressure laminate or Forbo furniture linoleum and on bottom with horizontal grade backer sheet for a balanced construction. Both surfaces share an edge type; however, each surface can have a different surface finish and edge finish. Four legs bolt onto the bottom of the low worksurface with #10 wood screws. Each leg is a weldment of a 3/16" cold rolled steel top plate, a "D" shaped, proprietary welded roll-formed steel tube, and a cast A380 aluminum foot that mates seamlessly to the tube using a proprietary clamping design. The foot is finished with an M10, 1" diameter, knurled nylon glide. Each leg receives a bent 12 gauge cold rolled steel bracket hook for hanging bags or coats. Two 12 gauge cold rolled steel support rails are used to stiffen the worksurface, and, in some depths, act as a bracket to hold an optional 18 gauge cold rolled steel cable tray. The high surface assembly rotates on a pivot that attaches to the underside of the low surface. The pivot is made of a clamp and post. The clamp is a series of 3/16" cold rolled steel plates with 1/32" thick UHMW plastic bearings surfaces in between. The clamp assembly attaches to brass inserts installed in the underside of the low surface with M6 machine screws. The post is a weldment with a 3/16" cold rolled steel top plate, a 4" diameter, 0.12" thick welded steel tube, and a 3/16" cold rolled steel bottom plate with five M6 tapped holes. All metal components are powder coated.

HighLow Tables

The Haven Highlow Table comes with two worksurface that are constructed from any of the following core materials depending on options: 27mm double refined NAF MDF, 1-1/8" M2 industrial NAF particleboard, or 25mm European birch multi-ply plywood. Particleboard edges are finished with polypropylene edgeband while MDF and plywood edges are sealed with a waterborne edge stain. All core materials are finished on top with either horizontal or post-form grade high pressure laminate or Forbo furniture linoleum and on bottom with horizontal grade backer sheet for a balanced construction. Both surfaces share an edge type; however, each surface can have a different surface finish and edge finish. Four legs bolt onto the bottom of the low worksurface and two legs bolt onto the bottom of the high surface - both with #10 wood screws. Each leg is a weldment of a 3/16" cold rolled steel top plate, a "D" shaped, proprietary welded roll-formed steel tube, and a cast A380 aluminum foot that mates seamlessly to the tube using a proprietary clamping design. The foot is finished with an M10, 1" diameter, knurled nylon glide. Legs for surfaces at 36" high or taller receive a bent 12 gauge cold rolled steel bracket hook for hanging bags or coats. Two 12 gauge cold rolled steel support rails are used to stiffen each worksurface, and, in some depths, act as a bracket to hold an optional 18 gauge cold rolled steel cable tray. The high surface assembly rotates on a pivot that attaches to the underside of the low surface. The pivot is made of a clamp and post. The clamp is a series of 3/16" cold rolled steel plates with 1/32" thick UHMW plastic bearings surfaces in between. The clamp assembly attaches to brass inserts installed in the underside of the low surface with M6 machine screws. The post is a weldment with a 3/16" cold rolled steel top plate, a 4" diameter, 0.12" thick welded steel tube, and a 3/16" cold rolled steel bottom plate with five M6 tapped holes. All metal components are powder coated.

Haven | Product Specification Details

Perch Tables

The Haven Perch Table comes with a worksurface that is constructed from any of the following core materials depending on options: 27mm double refined NAF MDF, 1-1/8" M2 industrial NAF particleboard, or 25mm European birch multi-ply plywood. Particleboard edges are finished with polypropylene edgeband while MDF and plywood edges are sealed with a waterborne edge stain. All core materials are finished on top with either horizontal or post-form grade high pressure laminate or Forbo furniture linoleum and on bottom with horizontal grade backer sheet for a balanced construction. The worksurface rests on a base assembly which includes bridge legs, support rails, and a foot bar. Each bridge leg is a weldment with a 12 gauge cold rolled steel top, 12 gauge cold rolled bent steel brackets, "D" shaped, proprietary welded roll-formed steel tubes, and cast A380 aluminum feet that mate seamlessly to the tubes using a proprietary clamping design. The feet are finished with an M10, 1" diameter, knurled nylon glide. The support rails are weldments consisting of a bent 12 gauge cold rolled steel sheet with two bends to make a "U" shape and two shorter 12 gauge cold rolled steel "U" brackets. The foot bar is an assembly of 1-1/8" x 0.156" thick tubes connected with stainless steel connectors and M6 set screws. Some of the tubes have tabs welded on which allow the foot bar to be attached to flow drilled, M6 threaded holes in the "D" shaped legs. Depending on the width selected, one or two MIG welded coat hooks are included. The coat hook contains three 12 gauge cold rolled steel parts and offers duel sided access. All metal components are powder coated.

Recharge Bench

The Haven Recharge Bench is an assembly of two bridge legs, a support beam, and two seat cushions. The bridge legs are powder coated weldments with two 10 gauge, cold rolled steel brackets, two "D" shaped, proprietary welded roll-formed steel tubes, and two cast A380 aluminum feet that mate seamlessly to the tubes using a proprietary clamping design. The feet are finished with an M10, 1" diameter, knurled nylon glide. The support beam is a powder coated, 2" x 2", 0.12" wall, hot rolled steel tube with several clearance holes on each end to allow for attachment to the bridge legs. The seat cushions are made from a 3/4" NAF MDF board and 1-1/4" thick, grade 2670, open-cell foam. Fabric is stretched around the foam and MDF board and stapled to the bottom of the board. An 18 gauge cold rolled steel plate is screwed to the bottom of the assembly and finishes the cushion. Depending on which product is ordered, there is either no accessory, a neighborhood light, a round surface, a swiveling oblong surface, or a planter tray. The Neighborhood Light is comprised of three primary components: the stem, the light fixture, and the shade. The stem is constructed of powder coated extruded aluminum and is fitted with a precision machined powder coated aluminum button. Embedded within the stem are two USB charging receptacles - one USBC capable of charging up to 60W and one USBA capable of charging up to 10W. The light fixture produces up to 2000 lumens at 3000K CCT with a CRI of 90+. The light is continuously dimmable from 0 to 100% by pressing and holding the button in the stem. The light also features a frosted polycarbonate diffuser to provide clean, even light. The light is equipped with an automatic shutoff timer that powers the light off after six hours of inactivity. The shade is made of powder coated 16 gauge stamped aluminum and is 16 inches in diameter. The light is 42" high and includes a 24V 120W power supply with a 6ft cable. The round surface and swiveling oblong surface are either made from 18mm European birch multi-ply plywood or 3/4" double refined NAF MDF, depending on optioning. Both cores are sealed with a waterborne edge stain. All core materials are finished on top with either horizontal or post-form grade high pressure laminate or Forbo furniture linoleum and on bottom with horizontal grade backer sheet for a balanced construction. Both surfaces are attached to the support beam of the bench via a powder coated weldment consisting of 10 gauge cold rolled steel plates and a 40mm welded roll-formed E235+C steel tube. The planter tray is a powder coated weldment with a 14" diameter, spun 14 gauge cold rolled steel tray, a 34mm welded roll-formed E235+C steel tube, and a 3/16" cold rolled steel plate.

Laptop Tables

The Haven Laptop Table is comprised of three main components: base, vertical support, and top. The base is made of a powder coated 1/4" cold rolled steel plate. The vertical support is a powder coated weldment of two 3/16" cold rolled steel plates and a "D" shaped, proprietary welded roll-formed steel tube. The top can either be a powder coated, 3/16" cold rolled steel plate or a layup of laminate, wood core material, and backer. The steel top plate has a 3/16" cold rolled steel bracket welded onto it. The wood top core material could be 18mm European birch multi-ply plywood or 3/4" double refined NAF MDF, depending on optioning. Both cores are sealed with a waterborne edge stain. All core materials are finished on top with either horizontal or post-form grade high pressure laminate or Forbo furniture linoleum and on bottom with horizontal grade backer sheet for a balanced construction. Two M8, flat-head screws are threaded through countersunk holes in the base to threaded holes in the bottom of the vertical support. To assemble the vertical support to the top, M6 machine screws or #10 wood screws are threaded into the top through the top plate on the vertical support. The base is finished with six adhesive backed sliders to facilitate movement on a variety of surfaces.

Haven | Product Specification Details

Neighborhood Light

The Neighborhood Light is comprised of three primary components: the stem, the light fixture, and the shade. The stem is constructed of powder coated extruded aluminum and is fitted with a precision machined powder coated aluminum button. Embedded within the stem are two USB charging receptacles – one USBC capable of charging up to 60W and one USBA capable of charging up to 10W. The light fixture produces up to 2000 lumens at 3000K CCT with a CRI of 90+. The light is continuously dimmable from 0 to 100% by pressing and holding the button in the stem. The light also features a frosted polycarbonate diffuser to provide clean, even light. The light is equipped with an automatic shutoff timer that powers the light off after six hours of inactivity. The shade is made of powder coated 16 gauge stamped aluminum and is 16 inches in diameter. The Neighborhood Light can be attached to either a surface or to the Recharge Bench and features two locating pins to ensure proper orientation of the stem. It is secured with a locking washer and a flange nut from the underside. The light is available in either a 28" or 42" finished height. Included with the Neighborhood Light is a 24V 120W power supply with a 6 ft cable.

Floating Planter Tray

The Floating Planter Tray is a powder coated weldment with a spun 14 gauge cold rolled steel tray, a 34mm welded roll-formed E235+C steel tube, and a 3/16" cold rolled steel plate. An M8 black oxide hex bolt is welded to the 3/16" plate to act as an attachment stem. The weldment is secured with an accompanying M8 steel washer and locking nut.

In-Surface Planter

The Haven In-Surface Planter is a powder coated, 8" diameter, 16 gauge spun aluminum container that can be placed in a corresponding hole in a worksurface.

Monitor Mount

The Monitor Mount is comprised of five primary components: table bracket, vertical support, TV mount, two TV brackets, and lock plate. The table bracket is a powder coated assembly with one 12 gauge cold rolled steel bracket that is bent with a TRUMPF TruBend Press Brake MIG welded to a 12 gauge flat plate. Depending on optioning, there may be cutouts and PEM standoffs in the bracket for a modular power unit with 4 power outlets (2 utility and 2 user). The vertical support is also a powder coated weldment with two 12 gauge cold rolled steel parts – one of which is bent twice with a press brake - MIG welded together. The assembly contains four unthreaded PEM standoffs to provide mounting for the TV mount and six threaded M6 PEM nuts to provide mounting for the table bracket. The TV mount is a powder coated, bent 12 gauge cold rolled steel bracket with cutouts that hinge on the unthreaded PEM standoffs in the vertical support. There are multiple hook cutouts to accommodate different mounting heights. Two neodymium magnets attached to a flange of the TV mount ensure the mount stays in place when cords or TVs are not being installed. The two TV brackets are powder coated and made from 16 gauge cold rolled steel and they have slots to accommodate 100mm - 400mm VESA mount patterns. The brackets attach to the TV mount via M6 PEM nuts. A universal AV mounting hardware kit is provided to attach the brackets to a TV. Finally, the lock plate is a powder coated 12 gauge cold rolled steel bracket that prevents the TV mount from being unhooked. It can be secured with either an M6 machine screw or a small padlock. The Monitor Mount accommodates most standard TVs up to 55 inches (max 400x400 VESA pattern). It attaches to a worksurface with seven #10 wood screws.


Media Panel


The Haven Media Panel is constructed from two pieces of 12mm LDF wrapped in fabric using a rubber emulsion Simalfa glue with 0 VOC's. The LDF pieces are routed with a roundover edge which gives the screen a softer aesthetic. Two 1/2" x 2" tubes embedded in the LDF provide rigidity to the assembly and create a mounting point for the table bracket and media bracket via 10 flow drilled, M6 tapped holes. The table bracket is a powder coated assembly with one 12 gauge cold rolled steel bracket that is bent with a TRUMPF TruBend Press Brake MIG welded to a 12 gauge flat plate. Depending on optioning, there may be cutouts and PEM standoffs in the bracket for a modular power unit with 4 power outlets (2 utility and 2 user). Two elastic cords looped through the bracket and tied at the ends provide cord management for any wires that need to travel from the bottom of the worksurface to the top. The media bracket consists of a powder coated, 16 gauge cold rolled steel bracket, two powder coated, 16 gauge cold rolled steel TV brackets, and a powdercoated 16 gauge cold rolled steel locking plate. A universal AV mounting hardware kit is provided to attach the brackets to a TV. The table bracket attaches to a worksurface with seven #10 wood screws, and the screen slots into the table bracket and secured with 6 M6 machine screws.

Table Screen

The Haven Table Screen is constructed from two pieces of 12mm LDF wrapped in fabric using a rubber emulsion Simalfa glue with 0 VOC's. The LDF pieces are routed with a roundover edge which gives the screen a softer aesthetic. Two 1/2" x 2" tubes embedded in the LDF provide rigidity to the assembly and create a mounting point for the table bracket via six flow drilled, M6 tapped holes. The table bracket is a powder coated assembly with one 12 gauge cold rolled steel bracket that is bent with a TRUMPF TruBend Press Brake MIG welded to a 12 gauge flat plate. Depending on optioning, there may be cutouts and PEM standoffs in the bracket for a modular power unit with 4 power outlets (2 utility and 2 user). Two elastic cords looped through the bracket and tied at the ends provide cord management for any wires that need to travel from the bottom of the worksurface to the top. The table bracket attaches to a worksurface with seven #10 wood screws, and the screen slots into the table bracket and secured with 6 M6 machine screws.

Finish Guide





Laminate Surface: Surface Laminate, Fenix, Forbo Edges: Knife or Round Under

Steel Surface: Powdercoat



Surface Laminate

| | Alabaster | AB |
|-----------|--------------------------|-----|
| | Frosty White | FJ |
| | Markerboard [§] | WM |
| | Fashion Grey | FQ |
| | Black | BK |
| Woodgrain | White Cypress | wcs |
| | Fawn Cypress | FCZ |
| | Asian Sand | JS |
| | Phantom Pearl | PPE |
| | Phantom Ecru | PEC |
| | Grey Elm | GEL |
| | Field Elm | FLM |
| | Loft Oak | LOA |
| | Blond Echo | EH |
| | Veranda Teak | VTK |
| | Neo Walnut | NEW |
| | Walnut Heights | WTH |
| | Skyline Walnut | SKW |
| | Studio Teak | DT |
| | Ebony Recon | ERE |

Forbo Linoleum

| Forbo Ash | FAS |
|-------------------|------------|
| Forbo Pebble | FPE |
| Forbo Mushroom | FMU |
| Forbo Olive | FOL |
| Forbo Pewter | FPW |
| Forbo Noir | FNE |
| Forbo Smokey Blue | FSB |
| | |

*Forbo Linoleum

A super green material with a leather-like texture and a matte finish.

Upcharge: +\$250 list ea.

Frosty White FJ Fashion Grev FO

Storage Laminate

| 1 |
|----|
| |
| à |
| 1 |
| (|
| M |
| С |
| ł |
| Z |
| Ī |
| тн |
| |

W

Edge Color

| _ |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| 1 |
| ; |
| |
| |
| |
| 4 |
| |

Natural ZE

Alabaster AB

Frosty White FJ

†Charcoal Stain

+\$50 per surface list upcharge

Powdercoat

| Markerboard | WM |
|----------------------|-----|
| Fashion Grey | FQ |
| Silver | WA |
| Satin Gray | GY |
| Slate | SG |
| Charcoal | CH |
| Black | BK |
| Aqua | AQU |
| Burnt Orange | RE0 |
| Mustard Seed | LEY |
| Emerald Green | PIG |
| Sage Green | PAG |
| Blue Steel | BLG |
| Stone | STG |
| Bark | BRK |
| Blush | BLU |
| Crema | CRE |
| Sapphire | SAP |
| Ruby | RBY |

Fabric

| Synergy 66* Affix | AFI |
|----------------------|-----|
| Alike | ALK |
| Append | APP |
| Chemistry | CHE |
| Group | GRO |
| Kinship | KIN |
| Loop | LOO |
| Mutual | MUT |
| Pact | PAC |
| Serendipity | SER |
| Summon | SUM |
| Work | WOR |
| Rivet Tensile | TEN |
| Vitreous | VIT |
| Wire | WRE |
| Forge | FRG |
| Spark | SPK |
| Molten | MLT |
| Otter | OTR |
| Alloy | |
| Grey Brindle | |
| Galvanize | |
| Lagoon | |
| Ouench | |
| quonon | ~ |

Fabric cont.

| PET | Light | SIA63 |
|--------|-----------------------|-----------|
| | Medium | HTA23 |
| | Dark | CHA21 |
| Anchor | age Angora | 9A |
| | Asteroid | 6D |
| | Birch | 9H |
| | Cumin | 9U |
| | Fossil | 6X |
| | Geranium | R2 |
| | Goose | 9E |
| | Graphite | 9R |
| | Green Aple | 1G |
| | Henna | 6H |
| | Pumpkin | 99 |
| | Straw | 9S |
| | Sunshine | S8 |
| | Waterfall | U8 |
| | Vanilla | 6V |
| Sprite | Sprite Snow | 2W |
| | Sprite Linen | 21 |
| | Sprite Khaki | 7K |
| | Sprite Harvest | 2V |
| | Sprite Sky | 7Y |
| | | |

§Markerboard

Craft Surface

+\$100 per surface list upcharge

Fenix Laminate

| Bianco Kos | MWH |
|----------------|-----|
| Castoro Ottawa | MBR |
| Nero Ingo | MBK |

Saddle BKR

*Fenix NTM Laminate

An extremely matte laminate with anti-fingerprinting and anti-bacterial properties. **Upcharges** by

Under 30x72 +\$440 list

Over 30x72 +\$880 list

surface size:

| | | | Silver | VV |
|-----------------------|-----------------------------|-------------|----------------------|----|
| Edge | Profile | | Satin Gray | G |
| 90 | 90 ^ | U | Slate | S |
| | 90 Trim | 0 | Charcoal | С |
| | 90 Plv ** | v | Black | В |
| Knife | Knife | K | Aqua | Α |
| | Knife Trim | i. | Burnt Orange | R |
| | Knife Plv ** | w | Mustard Seed | L |
| | Comfort *** | | Emerald Green | Р |
| Round Under | | | Sage Green | P |
| Pou | | | Blue Steel | В |
| Round Under Ply *** G | | Stone | S | |
| | ge & Round | | Bark | В |
| +2120 b | er surface li | scupenarge | Blush | В |
| | , Knife Ply & er surface | Round Under | Crema | С |

*Synergy 66

+\$250 per item list upcharge

Extended Powdercoat Program

Additional RAL colors are available as part of Watson's Extended Powdercoat Program. Please consult with your account manager to ensure your powder selection is available. Some pearls and metallics are not offered.

- Upcharge: \$1760 list per order, per color
- Leadtime: Contact the Factory for Leadtime

^M

- +\$
- 44 g +\$350 per surface

*** Comfort Edge & Round Under Ply

Only available with Forbo Linoleum surface material.

+\$900 for Forbo with Comfort Edge per surface

Social Tables, Oblong

4-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Foot Bar: Optional on all *noted table sizes at 42"H (+\$480)

Casters: +\$110 (table height is not altered)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Cable Tray: Optional on tables 72"W or larger (+\$260)

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) /

Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) /

Comfort (+\$900) (Comfort edge only available with Forbo surface material) /

Round Under (+\$150) / Round Under Ply (+\$350)

Finishes: please see our specific list of Social Table finishes

Notes

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 36 | 48 | FLM03648 | 2190 |
| 36 | 60 | FLM03660 * | 2550 |
| 36 | 72 | FLM03672 * | 2910 |
| 36 | 84 | FLM03684 * | 3260 |
| 36 | 96 | FLM03696 * | 3630 |
| 42 | 48 | FLM04248 | 2190 |
| 42 | 60 | FLM04260 * | 2550 |
| 42 | 72 | FLM04272 * | 2910 |
| 42 | 84 | FLM04284 * | 3260 |
| 42 | 96 | FLM04296 * | 3540 |
| 48 | 72 | FLM04872 * | 2910 |
| 48 | 84 | FLM04884 * | 3260 |
| 48 | 96 | FLM04896 * | 3630 |
| 54 | 72 | FLM05472 | 2910 |
| 54 | 84 | FLM05484 | 3260 |
| 54 | 96 | FLM05496 | 3630 |
| 60 | 72 | FLM06072 | 2910 |
| 60 | 84 | FLM06084 | 3260 |
| 60 | 96 | FLM06096 | 3630 |

Social Tables, Oblong

6-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Foot Bar: Optional on all *noted table sizes at 42"H (+\$640)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Cable Tray: Optional on tables 72"W or larger (+\$520)

Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700) / Knife (+\$300) / Knife Trim (+\$300) / Knife Ply (+\$700) / Round Under (+\$300) /

Round Under Ply (+\$700)

Finishes: please see our specific list of Social Table finishes

Notes

| D | W | MODEL NUMBER | LIST |
|----|-----|--------------|------|
| 36 | 108 | FLM036108 * | 4920 |
| 36 | 120 | FLM036120 * | 5370 |
| 36 | 144 | FLM036144 * | 5790 |
| 36 | 168 | FLM036168 * | 6220 |
| 36 | 192 | FLM036192 * | 6800 |
| 42 | 108 | FLM042108 * | 4920 |
| 42 | 120 | FLM042120 * | 5370 |
| 42 | 144 | FLM042144 * | 5790 |
| 42 | 168 | FLM042168 * | 6220 |
| 42 | 192 | FLM042192 * | 6800 |
| 48 | 108 | FLM048108 * | 4920 |
| 48 | 120 | FLM048120 * | 5370 |
| 48 | 144 | FLM048144 * | 5790 |
| 48 | 168 | FLM048168 * | 6220 |
| 48 | 192 | FLM048192 * | 6800 |
| 54 | 108 | FLM054108 | 4920 |
| 54 | 120 | FLM054120 | 5370 |
| 54 | 144 | FLM054144 | 5790 |
| 54 | 168 | FLM054168 | 6220 |
| 54 | 192 | FLM054192 | 6800 |
| 60 | 108 | FLM060108 | 4920 |
| 60 | 120 | FLM060120 | 5370 |
| 60 | 144 | FLM060144 | 5790 |
| 60 | 168 | FLM060168 | 6220 |
| 60 | 192 | FLM060192 | 6800 |

Social Tables, Oblong

8-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Foot Bar: Optional on all *noted table sizes at 42"H (+\$790)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Cable Tray: Optional on tables 72"W or larger (+\$770)

Edge Profiles: 90 (+\$450) / 90 Trim / 90 Ply (+\$1050) / Knife (+\$450) /

Knife Trim (+\$450) / Knife Ply (+\$1050) / Round Under (+450) /

Round Under Ply (+\$1050)

Finishes: please see our specific list of Social Table finishes

Notes

| D | W | MODEL NUMBER | LIST |
|----|-----|--------------|-------|
| 36 | 216 | FLM036216 * | 7520 |
| 36 | 240 | FLM036240 * | 8530 |
| 36 | 264 | FLM036264 * | 9540 |
| 36 | 288 | FLM036288 * | 10540 |
| 42 | 216 | FLM042216 * | 7520 |
| 42 | 240 | FLM042240 * | 8530 |
| 42 | 264 | FLM042264 * | 9540 |
| 42 | 288 | FLM042288 * | 10540 |
| 48 | 216 | FLM048216 * | 7520 |
| 48 | 240 | FLM048240 * | 8530 |
| 48 | 264 | FLM048264 * | 9540 |
| 48 | 288 | FLM048288 * | 10540 |
| 54 | 216 | FLM054216 | 7520 |
| 54 | 240 | FLM054240 | 8530 |
| 54 | 264 | FLM054264 | 9540 |
| 54 | 288 | FLM054288 | 10540 |
| 60 | 216 | FLM060216 | 7520 |
| 60 | 240 | FLM060240 | 8530 |
| 60 | 264 | FLM060264 | 9540 |
| 60 | 288 | FLM060288 | 10540 |

Social Tables, Rectangle

4-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Foot Bar: Optional on all *noted table sizes at 42"H (+\$480)

Casters: +\$110 (table height is not altered)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Cable Tray: Optional on tables 72"W or larger (+\$260)

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) /

Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) /

Comfort (+\$900) (Comfort edge only available with Forbo surface material) /

Round Under (+\$150) / Round Under Ply (+\$350)


Finishes: please see our specific list of Social Table finishes

Notes

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 36 | 48 | FLMR3648 * | 2190 |
| 36 | 60 | FLMR3660 * | 2550 |
| 36 | 72 | FLMR3672 * | 2910 |
| 36 | 84 | FLMR3684 * | 3260 |
| 36 | 96 | FLMR3696 * | 3630 |
| 42 | 48 | FLMR4248 * | 2910 |
| 42 | 60 | FLMR4260 * | 2550 |
| 42 | 72 | FLMR4272 * | 2910 |
| 42 | 84 | FLMR4284 * | 3260 |
| 42 | 96 | FLMR4296 * | 3630 |
| 48 | 72 | FLMR4872 * | 2910 |
| 48 | 84 | FLMR4884 * | 3260 |
| 48 | 96 | FLMR4896 * | 3630 |
| 54 | 72 | FLMR5472 * | 2910 |
| 54 | 84 | FLMR5484 * | 3260 |
| 54 | 96 | FLMR5496 * | 3630 |
| 60 | 72 | FLMR6072 * | 2910 |
| 60 | 84 | FLMR6084 * | 3260 |
| 60 | 96 | FLMR6096 * | 3630 |

Social Tables, Rectangle

6-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Foot Bar: Optional on all *noted table sizes at 42"H (+\$640)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Cable Tray: Optional on tables 72"W or larger (+\$520)

Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700) / Knife (+\$300) / Knife Trim (+\$300) / Knife Ply (+\$700) / Round Under (+\$300) /

Round Under Ply (+\$700)


Finishes: please see our specific list of Social Table finishes

Notes

| D | W | MODEL NUMBER | LIST |
|----|-----|--------------|------|
| 36 | 108 | FLMR36108 * | 4920 |
| 36 | 120 | FLMR36120 * | 5370 |
| 36 | 144 | FLMR36144 * | 5790 |
| 36 | 168 | FLMR36168 * | 6220 |
| 36 | 192 | FLMR36192 * | 6800 |
| 42 | 108 | FLMR42108 * | 4920 |
| 42 | 120 | FLMR42120 * | 5370 |
| 42 | 144 | FLMR42144 * | 5790 |
| 42 | 168 | FLMR42168 * | 6220 |
| 42 | 192 | FLMR42192 * | 6800 |
| 48 | 108 | FLMR48108 * | 4920 |
| 48 | 120 | FLMR48120 * | 5370 |
| 48 | 144 | FLMR48144 * | 5790 |
| 48 | 168 | FLMR48168 * | 6220 |
| 48 | 192 | FLMR48192 * | 6800 |
| 54 | 108 | FLMR54108 * | 4920 |
| 54 | 120 | FLMR54120 * | 5370 |
| 54 | 144 | FLMR54144 * | 5790 |
| 54 | 168 | FLMR54168 * | 6220 |
| 54 | 192 | FLMR54192 * | 6800 |
| 60 | 108 | FLMR60108 * | 4920 |
| 60 | 120 | FLMR60120 * | 5370 |
| 60 | 144 | FLMR60144 * | 5790 |
| 60 | 168 | FLMR60168 * | 6220 |
| 60 | 192 | FLMR60192 * | 6800 |

Social Tables, Rectangle

8-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Foot Bar: Optional on all *noted table sizes at 42"H (+\$790)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

<u>See pages 38 - 39 for additional Power options</u> **Cable Tray:** Optional on tables 72"W or larger (+\$770)

Edge Profiles: 90 (+\$450) / 90 Trim / 90 Ply (+\$1050) / Knife (+\$450) / Knife Trim (+\$450) / Knife Ply (+\$1050) / Round Under (+\$450) /

Round Under Ply (+\$1050)

Finishes: please see our specific list of Social Table finishes

Notes

| D | W | MODEL NUMBER | LIST |
|----|-----|--------------|-------|
| 36 | 216 | FLMR36216 * | 7520 |
| 36 | 240 | FLMR36240 * | 8530 |
| 36 | 264 | FLMR36264 * | 9540 |
| 36 | 288 | FLMR36288 * | 10540 |
| 42 | 216 | FLMR42216 * | 7520 |
| 42 | 240 | FLMR42240 * | 8530 |
| 42 | 264 | FLMR42264 * | 9540 |
| 42 | 288 | FLMR42288 * | 10540 |
| 48 | 216 | FLMR48216 * | 7520 |
| 48 | 240 | FLMR48240 * | 8530 |
| 48 | 264 | FLMR48264 * | 9540 |
| 48 | 288 | FLMR48288 * | 10540 |
| 54 | 216 | FLMR54216 * | 7520 |
| 54 | 240 | FLMR54240 * | 8530 |
| 54 | 264 | FLMR54264 * | 9540 |
| 54 | 288 | FLMR54288 * | 10540 |
| 60 | 216 | FLMR60216 * | 7520 |
| 60 | 240 | FLMR60240 * | 8530 |
| 60 | 264 | FLMR60264 * | 9540 |
| 60 | 288 | FLMR60288 * | 10540 |

Social Tables, Peninsula

4-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Foot Bar: Optional on all *noted table sizes at 42"H (+\$480)

Casters: +\$110 (table height is not altered)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Cable Tray: Optional on tables 72"W or larger (+\$260)

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) /

Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) /

Comfort (+\$900) (Comfort edge only available with Forbo surface material) /

Round Under (+\$150) / Round Under Ply (+\$350)


Finishes: please see our specific list of Social Table finishes

Notes

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 36 | 48 | FLMP3648 | 2190 |
| 36 | 60 | FLMP3660 * | 2550 |
| 36 | 72 | FLMP3672 * | 2910 |
| 36 | 84 | FLMP3684 * | 3260 |
| 36 | 96 | FLMP3696 * | 3630 |
| 42 | 48 | FLMP4248 | 2190 |
| 42 | 60 | FLMP4260 * | 2550 |
| 42 | 72 | FLMP4272 * | 2910 |
| 42 | 84 | FLMP4284 * | 3260 |
| 42 | 96 | FLMP4296 * | 3630 |
| 48 | 72 | FLMP4872 * | 2910 |
| 48 | 84 | FLMP4884 * | 3260 |
| 48 | 96 | FLMP4896 * | 3630 |
| 54 | 72 | FLMP5472 | 2910 |
| 54 | 84 | FLMP5484 | 3260 |
| 54 | 96 | FLMP5496 | 3630 |
| 60 | 72 | FLMP6072 | 2910 |
| 60 | 84 | FLMP6084 | 3260 |
| 60 | 96 | FLMP6096 | 3630 |

Social Tables, Peninsula

6-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Foot Bar: Optional on all *noted table sizes at 42"H (+\$640)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Cable Tray: Optional on tables 72"W or larger (+\$520)

Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700) / Knife (+\$300) / Knife Trim (+\$300) / Knife Ply (+\$700) / Round Under (+\$300) /

Round Under Ply (+\$700)


Finishes: please see our specific list of Social Table finishes

Notes

| D | W | MODEL NUMBER | LIST |
|----|-----|--------------|------|
| 36 | 108 | FLMP36108 * | 4920 |
| 36 | 120 | FLMP36120 * | 5370 |
| 36 | 144 | FLMP36144 * | 5790 |
| 36 | 168 | FLMP36168 * | 6220 |
| 36 | 192 | FLMP36192 * | 6800 |
| 42 | 108 | FLMP42108 * | 4920 |
| 42 | 120 | FLMP42120 * | 5370 |
| 42 | 144 | FLMP42144 * | 5790 |
| 42 | 168 | FLMP42168 * | 6220 |
| 42 | 192 | FLMP42192 * | 6800 |
| 48 | 108 | FLMP48108 * | 4920 |
| 48 | 120 | FLMP48120 * | 5370 |
| 48 | 144 | FLMP48144 * | 5790 |
| 48 | 168 | FLMP48168 * | 6220 |
| 48 | 192 | FLMP48192 * | 6800 |
| 54 | 108 | FLMP54108 | 4920 |
| 54 | 120 | FLMP54120 | 5370 |
| 54 | 144 | FLMP54144 | 5790 |
| 54 | 168 | FLMP54168 | 6220 |
| 54 | 192 | FLMP54192 | 6800 |
| 60 | 108 | FLMP60108 | 4920 |
| 60 | 120 | FLMP60120 | 5370 |
| 60 | 144 | FLMP60144 | 5790 |
| 60 | 168 | FLMP60168 | 6220 |
| 60 | 192 | FLMP60192 | 6800 |

Social Tables, Peninsula

8-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Foot Bar: Optional on all *noted table sizes at 42"H (+\$790)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Cable Tray: Optional on tables 72"W or larger (+\$770)

Edge Profiles: 90 (+\$450) / 90 Trim / 90 Ply (+\$1050) / Knife (+\$450) / Knife Trim (+\$450) / Knife Ply (+\$1050) / Round Under (+\$450) /

Round Under Ply (+\$1050)

Finishes: please see our specific list of Social Table finishes

Notes

| D | W | MODEL NUMBER | LIST |
|----|-----|--------------|-------|
| 36 | 216 | FLMP36216 * | 7520 |
| 36 | 240 | FLMP36240 * | 8530 |
| 36 | 264 | FLMP36264 * | 9540 |
| 36 | 288 | FLMP36288 * | 10540 |
| 42 | 216 | FLMP42216 * | 7520 |
| 42 | 240 | FLMP42240 * | 8530 |
| 42 | 264 | FLMP42264 * | 9540 |
| 42 | 288 | FLMP42288 * | 10540 |
| 48 | 216 | FLMP48216 * | 7520 |
| 48 | 240 | FLMP48240 * | 8530 |
| 48 | 264 | FLMP48264 * | 9540 |
| 48 | 288 | FLMP48288 * | 10540 |
| 54 | 216 | FLMP54216 | 7520 |
| 54 | 240 | FLMP54240 | 8530 |
| 54 | 264 | FLMP54264 | 9540 |
| 54 | 288 | FLMP54288 | 10540 |
| 60 | 216 | FLMP60216 | 7520 |
| 60 | 240 | FLMP60240 | 8530 |
| 60 | 264 | FLMP60264 | 9540 |
| 60 | 288 | FLMP60288 | 10540 |

Social Tables, Round

4-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Foot Bar: Optional on all *noted table sizes at 42"H (+\$320)

Casters: +\$110 (table height is not altered)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

<u>See pages 38 - 39 for additional Power options</u> **Edge Profiles:** 90 (+\$150) / 90 Trim / 90 Ply (+\$350) /

Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) /

Comfort (+\$900) (Comfort edge only available with Forbo surface material) /

Round Under (+\$150) / Round Under Ply (+\$350)

Finishes: please see our specific list of Social Table finishes

Notes

• Bag hooks come standard on all 36H & 42H tables

| D | MODEL NUMBER | LIST |
|----|--------------|------|
| 36 | FLMC36 * | 2040 |
| 42 | FLMC42 * | 2330 |
| 48 | FLMC48 * | 2330 |
| 54 | FLMC54 | 2620 |
| 60 | FLMC60 | 2620 |

Social Tables, Square

4-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Foot Bar: Optional on all *noted table sizes at 42"H (+\$480)

Casters: +\$110 (table height is not altered)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) /

Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) /

Comfort (+\$900) (Comfort edge only available with Forbo surface material) /

Round Under (+\$150) / Round Under Ply (+\$350)

Finishes: please see our specific list of Social Table finishes

Notes

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 36 | 36 | FLMS36 * | 2040 |
| 42 | 42 | FLMS42 * | 2330 |
| 48 | 48 | FLMS48 * | 2330 |
| 54 | 54 | FLMS54 * | 2620 |
| 60 | 60 | FLMS60 * | 2620 |

Social Tables, Wall Round

4-Leg



Options & Upcharges

Height Range: 29.5 / 36 / 42

Casters: +\$110 (table height is not altered)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

<u>See pages 38 - 39 for additional Power options</u> **Edge Profiles:** 90 (+\$150) / 90 Trim / 90 Ply (+\$350) /

Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) /

Comfort (+\$900) (Comfort edge only available with Forbo surface material) /

Round Under (+\$150) / Round Under Ply (+\$350)

Finishes: please see our specific list of Social Table finishes

Notes

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 42 | 48 | FLMW4248 | 2330 |
| 54 | 60 | FLMW5460 | 2330 |

HighLow Float Tables

Round Floating Surface



Options & Upcharges

Casters: +\$110 (table height is not altered)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700) / Knife (+\$300) /

Knife Trim (+\$300) / Knife Ply (+\$700) /

Comfort +\$1800 (Comfort edge only available with Forbo surface material) /

Round Under (+\$300) / Round Under Ply (+\$700)

Finishes: please see our specific list of HighLow Table finishes

Notes

• Choose a separate surface material for low and high surfaces

| LOW SURFACE DEPTH | LOW SURFACE WIDTH | HIGH SURFACE DIA | HEIGHT LOW/HIGH | MODEL NUMBER | LIST |
|-------------------------|-------------------------|------------------------|--------------------|--------------|------|
| 36 | 72 | 36 | 36/42 | FLH0C3672 | 3980 |
| 36 | 84 | 36 | 36/42 | FLH0C3684 | 4350 |
| 36 | 96 | 36 | 36/42 | FLHOC3696 | 4710 |
| 42 | 72 | 42 | 36/42 | FLH0C4272 | 5070 |
| 42 | 84 | 42 | 36/42 | FLH0C4284 | 5430 |
| 42 | 96 | 42 | 36/42 | FLH0C4296 | 5790 |

HighLow Float Tables

Oblong Floating Surface



Options & Upcharges

Casters: +\$110 (table height is not altered)

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700) / Knife (+\$300) /

Knife Trim (+\$300) / Knife Ply (+\$700) /

Comfort +\$1800 (Comfort edge only available with Forbo surface material) /

Round Under (+\$300) / Round Under Ply (+\$700)

Finishes: please see our specific list of HighLow Table finishes

Notes

• Choose a separate surface material for low and high surfaces

| LOW SURFACE DEPTH | LOW SURFACE WIDTH | HIGH SURFACE DEPTH | HIGH SURFACE WIDTH | HEIGHT LOW/HIGH | MODEL NUMBER | LIST |
|-------------------------|-------------------------|--------------------------|--------------------------|--------------------|--------------|------|
| 36 | 72 | 24 | 36 | 36/42 | FLH003672 | 3980 |
| 36 | 84 | 24 | 36 | 36/42 | FLH003684 | 4350 |
| 36 | 96 | 24 | 36 | 36/42 | FLH003696 | 4710 |
| 42 | 72 | 24 | 42 | 36/42 | FLH004272 | 5070 |
| 42 | 84 | 24 | 42 | 36/42 | FLH004284 | 5430 |
| 42 | 96 | 24 | 42 | 36/42 | FLH004296 | 5790 |

HighLow Tables

Oblong



Options & Upcharges

Height Range: 29.5/36, 36/42

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Edge Profiles: $90 \ (+\$300) \ / \ 90 \ \text{Trim} \ / \ 90 \ \text{Ply} \ (+\$700) \ / \ \text{Knife} \ (+\$300) \ / \$

Knife Trim (+\$300) / Knife Ply (+\$700) /

Comfort +\$1800 (Comfort edge only available with Forbo surface material) /

Round Under (+\$300) / Round Under Ply (+\$700)


Finishes: please see our specific list of HighLow Table finishes

Notes

• Choose a separate surface material for low and high surfaces

| LOW SURFACE DEPTH | LOW SURFACE WIDTH | HIGH SURFACE DEPTH | HIGH SURFACE WIDTH | TOTAL TABLE WIDTH | MODEL NUMBER | LIST |
|-------------------------|-------------------------|--------------------------|--------------------------|-------------------------|--------------|------|
| 36 | 84 | 36 | 72 | 137 | FLH036843672 | 5780 |
| 36 | 84 | 36 | 84 | 149 | FLH036843684 | 5930 |
| 36 | 96 | 36 | 84 | 161 | FLH036963684 | 6060 |
| 36 | 96 | 36 | 96 | 173 | FLH036963696 | 6210 |
| 42 | 84 | 42 | 72 | 137 | FLH042844272 | 6350 |
| 42 | 84 | 42 | 84 | 149 | FLH042844284 | 6480 |
| 42 | 96 | 42 | 84 | 161 | FLH042964284 | 6630 |
| 42 | 96 | 42 | 96 | 173 | FLH042964296 | 6770 |
| 48 | 84 | 36 | 72 | 137 | FLH048843672 | 6910 |
| 48 | 96 | 36 | 72 | 149 | FLH048963672 | 7050 |
| 48 | 96 | 36 | 84 | 161 | FLH048963684 | 7190 |
| 48 | 96 | 36 | 96 | 173 | FLH048963696 | 7520 |
| 60 | 84 | 42 | 72 | 137 | FLH060844272 | 7660 |
| 60 | 96 | 42 | 72 | 149 | FLH060964272 | 7820 |
| 60 | 96 | 42 | 84 | 161 | FLH060964284 | 7950 |
| 60 | 96 | 42 | 96 | 173 | FLH060964296 | 8090 |

HighLow Tables



Options & Upcharges

Height Range: 29.5/36, 36/42

Power & Tech: Grommet (+\$55) / Accessory or power unit cutout (+\$55) /

See pages 38 - 39 for additional Power options

Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700) / Knife (+\$300) /

Knife Trim (+\$300) / Knife Ply (+\$700) /

Comfort +\$1800 (Comfort edge only available with Forbo surface material) /

Round Under (+\$300) / Round Under Ply (+\$700)

Finishes: please see our specific list of HighLow Table finishes

Notes

• Choose a separate surface material for low and high surfaces

| LOW SURFACE DEPTH | LOW SURFACE WIDTH | HIGH SURFACE DEPTH | HIGH SURFACE WIDTH | TOTAL TABLE WIDTH | MODEL NUMBER | LIST |
|-------------------------|-------------------------|--------------------------|--------------------------|-------------------------|--------------|------|
| 36 | 84 | 36 | 72 | 137 | FLHR36843672 | 5930 |
| 36 | 84 | 36 | 84 | 149 | FLHR36843684 | 6080 |
| 36 | 96 | 36 | 84 | 161 | FLHR36963684 | 6220 |
| 36 | 96 | 36 | 96 | 173 | FLHR36963696 | 6370 |
| 42 | 84 | 42 | 72 | 137 | FLHR42844272 | 6510 |
| 42 | 84 | 42 | 84 | 149 | FLHR42844284 | 6650 |
| 42 | 96 | 42 | 84 | 161 | FLHR42964284 | 6800 |
| 42 | 96 | 42 | 96 | 173 | FLHR42964296 | 6940 |
| 48 | 84 | 36 | 72 | 137 | FLHR48843672 | 7090 |
| 48 | 96 | 36 | 72 | 149 | FLHR48963672 | 7230 |
| 48 | 96 | 36 | 84 | 161 | FLHR48963684 | 7370 |
| 48 | 96 | 36 | 96 | 173 | FLHR48963696 | 7520 |
| 60 | 84 | 42 | 72 | 137 | FLHR60844272 | 7660 |
| 60 | 96 | 42 | 72 | 149 | FLHR60964272 | 7820 |
| 60 | 96 | 42 | 84 | 161 | FLHR60964284 | 7950 |
| 60 | 96 | 42 | 96 | 173 | FLHR60964296 | 8090 |

Perch Tables

4-Leg



Options & Upcharges

Power & Tech: Grommet (+\$55) / Salt: charging USB (+\$250) / Pepper: single-outlet (+\$170)

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) Finishes: please see our specific list of Perch Table finishes


Notes

- Bag hooks come standard on Perch Tables
- Foot Bar comes standard on Perch Tables

| D | W | MODEL NUMBER | LIST |
|----|----|--------------|------|
| 18 | 48 | FLP01848 | 3480 |
| 18 | 60 | FLP01860 | 3630 |
| 18 | 72 | FLP01872 | 3770 |
| 18 | 84 | FLP01884 | 4060 |
| 18 | 96 | FLP01896 | 4350 |

Perch Tables

6-Leg



Options & Upcharges

Power & Tech: Grommet (+\$55) / Salt: charging USB (+\$250) / Pepper: single-outlet (+\$170)

Edge Profiles: 90 (+\$300) / 90 Trim / 90 Ply (+\$700)
Finishes: please see our specific list of Perch Table finishes

Notes

- Bag hooks come standard on Perch Tables
- Foot Bar comes standard on Perch Tables

| D | W | MODEL NUMBER | LIST |
|----|-----|--------------|------|
| 18 | 108 | FLP018108 | 5000 |
| 18 | 120 | FLP018120 | 5650 |

Laptop Table



Options & Upcharges

Edge Profiles (laminate surface only): Knife (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

Finishes: please see our specific list of Laptop Table finishes

| SURFACE MATERIAL | D | W | Н | MODEL NUMBER | LIST |
|---------------------|----|----|----|--------------|------|
| Steel | 12 | 22 | 25 | FLTS25 | 750 |
| Laminate | 12 | 22 | 25 | FLTL25 | 750 |

Recharge Bench



Options & Upcharges

Power & Tech: Under bench convenience power (2 outlets) (+\$200)

Neighborhood Light: standard powdercoats are Frosty White and Black, all other powdercoats (+\$350)

Edge Profiles (Round and Oblong surfaces): Knife (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

Finishes: please see our specific list of Recharge Bench finishes

| ACCESSORY | D | W | Н | НА | MODEL NUMBER | LIST |
|--------------------|----|----|----|----|--------------|------|
| Neighborhood Light | 16 | 72 | 18 | 40 | FLBL167218 | 3770 |
| Round Surface | 16 | 72 | 18 | 7 | FLBC167218 | 2040 |
| Oblong Surface | 16 | 72 | 18 | 7 | FLBT167218 | 2040 |
| Planter Tray | 16 | 72 | 18 | 6 | FLBP167218 | 1960 |
| No accessory | 16 | 72 | 18 | - | FLBN167218 | 1610 |

Table Accessories

Neighborhood Light



Floating Planter Tray



In-Surface Planter



Options & Upcharges

Neighborhood Light: standard powdercoats are Frosty White and Black, all other powdercoats (+\$350)

| | D | Н | MODEL NUMBER | LIST |
|-----------------------|----|----|--------------|------|
| Neighborhood Light | 16 | 28 | FLAN1628 | 2190 |
| Floating Planter Tray | 14 | 6 | FLAT146 | 380 |
| In-Surface Planter | 8 | 6 | FLAP86 | 380 |

Table Screens

Round



Rectangle



Options & Upcharges

Power & Tech: Integrated convenience power (4 outlets total) (+\$275)

| | D | Н | MODEL NUMBER | LIST |
|-----------|----|----|--------------|------|
| Round | 52 | 52 | FLSC5252 | 1250 |
| Rectangle | 48 | 42 | FLSR4842 | 1250 |

Media Panels

Round



Rectangle




Options & Upcharges

Power & Tech: Integrated convenience power (4 outlets total) (+\$275)

| | D | Н | MODEL NUMBER | LIST |
|-----------|----|----|--------------|------|
| Round | 52 | 52 | FLSCM5252 | 1470 |
| Rectangle | 48 | 42 | FLSRM4842 | 1470 |

Monitor Mount



Options & Upcharges


Power & Tech: Integrated convenience power (4 outlets total) (+\$275)

Notes

• Monitor mount supports up to 75 lbs

| MODEL NUMBER | LIST |
|--------------|------|
| FLAV | 1030 |

In-Surface Dual-Hinge Power Units



Single Unit

Double Unit: XL

| POWER/DATA | MODEL NUMBER | LIST |
|--|--------------|------|
| FULL: 3 pwr, USB A+C, 1 HDMI, 1 CAT6 / 144" cord | WATF | 1540 |
| Full Chicago: 3 pwr, USB A+C, 1 HDMI, 1 CAT6 / 108" cord | WATC | 1540 |
| BASIC: Power Strip 4 pwr, 1 HDMI, 1 CAT6, 10' Cord | WATS | 1210 |
| OPEN: 1 HDMI, 1 CAT6 | WATO | 1050 |
| XL Full: 6 pwr, 2 USB A+C, 1 HDMI, 1 CAT6 / 144" cord | WATXLF | 2590 |
| XL Full Chicago: 6 pwr, 2 USB A+C, 1 HDMI, 1 CAT6 / 108" cord | WATXLC | 2590 |
| XL Open: 1 HDMI, 1 CAT6 | WATXLO | 1540 |

Byrne E2X Drop-In Power Units







E2X - 5-port per side



E2X - 8-port per side

Options & Upcharges

Power Connection Options: Plug-in / Hardwire (+\$200)/ Chicago

Notes

- All Byrne drop-in power units require surface cutout (+\$55)
- Finishes: Silver/Black, Silver/White, no upcharge. Black/Black (+\$420)

| POWER/DATA | MODEL NUMBER | LIST |
|---|-----------------|------|
| 3-port per side: 2 PWR, 1 USB A+C per side | WPAE2X2P1D | 1460 |
| 3-port per side: 2 PWR, 1 Open per side | WPAE2X2P10 | 1165 |
| 5-port per side: 3 PWR, 1 USB A+C, 1 Open per side | WPAE2X3P1D10 | 1565 |
| 5-port per side: 3 PWR, 2 Open per side | WPAE2X3P20 | 1280 |
| 8-port per side: 5 PWR, 1 USB A+C, 2 Open per side | WPAE2X5P1D20 | 1945 |
| 8-port: 5 PWR, 3 Open per side | WPAE2X5P30 | 1650 |


Byrne Ellora Drop-In Power Units



Ellora - 3-port



Ellora - 5-port



Ellora - 8-port



Ellora Qi

Options & Upcharges


Power Connection Options: Plug-in / Hardwire (+\$100) / Chicago

Notes

- All Byrne drop-in power units require surface cutout (+\$55)
- Finishes: Silver/Black, Silver/White, no upcharge. Black/Black (+\$120)
- Units with Qi Charging require \$150 upcharge for Black

| POWER/DATA | MODEL NUMBER | LIST | |
|----------------------------------|-----------------|------|--|
| 3-port: 2 PWR, 1 Open | WPAE2P10 | 685 | |
| 5-port: 3 PWR, 1 USB A+C, 1 Open | WPAE3P1D10 | 850 | |
| 5-port: 3 PWR, 2 Open | WPAE3P20 | 715 | |
| 8-port: 5 PWR, 1 USB A+C, 2 Open | WPAE5P1D20 | 1460 | |
| 8-port: 5 PWR, 3 Open | WPAE5P30 | 1315 | |
| Qi: 3 PWR, 1 USB A+C, 3 Qi coils | WPAEQ3P1D | 1405 | |
| Oi: 3 PWR. 1 Open. 3 Oi coils | WPAE03P10 | 1280 | |

Byrne MhoB Drop-In Power Units



Options & Upcharges

Power Connection Options: Plug-in / Hardwire (+\$100) / Chicago

Finish: Black/Black (+\$120)

Notes

• All Byrne drop-in power units require surface cutout (+\$55)

| MODEL NUMBER | LIST |
|-----------------|-----------------------------------|
| WPAM2P10 | 495 |
| WPAM2P1D | 610 |
| WPAM3P20 | 525 |
| WPAM3P2D | 800 |
| | NUMBER WPAM2P10 WPAM2P1D WPAM3P20 |

Byrne Minitap Drop-In Power Unit



Options & Upcharges

Power Connection Options: Plug-in / Hardwire (+\$100) / Chicago

Notes

• All Byrne drop-in power units require surface cutout (+\$55)

| POWER/DATA | MODEL NUMBER | LIST |
|------------|--------------|------|
| 2 PWR | WPASMT2P | 475 |

Byrne Node Drop-In Power Units



Options & Upcharges

Power Connection Options: Plug-in / Hardwire (+\$100) / Chicago

Notes

• All Byrne drop-in power units require surface cutout (+\$55)

| POWER/DATA | MODEL NUMBER | LIST |
|------------------|--------------|------|
| 2 PWR | WPANWP | 345 |
| 1 PWR, 1 USB A+C | WPAN1P1D | 475 |

Byrne Salt and Pepper Drop-In Power Units





Options & Upcharges


Power Connection Options: Plug-in / Hardwire +\$100/ Chicago

Notes

• All Byrne drop-in power units require surface cutout (+\$55)

| POWER/DATA | MODEL NUMBER | LIST |
|------------------------|--------------|------|
| Salt: 1 USB-A, 1 USB-C | WPABS1D | 315 |
| Pepper: 1 PWR | WPABP1P | 190 |
| Dual Pepper: 1+1 PWR | WPABP2P | 335 |

Cable Tower



| D | W | Н | MODEL NUMBER | LIST |
|---|----|----|--------------|------|
| 4 | 7 | 29 | WCTP4729 | 850 |
| 4 | 7 | 36 | WCTP4736 | 850 |
| 4 | 7 | 42 | WCTP4742 | 850 |
| | | | | |
| 7 | 7 | 29 | WCTP7729 | 980 |
| 7 | 7 | 36 | WCTP7736 | 980 |
| 7 | 7 | 42 | WCTP7742 | 980 |
| | | | | |
| 5 | 12 | 29 | WCTP51229 | 1120 |
| 5 | 12 | 36 | WCTP51236 | 1120 |
| 5 | 12 | 42 | WCTP51242 | 1120 |

Cable Channel



Notes

• Specify appropriate leg channel height by noting table height (29, 36, 42), Casters (C), and/or Foot Bar (YF)

MODEL NUMBER LIST FLCCS 160