

TONIC

Spec Guide & Price List

Workbench + Work Table + Conference Tables + Tonic Tables + Storage



TONIC SPEC GUIDE

Statement of Line.....	3
Dual-Sided Workbench.....	7
Single-Sided Workbench.....	18
Work Tables.....	23
Conference Table.....	24
Tonic Tables.....	25
Table and Conference Power...	26
Mobile Storage.....	28
Finish Guide.....	29

TONIC PRICE LIST

Dual-Sided Workbench.....	30
Single-Sided Workbench.....	37
Work Tables.....	42
Conference Tables.....	43
Tonic Tables.....	44
In-Surface Power Access.....	46
Mobile Storage.....	48

Prices effective January 2025


*For payment, shipping, and warranty information,
please see our [Terms & Conditions](#).*

Tonic Statement of Line

Dual-sided Workbench Segments


Dual-sided Workbench Starter

D: 53, 65
W: 45, 60, 75, 90
H: 29.5, 42




Dual-sided Workbench Adder

D: 53, 65
W: 45, 60, 75, 90
H: 29.5, 42



Dual-sided End Yoke

D: 40
H: 29.5, 42



Dual-sided End Segments


Wall End

D: 4
W: 53, 65




Aisle End

D: 4
W: 53, 65




Extension End

D: 8, 15, 19, 25
W: 53, 65




Extension End with Power Pole

D: 8, 15, 19, 25
W: 53, 65
H: 96, 120, 144




Truss Under

D: 15
W: 53, 65
H: 15



Truss Over/Under


D: 15
W: 53, 65
H: 30



Dual-sided Power Raceway


2 Duplexes Per User

W: 45, 60, 75, 90



4 Duplexes Per User

W: 45, 60, 75, 90



Chicago Platform


W: 45, 60, 75, 90



Tonic Technology Accessory


Power Access Lid

W: 6
H: 8



Tonic Power Infeed


L: 18, 72, 144



Dual-sided Infill Components


Flat Infill

W: 15, 30, 45, 60, 75, 90




Planter Box Infill

W: 45, 60, 75, 90
H: 13




Fabric Screen

W: 30, 45, 60, 75, 90
H: 9, 14




Acrylic Screen

W: 30, 45, 60, 75, 90
H: 9, 14



Pallet Infill

D: 15
W: 30, 45, 60, 75, 90
H: 6.25




*60" shown

Tonic Statement of Line

Dual-sided Infill Components


Neighborhood Light

D: 15
W: 15
H: 28



Media Display


D: 15
W: 47
H: 24



(not compatible with some screen
or pallet infill configurations)


Cube Box

D: 15
W: 15
H: 15



Window Box


D: 15
W: 30
H: 15



Dual-sided Workbench Accessories


Portable Tak Screen

D: 8
W: 19, 25
H: 9




Side Screen

D: 24
W: 24, 30




Side Screen, Acrylic

D: 19, 24, 33
W: 26, 32
H: 9



Hanging Markerboard


W: 12
H: 9



Infill and Storage Accessories


Tool Bin

D: 5
W: 12
H: 3




Cube Bin

D: 12
W: 12
H: 12




File Bin

D: 4, 7
W: 12
H: 10



File Pile Bin


D: 4, 6
W: 12
H: 12



Single-sided Workbench Segments


Single-sided Workbench Starter

D: 28, 34
W: 45, 60, 75, 90
H: 29.5, 42




Single-sided Workbench Adder

D: 28, 34
W: 45, 60, 75, 90
H: 29.5, 42



Single-sided End Yoke


D: 28, 34
H: 29.5, 42



Single-sided End Segments

Wall End L, R

D: 4
W: 28, 34




Aisle End L, R

D: 4
W: 28, 34




Extension End L, R

D: 8, 15, 19, 25
W: 28, 34



Extension End with Power Pole L, R

D: 8, 15, 19, 25
W: 28, 34
H: 96, 120, 144




Tonic Statement of Line

Single-sided Power Raceway


2 Duplexes Per User

W: 45, 60, 75, 90



4 Duplexes Per User

W: 45, 60, 75, 90



Chicago Platform

W: 45, 60, 75, 90




Single-sided Infill Components

Flat Infill

D: 9

W: 15, 30, 45, 60, 75, 90




Fabric Screen

D: 9

W: 45, 60, 75, 90

H: 9, 14




Acrylic Screen

D: 9

W: 45, 60, 75, 90

H: 9, 14




Pallet Infill

D: 9

W: 30, 45, 60, 75, 90

H: 6.25




Work Table

One-piece Top

D: 48, 60

W: 90

H: 29.5, 42




Two-piece Top

D: 48, 60

W: 120

H: 29.5, 42



Work Table Accessories

Fabric Screen

W: 45, 75

H: 9, 14




Planter Box

D: 5.2

W: 42, 72

H: 13



Neighborhood Light

H: 28



Tonic Statement of Line


Conference

One-piece Top

D: 48, 54, 60

W: 84, 96

H: 29.5, 36, 42




Two-piece Top

D: 48, 54, 60

W: 108, 120, 132, 144, 156, 168, 180, 192

H: 29.5, 36, 42




Three-piece Top

D: 48, 54, 60

W: 216, 240, 264, 288

H: 29.5, 36, 42




Tonic Tables

Rectangle

D: 36, 48, 60

W: 48, 60, 72, 96

H: 29.5




Round

D: 48, 60

W: 48, 60

H: 29.5




Rotating Round

D: 48, 60

W: 48, 60


H: 29.5



Accessories

Cable Channel

H: 29.5, 36, 42




Cable Tower


D: 4, 5, 7

W: 7, 12

H: 29.5, 36, 42



*Universal
Monitor Mount*




Mobile Storage

Trolley

D: 30

W: 12, 15

H: 21




Trolley w/ Cushion

D: 30

W: 12, 15

H: 21




Stash


D: 9

W: 22

H: 20




Tonic Dual-sided Workbench Specifications



Tonic Workbench Specifications


Workbench Sizing Logic

All Workbench Segments can be dual or single sided, and available in 45, 60, 75, and 90" widths:




Workbench Infill Component Width

Combined infill components must match Workbench segment width.
The following examples show possible combinations to fill a 60"W workbench segment.




Segment Combination

Workbench Segments of the same width and depth can be combined to create total segment lengths up to a maximum 300". Segments of different widths can be combined to accommodate required dimensions.




Desking Area

With the Infill Components in place (shown here with optional monitor mounts), each user will have a net surface depth of 24" on the 53" segment depth and 30" on the 65" depth segments respectively.




Tonic Workbench Specifications - End Segments

An end segment must be selected for each end of a Workbench run. All end segments are compatible with 53 or 65 depth Workbench segments.




Wall and Aisle Ends

Wall and Aisle Ends are 4" end caps that finish the Workbench run.





Note — Aisle Ends come with a full yoke cover plate



Note — Wall Ends include opening in yoke to connect Workbench power to building power


Extension Ends

Extension Ends increase the Workbench surface in 4 nominal depths:





Extension End With Power Pole

Available in 8', 10' and 12' heights and includes brackets to connect to a dropped ceiling.



Truss Under



The Truss Under is 15" deep and extends storage below the worksurface. Available in both Workbench depths



Note — Support brackets project into the space of the outer compartments through notch cutaways.


Truss Over/Under

The Truss Over is 15" deep and extends storage above and below the surface. Available in both Workbench depths




Tonic Workbench Power Specifications

The Tonic Workbench delivers power through a Power Raceway. Power Raceways are dual and single-sided. Every Raceway includes 4 data knockout locations per side. Data cables and plugs not included.



Tonic Power - 2 duplexes per user


The power raceway is an eight wire, four circuit (2+2) system that provides two duplexes (4 outlets) per segment per side. The power infeed is modular hardware and can be attached at any raceway junction.



Tonic Workbench Power & Data Specifications Continued


Tonic Power - 4 duplexes per user

The power raceway is an eight wire, four circuit (3+1) system that provides four duplexes (8 outlets) per segment per side. The power infeed is modular hardware and can be attached at any raceway junction.



Single Circuit Power


Single circuit power is an eight wire, 1 circuit system that provides four duplexes (8 outlets) per segment per side



Tonic Workbench Power & Data Specifications


Single Circuit Plug-in

Also available with a plug-in cord, a single circuit that provides four duplexes (8 outlets) per side on a single segment Workbench. The power infeed is a standard 15 amp, 3 prong plug with a 72" cord.




Users have direct access to power and data receptacles including a trough to store excess cords and power bricks.

The installed Power Raceway creates a trough for excess cords and power adapters. The underside of the Raceway is reserved for routing data cables.



Facilities/IT can access ports for power cords and capacity for 30+ data cables.




Data cables are held to the underside of the Power and Data Raceway using plastic retainer discs that attach by rotating a quarter turn without tools.

Tonic Workbench Infills








































Infill Components

Modular Infill Components can fit without hardware into the center deck of the Workbench segments, but infills with monitor mounts must be secured (with optional hardware). Infill Components provide user access to power as well as add storage, privacy and centered mounts for monitor arms.

All power access cutouts are aligned with the power receptacles on the Power Raceway. Monitor mount cut-outs are compatible with most standard clamp-on monitor arms. Please note that clamp must be compatible with 3/4" thick surfaces.




Tonic Dual-sided Workbench Infill Sizing and Options Matrix

	FLAT INFILL	INFILL WITH PLANTER BOX	INFILL WITH FABRIC SCREEN	INFILL WITH ACRYLIC SCREEN	PALLET INFILL
(0) NO CUT-OUTS	 15, 30, 45, 60, 75, 90	 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90
(2) DUPLEXES PER USER	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90
(4) DUPLEXES PER USER	 45, 60, 75, 90	 45, 60, 75, 90	 45, 60, 75, 90	 45, 60, 75, 90	 45, 60, 75, 90
SINGLE MONITOR MOUNT (M)	 30, 45, 60, 75, 90		 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75
(2) DUPLEXES PER USER WITH SINGLE MONITOR MOUNT (M)	 30, 45, 60, 75, 90		 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75
(4) DUPLEXES PER USER WITH SINGLE MONITOR MOUNT (M)	 45, 60, 75, 90		 45, 60, 75, 90	 45, 60, 75, 90	 45, 60, 75
DUAL MONITOR MOUNT (M)	 90		 90	 90	 90
(2) DUPLEXES PER USER WITH DUAL MONITOR MOUNT (M)	 90		 90	 90	 90
(4) DUPLEXES PER USER WITH DUAL MONITOR MOUNT (M)	 90		 90	 90	 90

Tonic Workbench Accessory Infills

Accessory Infill Components


Accessory Infills may be combined with Infill components for added functionality. Accessory Infills must be specified with another Infill that is 15" (or 30" for Window Box) smaller than the width of the Workbench segment



Infill Neighborhood Light

D: 15
W: 15
H: 28


Neighborhood Light produces up to 2000 lumens of LED light, includes one 60W USB-C and one 10W USB-A charging port located on the stem of the light, an integrated continuously dimmable button (press and hold), and an auto-shutoff timer that powers the light off after 6 hours of inactivity. Powered by a 24V 120W power supply with a 72" cord. Available in Frosty White and Black powdercoats, all other powdercoats +\$350.



Media Display

D: 15
W: 47
H: 24


Attach Media Fast to most Watson tables or worksurfaces and use its cable management clamp to cleanly route data and power beneath the table. A 7" x 14" routing box backs up the display with plenty of space for cables and connectors, and an optional lock keeps it all secure.



Planter Box Infill


D: 15
W: 45, 60, 75, 90
H: 13

Planter box infills are available in 15" increments from 45-90"W. The Planter Box ships with an interior waterproof liner.



Cube Box

D: 15
W: 15
H: 15



Window Box


D: 15
W: 30
H: 15

Tonic Accessory Metal Bins


Bins

All bins are constructed of folded, powder-coated sheet steel. With the exception of File Pile bins, the bottom is lined with a removable PET felt pad.


Tool Bin




D: 5
W: 12
H: 3




Cube Bin*




D: 12
W: 12
H: 12




File Bin




D: 4,7
W: 12
H: 10



File Pile Bin*



D: 4, 6
W: 12
H: 12



Note — Cube Bins and File Pile Bins will not fit under support bracket in Truss Ends ([explained here](#))
File Pile Bins can be oriented horizontally or vertically as needed



Tonic Side Screens



Screens

Tonic offers spine screens and side screens in 9"H and 14"H in both 24"D and 30"D. Screens available in fabric or acrylic. Screens do not cross into the infill.

Hanging Markerboard

Side Screen

Primary Infill Screen



Acrylic Infill & Side Screens




Portable Screens, Fabric



Tonic Portable Screens feature an accessory tray for holding personal items.

- 3/8" acrylic offered in frosted or clear finish
- Height: 19" (9" above desk)
24" (14" above desk)
- Corner radius: 1.5"R
- Acrylic edge: bullnose
- Steel clamps finished in all Watson standard powdercoats
- Side screen clamp mounts with knurled thumbscrew
- Side screen fits worksurface thickness from 3/4" to 1-1/4"

Tonic Single-sided Workbench Specifications




Tonic Single-sided Workbench Specifications

Workbench Sizing Logic


All Workbench Segments are dual or single-sided and available in 45, 60, 75, and 90" widths:

Combined infill components must match Workbench segment width




Segment Combination

Workbench Segments of the same width and depth can be combined to create total segment lengths up to 300"





Desking Area

With the Infill Components in place (shown here with optional monitor mounts), each user will have a net surface depth of 24" on the 53" segment depth and 30" 65" depth segments respectively.





Wall and Aisle Ends

Wall and Aisle Ends are 4" end caps that finish the Workbench run, and cover and conceal cabling (aisle end)




Extension Ends

Extension Ends extend the Workbench surface in 3 nominal depths:







































Extension End With Power Pole

Available in 8', 10' and 12' heights and includes brackets to connect to a dropped ceiling.



Tonic Single-sided Workbench Infill Sizing and Options Matrix

	FLAT INFILL	INFILL WITH FABRIC SCREEN	INFILL WITH ACRYLIC SCREEN	PALLET INFILL
(0) NO CUT-OUTS	 15, 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90
(2) DUPLEXES PER USER	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90
(4) DUPLEXES PER USER	 45, 60, 75, 90	 45, 60, 75, 90	 45, 60, 75, 90	 45, 60, 75, 90
SINGLE MONITOR MOUNT (M)	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75
(2) DUPLEXES PER USER WITH SINGLE MONITOR MOUNT (M)	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75, 90	 30, 45, 60, 75
(4) DUPLEXES PER USER WITH SINGLE MONITOR MOUNT (M)	 45, 60, 75, 90	 45, 60, 75, 90	 45, 60, 75, 90	 45, 60, 75
DUAL MONITOR MOUNT (M)	 90	 90	 90	 90
(2) DUPLEXES PER USER WITH DUAL MONITOR MOUNT (M)	 90	 90	 90	 90
(4) DUPLEXES PER USER WITH DUAL MONITOR MOUNT (M)	 90	 90	 90	 90

Tonic Workbench | Product Specification Details

Base

The design begins with a robustly constructed 12 gauge steel Yoke and A-frame leg. These legs are connected with 5-inch high spanning rails to form the heart of the agile center deck and power-data raceway. 1.5" box tubing is cradled in the outboard locations of the yoke to provide a solid foundation for adding the cantilevered work surfaces.

Workbench Worksurface

Surfaces are composed of one of the following; high-pressure plastic laminate and backing sheets bonded to either a 27 mm double refined MDF edged with a water based sealer, 1½" industrial grade particleboard edged with thermally fused polymer edge banding, or 24 mm birch plywood with a water based sealer.

Infill Components

All Flat and Pallet infill components are constructed of ¾" thermally fused laminate panels with 1.5 mm polymer edge banding. Pallets feature a top-over, concealed fastener construction.

9" and 14" Fabric Screens

Screens are constructed of a fiberboard core covered with 100% recycled and recyclable Fabrics. Screens are vertically mounted using a concealed thru-bolt connection to a flat infill for placement on the Workbench.

9" and 14" Acrylic Screens

The Tonic Acrylic Infill Screen is a 3/8" thick acrylic panel that comes in either a frosted or clear finish. The screen mounts to the Tonic Infill using two powdercoated steel clamp brackets. Screens widths above 60" are split into two screens and mount with 4 brackets.

Power Access and Technology Slots

Openings in the Infill Components are finished with an ABS plastic liner.

Single Circuit

One 15 or 20-amp circuit, 3 wire with one hot, one neutral & one ground; all 12 gauge conductors. The plug fits standard 15 & 20-amp outlets. The 20-amp system requires a single circuit power source with NEMA 520 wall receptacle. A 20-amp plug fits only in a 20-amp outlet. The National Electrical Code (NEC) allows a maximum of 12 receptacles or 24 outlets on each 15-amp circuit, and 13 receptacles or 26 outlets on a 20-amp circuit.

Local Electrical Codes

Consult a qualified electrical contractor or engineer for the proper installation of all electrical components. In accordance with NEC2011 Article 210, the permissible load should not exceed 80% of the circuit ampere rating (which is 16 amps on each 20 amp branch circuit).

Test Standards

All Tonic standard surface and fabric materials are evaluated or tested to ensure that they meet or exceed all appropriate industry standards. Whenever possible, testing is done in Watson facilities. Independent test labs such as Intertek and Underwriters Laboratories, are contracted to perform tests which require special testing facilities or independent verification results.

Tonic Workbench Cont'd | Product Specification Details

ASTM E-84, UL Standard

All Tonic standard vertical surface fabrics are evaluated and/or tested, and must meet or exceed the UL or Building Code standard. When COM fabrics are specified, Watson makes no claims of flammability resistance and assumes no liability, unless the fabrics are tested in UL or another Nationally Recognized Testing Laboratory. Watson will not apply any vertical surface fabrics to the Listed Tonic Workbench product unless they meet UL requirements.

Procedure

Fabrics are tested on actual products. The vertical surface Fabric sample is placed on the product for chamber fire testing. The product, along with the fabric, is allowed to burn for ten minutes or until fully consumed (if sooner) and is observed through windows on the side of the chamber. Flame spread and smoke developed tests are performed by independent laboratories.

Media Display Infill

The Tonic Workbench table has an optional Video Conference Panel to mount Flat Screen TV monitors up to 37" diagonal screen size. Typical power specifications for video conferencing components: AC 100 – 240V – (+/- 10%), 50/60Hz; Power Consumption: 220W (max)

Power and Data

The Tonic Workbench table and all the electrical components are cETLus listed to the appropriate industry standards in accordance with the U.S. and Canadian Electrical code. The Tonic Workbench Table unit features an 8-wire 4-circuit double insulated modular power system and meets the UL 1286 Standard, Modular Wiring Systems for Office Furniture. Tonic's power distribution is based on a power raceway consisting of power raceway furnishing, power blocks, pre-configured outlets, jumper cables between power blocks, and power feed for hardwire connection to building power supply. They are rigidly mounted between desktop support rails which allow access from above and through access holes in the infill components. Communication and data cabling can be routed in a raceway to support a technology rich environment. Knockouts in the Power and Data Raceway provide mounting locations for data ports. Plastic retainer discs are suspended in the channel underneath the Power and Data Raceway to hold data cables.

Tonic Infill Neighborhood Light Details

The Tonic Infill Neighborhood Light is comprised of four primary components: the base, the stem, the light fixture, and the shade. The base is constructed of a ¾" TFL panel, and the stem is constructed of powder coated extruded aluminum and is fitted with a precision machined powder coated aluminum button. Embedded within the stem are two USB charging receptacles – one USBC capable of charging up to 60W and one USBA capable of charging up to 10W. The light fixture produces up to 2000 lumens at 3000K CCT with a CRI of 90+. The light is continuously dimmable from 0 to 100% by pressing and holding the button in the stem. The light also features a frosted polycarbonate diffuser to provide clean, even light. The light is equipped with an automatic shutoff timer that powers the light off after six hours of inactivity. The shade is made of powder coated 16 gauge stamped aluminum and is 16 inches in diameter. Powdercoat and TFL are specifiable.

New York City Power Infeed

The Special Purpose Multi-Circuit power infeed includes a female connector that mates with the distribution harness, length of flex cable and junction box. All circuits rated for 20 AMPs and are connected to building power by a certified electrician.

San Francisco Power Infeed


When necessary this infeed includes a length of liquid tight cable. The Special Purpose Base power infeed includes a female connector that mates with the distribution harness, length of flex cable and liquid tight cable installed outside of the Workbench. All circuits rated for 20 AMPs and are connected to building power by a certified electrician.

Chicago Power

All electrical components and installation are provided by a certified electrician.

Work Table

These tables carry the collection's visual language with their angled legs and intentionally versatile design.



Heights

Work Tables come available in two heights, seated (29.5") and standing (42").



Dimensions

Tonic Work Tables come in two widths (90" and 120") and two depths (48" and 60"). When selecting the 120" depth, the Work Table will have a two-piece top to accommodate the size.

Accessories

Work Table accessories include the Neighborhood Light, Planter Box, and Fabric Screen.

Single-Circuit Power and In-Surface Power Access


Tonic Work Tables utilizes single-circuit power making it easy to install and relocate in the future. It can either be specified with 4 power duplexes per side or no power access.

Edge Options



Conference

Tonic Conference tables carry the collection's visual language with their angled legs and intentionally versatile design.



Broad Range of Sizes

Tonic Conference Tables are offered in a broad range of sizes, for team and project rooms to formal boardrooms, in one, two, or three-piece surfaces. Grain direction runs the width of the table, and is matched at the seam on multi-surface tables.



Rectangular/One-piece
48 - 60D x 84 - 96W



Two-piece
48 - 60D x 108 - 192W



Three-piece
48 - 60D x
216 - 288W





Edge Options

- 90
- 90 Trim
- 90 Ply
- Knife
- Knife Trim
- Knife Ply
- Round Under Edge
- Round Under Ply Edge

Tonic Tables

These tables come in rectangular, round, and rotating round top shapes.

Seating Capacity




Monitor Mount

Accessories


Optional universal monitor mount holds monitors up to 55".

Optional clip-on Cable Channel or Cable Tower depending on cable management needs.

Cable channels secure to the underside of an angled Tonic leg with 2 screws. Route the cables through the channel and then attach the channel to the leg via the keyhole slots. Slide it down to secure it to the leg.



Cable Channel



Cable Tower



Rotating Rounds

Rotating Round tables feature a 28" or 36" rotating center finished with a white markerboard laminate. The outer surface is available in matching markerboard finish or any Watson surface laminate.

Note — If a contrasting laminate is selected for the outer surface it may require additional cleaning of marker



Inset A-line legs allow for 360° seating capability

Single-Circuit Power and In-Surface Power Access

The Dual-hinge power unit is Watson's unique 2-way access to in-surface power/data. Lids are grain-matched to the worksurface and house ample space beneath for excess cables and remotes. Available in a single unit, or double unit (XL, shown below) depending on power/data needs.



Available in the following three power/data configurations:

Dual-hinge Full

- 3 Power
- 1 USB-C
- 1 HDMI
- 1 CAT6



Dual-hinge Basic

- Commercial 4 power plug strip
- 1 HDMI
- 1 CAT6
- 10' Cord



Dual-hinge Open (no power)

- 1 HDMI
- 1 CAT6




Power Locations

Each separate surface can be specified with a drop-in power unit, centered in the surface. XL power available only in sizes 72 and above.

Conference Power Locations



Tonic Tables Power Locations



Tonic Table | Product Specification Details

Tonic Table Legs

Tonic Tables are supported by 4 - 1" x 2½" steel tube legs that are mounted directly to the underside of the worksurface. Each leg is equipped with a 2" leveling glide.

Tonic Table Worksurface

Surfaces are composed of one of the following; high-pressure plastic laminate and backing sheets bonded to either a 27 mm double refined MDF edged with a water based sealer, 1⅝" industrial grade particleboard edged with thermally fused polymer edge banding, or 24 mm birch plywood with a water based sealer.

Tonic Table Rotating Center

Rotating Center surface is supported with a smooth running 12" diameter machined aluminum lazy susan with steel ball bearings.


Watson Trolley & Stash

Trolley

The Watson Trolley is a great companion to Tonic Workbench, fitting underneath the surface and providing a secure place to store files or personal items, as well as providing a seat for a coworker to talk shop.




Bins + Trolley



File


The File Bin is sized to 2 units deep into the Trolley



Cube


The Cube Bin is sized to fit into the Tonic Trolley

Exterior Dimensions




Stash

Stash is a versatile accessory for stashing personal items, work bags or CPU's underneath the Tonic Workbench. The body and tray can be specified with contrasting or matching powdercoat.



Finish Guide



Surface Laminate

	Alabaster	AB
	Frosty White	FJ
	Markerboard [§]	WM
	Fashion Grey	FQ
	Black	BK
Woodgrain	White Cypress	WCS
	Fawn Cypress	FCZ
	Asian Sand	JS
	Phantom Pearl	PPE
	Phantom Ecru	PEC
	Grey Elm	GEL
	Field Elm	FLM
	Loft Oak	LOA
	Blond Echo	EH
	Veranda Teak	VTK
	Neo Walnut	NEW
	Walnut Heights	WTH
	Skyline Walnut	SKW
	Studio Teak	DT
	Ebony Recon	ERE
Craft Surface	Saddle	BKR

[§]Markerboard
+\$100 per surface
list upcharge

Fenix Laminate

Bianco Kos	MWH
Castoro Ottawa	MBR
Nero Ingo	MBK

***Fenix NTM Laminate**
Upcharges by surface size:
Under 30x72 +\$440 list ea.
Over 30x72 +\$880 list ea.

Note — Due to minor differences in color and gloss between worksurface and infill laminates we recommend choosing contrasting finishes

Forbo Linoleum

Forbo Ash	FAS
Forbo Pebble	FPE
Forbo Mushroom	FMU
Forbo Olive	FOL
Forbo Pewter	FPW
Forbo Noir	FNE
Forbo Smokey Blue	FSB

***Forbo Linoleum**
Our super green material with a leather-like texture and a matte finish.
Upcharge: +\$250 list ea.

Storage Laminate

Frosty White	FJ
Fashion Grey	FQ
Satin Gray	GY
Slate	SG
Charcoal	CH
Woodgrain	Black BK
	Field Elm FLM
	Phantom Ecru PEC
	Blond Echo EH
	Fawn Cypress FCZ
	Studio Teak DT
	Walnut Heights WTH

Edge Profile

90	90 °	U
	90 Trim	Q
	90 Ply °	V
Knife	Knife °	K
	Knife Trim °	J
	Knife Ply °	W
	Round Under °	E
	Round Under Ply °	G

***MDF edge**
+\$150 per surface list upcharge
****Ply edge**
+\$350 per surface list upcharge

Powdercoat

Alabaster	AB
Frosty White	FJ
Markerboard	WM
Fashion Grey	FQ
Silver	WA
Satin Gray	GY
Slate	SG
Charcoal	CH
Black	BK
Aqua	AQU
Burnt Orange	REO
Mustard Seed	LEY
Emerald Green	PIG
Sage Green	PAG
Blue Steel	BLG
Stone	STG
Bark	BRK
Blush	BLU
Crema	CRE
Sapphire	SAP
Ruby	RBV
Clearcoat*	ZE

Fabric

Synergy 66*	Affix	AFI
	Alike	ALK
	Append	APP
	Chemistry	CHE
	Group	GRO
	Kinship	KIN
	Loop	LOO
	Mutual	MUT
	Pact	PAC
	Serendipity	SER
	Summon	SUM
	Work	WOR
Rivet	Tensile	TEN
	Vitreous	VIT
	Wire	WRE
	Forge	FRG
	Spark	SPK
	Molten	MLT
	Otter	OTR
	Alloy	ALY
	Grey Brindle	GRB
	Galvanize	GLV
	Lagoon	LGN
	Quench	QUE

***Synergy 66**
+\$250 per item
list upcharge

Fabric cont.

PET	Light	SIA63
	Medium	HTA23
	Dark	CHA21
Anchorage	Angora	9A
	Asteroid	6D
	Birch	9H
	Cumin	9U
	Fossil	6X
	Geranium	R2
	Goose	9E
	Graphite	9R
	Green Aple	1G
	Henna	6H
	Pumpkin	99
	Straw	9S
	Sunshine	S8
	Waterfall	U8
	Vanilla	6V
Sprite	Sprite Snow	2W
	Sprite Linen	2I
	Sprite Khaki	7K
	Sprite Harvest	2V
	Sprite Sky	7Y

*Clearcoat Powdercoat Option (Raw Steel)

Preserves the look of exposed welds with visible heat bluing, grinding, natural blemishes and manufacturing tooling marks. An additional upcharge of \$110 list is added to the base price of each component ordered. Items \$110 or less excluded from upcharge.


Extended Powdercoat Program

Additional RAL colors are available as part of Watson's Extended Powdercoat Program. Please consult with your account manager to ensure your powder selection is available. Some pearls and metallics are not offered.

- **Upcharge: \$1760 list per order, per color**
- **Leadtime: No change to leadtime**

Dual-sided Workbench Segments

Dual-sided Workbench Starter




Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) /
Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) /
Round Under Ply (+\$350)

D	W	H	MODEL NUMBER	PRICE 29.5	PRICE 42
53	45	29.5, 42	TWBDS5345	1950	2050
53	60	29.5, 42	TWBDS5360	2310	2410
53	75	29.5, 42	TWBDS5375	2670	2770
53	90	29.5, 42	TWBDS5390	3030	3130
65	45	29.5, 42	TWBDS6545	2050	2160
65	60	29.5, 42	TWBDS6560	2410	2520
65	75	29.5, 42	TWBDS6575	2770	2870
65	90	29.5, 42	TWBDS6590	3130	3230

Dual-sided Workbench Segments


Dual-sided Workbench Adder



D	W	H	MODEL NUMBER	PRICE 29.5	PRICE 42
53	45	29.5, 42	TWBDA5345	1950	2050
53	60	29.5, 42	TWBDA5360	2310	2410
53	75	29.5, 42	TWBDA5375	2670	2770
53	90	29.5, 42	TWBDA5390	3030	3130
65	45	29.5, 42	TWBDA6545	2050	2160
65	60	29.5, 42	TWBDA6560	2410	2520
65	75	29.5, 42	TWBDA6575	2770	2870
65	90	29.5, 42	TWBDA6590	3130	3230

Dual-sided Workbench Segments

Dual-sided End Yoke



D	H	MODEL NUMBER	PRICE 29.5	PRICE 42
40	29.5, 42	TWBDE5345	500	600

Tonic End Segment


Wall End



D	W	MODEL NUMBER	PRICE
4	53	TWEDW453	470
4	65	TWEDW465	470

Tonic End Segment


Aisle End




D	W	MODEL NUMBER	PRICE
4	53	TWEDA453	520
4	65	TWEDA465	520

Tonic End Segment

Extension End



Extension End with Power Pole



Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

Notes


- *Power Pole extensions are available for Conference Ends only

D	W	MODEL NUMBER	PRICE
8	53	TWEDE853	570
15	53	TWEDE1553	670
19	53	TWEDE1953	670
25	53	TWEDE2553	670
8	65	TWEDE865	570
15	65	TWEDE1565	670
19	65	TWEDE1965	670
25	65	TWEDE2565	670

D	W	MODEL NUMBER	PRICE 8'	PRICE 10'	PRICE 12'
8	53	TWEDP853	1230	1290	1340
15	53	TWEDP1553	1340	1390	1440
19	53	TWEDP1953	1340	1390	1440
25	53	TWEDP2553	1340	1390	1440
8	65	TWEDP865	1230	1290	1340
15	65	TWEDP1565	1340	1390	1440
19	65	TWEDP1965	1340	1390	1440
25	65	TWEDP2565	1340	1390	1440

Tonic End Segment

Truss Under



Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350)


Notes

- Truss Over and Truss Over/Under may be specified to have the worksurface laminate continue throughout the storage surface or match the case finish

D	W	H	MODEL NUMBER	PRICE
15	53	15	TWEDU1553	1230
15	65	15	TWEDU1565	1340


Tonic End Segment

Truss Over/Under



D	W	H	MODEL NUMBER	PRICE
15	53	15	TWEDOU1553	1950
15	65	15	TWEDOU1565	2160


Tonic Power Infeed



TYPE	L	MODEL NUMBER	PRICE
Hardwire	72	WAPI-H-72	170
Hardwire	144	WAPI-H-144	250
New York	18	WAPI-NY-18	455
San Francisco	72	WAPI-SF-72	305
San Francisco	144	WAPI-SF-144	465
Single Circuit	73	WAPI-SGL-73	20

Dual-sided Power Raceway


Starter



D	W	MODEL NUMBER	PRICE 2 DUPLEX	PRICE 4 DUPLEX
15	45	TPRDS45	520	880
15	60	TPRDS60	620	980
15	75	TPRDS75	720	1080
15	90	TPRDS90	820	1180

Dual-sided Power Raceway


Adder



D	W	MODEL NUMBER	PRICE 2 DUPLEX	PRICE 4 DUPLEX
15	45	TPRDA45	620	980
15	60	TPRDA60	720	1080
15	75	TPRDA75	820	1180
15	90	TPRDA90	930	1290


Dual-sided Power Raceway

Adder, Short Jumper




D	W	MODEL NUMBER	PRICE 2 DUPLEX
15	45	TPRDE45	620
15	60	TPRDE60	720
15	75	TPRDE75	820
15	90	TPRDE90	930

Chicago Platform




D	W	MODEL NUMBER	PRICE
15	45	TPRDC45	130
15	60	TPRDC60	160
15	75	TPRDC75	180
15	90	TPRDC90	210

Dual-sided Flat Infill Cut-outs



Dual-sided Infill Components


Flat Infill



WIDTH	Power Cut-outs			Monitor Mount Configuration		
	(0) NO CUT-OUTS	(2) DUPLEXES PER USER	(4) DUPLEXES PER USER	NO MOUNT (N)	SINGLE MOUNT (M)	DUAL MOUNT (H)
15	●	—	—	●	—	—
30	●	\$150 upcharge	—	●	\$150 upcharge	—
45	●	\$150 upcharge	\$300 upcharge	●	\$150 upcharge	—
60	●	\$150 upcharge	\$300 upcharge	●	\$150 upcharge	—
75	●	\$150 upcharge	\$300 upcharge	●	\$150 upcharge	—
90	●	\$150 upcharge	\$300 upcharge	●	\$150 upcharge	\$300 upcharge

D	W	MODEL NUMBER	PRICE
15	15	TWIDF1515	100
15	30	TWIDF1530	120
15	45	TWIDF1545	140
15	60	TWIDF1560	160
15	75	TWIDF1575	180
15	90	TWIDF1590	200


Dual-sided Fabric/Acrylic Screen Infill Cut-outs



WIDTH	Power Cut-outs			Monitor Mount Configuration		
	(0) NO CUT-OUTS	(2) DUPLEXES PER USER	(4) DUPLEXES PER USER	NO MOUNT (N)	SINGLE MOUNT (M)	DUAL MOUNT (H)
30	●	\$150 upcharge	—	●	\$150 upcharge	—
45	●	\$150 upcharge	\$300 upcharge	●	\$150 upcharge	—
60	●	\$150 upcharge	\$300 upcharge	●	\$150 upcharge	—
75	●	\$150 upcharge	\$300 upcharge	●	\$150 upcharge	—
90	●	\$150 upcharge	\$300 upcharge	●	\$150 upcharge	\$300 upcharge

Dual-sided Infill Components


Fabric Screen



D	W	MODEL NUMBER	PRICE 9"H	PRICE 14"H
15	30	TWIDS1530	490	590
15	45	TWIDS1545	570	670
15	60	TWIDS1560	650	750
15	75	TWIDS1575	720	920
15	90	TWIDS1590	800	1000


Dual-sided Infill Components

Acrylic Screen




D	W	MODEL NUMBER	PRICE 9"H	PRICE 14"H
15	30	TWIDA1530	410	660
15	45	TWIDA1545	520	670
15	60	TWIDA1560	620	770
15	75	TWIDA1575	920	1020
15	90	TWIDA1590	820	1120

Dual-sided Pallet Infill Cut-outs



Dual-sided Infill Components


Pallet



WIDTH	Power Cut-outs			Monitor Mount Configuration		
	(0) NO CUT-OUTS	(2) DUPLEXES PER USER	(4) DUPLEXES PER USER	(N) NO MOUNT	(M) SINGLE MOUNT	(H) DUAL MOUNT
30	●	\$150 upcharge	—	●	●	—
45	●	\$150 upcharge	\$300 upcharge	●	●	—
60	●	\$150 upcharge	\$300 upcharge	●	●	—
75	●	\$150 upcharge	\$300 upcharge	●	●	—
90	●	\$150 upcharge	\$300 upcharge	●	—	●


D	W	H	MODEL NUMBER	PRICE
15	30	6.25	TWIDP1530	410
15	45	6.25	TWIDP1545	460
15	60	6.25	TWIDP1560	500
15	75	6.25	TWIDP1575	540
15	90	6.25	TWIDP1590	580

Dual-sided Planter Infill Cut-outs



Dual-sided Infill Components

Planter Box Infill




WIDTH	Power Cut-outs			Monitor Mount Configuration		
	(0) NO CUT-OUTS	(2) DUPLEXES PER USER	(4) DUPLEXES PER USER	(N) NO MOUNT	(M) SINGLE MOUNT	(H) DUAL MOUNT
45	●	\$150 upcharge	\$300 upcharge	—	—	—
60	●	\$150 upcharge	\$300 upcharge	—	—	—
75	●	\$150 upcharge	\$300 upcharge	—	—	—
90	●	\$150 upcharge	\$300 upcharge	—	—	—

D	W	H	MODEL NUMBER	PRICE
15	45	13	TWIDB1545	820
15	60	13	TWIDB1560	850
15	75	13	TWIDB1575	870
15	90	13	TWIDB1590	1030

Tonic Infill Components

Neighborhood Light




Options & Upcharges

Infill Neighborhood Light: standard powdercoats are Frosty White and Black, all other powdercoats (+\$350)

D	W	H	MODEL NUMBER	PRICE
15	15	28	TWIDL1528	2210

Dual-sided Infill Components

Media Display




Notes

- Supports monitor up to 37" diagonal

D	W	H	MODEL NUMBER	PRICE
15	47	24	TWIDM4724	960

Tonic Infill Components


Cube Box



D	W	H	MODEL NUMBER	PRICE
15	15	15	TWIDC1515	380

Tonic Infill Components


Window Box



D	W	H	MODEL NUMBER	PRICE
15	30	15	TWIDW3015	430

Tonic Infill Components


Tool Bin



D	W	H	MODEL NUMBER	PRICE
5	12	3	TBINC051203	180

Dual-sided Infill Components


Cube Bin



D	W	H	MODEL NUMBER	PRICE
12	12	12	TBINA121212	240

Tonic Infill Components


File Bin



D	W	H	MODEL NUMBER	PRICE
4.7	12	10	TBINA071210	200

Tonic Infill Components


File Pile Bin



D	W	H	MODEL NUMBER	PRICE
4.6	12	12	TBINB041212	160

Tonic Workbench Accessories


Tonic Portable Tak Screen



D	W	H	MODEL NUMBER	PRICE
8	19	9	TGAST081909	510
8	25	9	TGAST082509	520

Tonic Workbench Accessories


Tonic Side Screen, Fabric



D	H	MODEL NUMBER	PRICE
24	24	TGATD2424	570
24	30	TGATD2430	570

Tonic Workbench Accessories

Tonic Side Screen, Acrylic




*32W x 33H Shown

D	W	H	MODEL NUMBER	PRICE	PRICE
				CLEAR -AC	FROSTED -AF
19	26	19	TGAAS1926	500	600
19	32	19	TGAAS1932	500	600
24	26	24	TGAAS2426	520	640
24	32	24	TGAAS2432	520	640
33	26	33	TGAAS3326	680	850
33	32	33	TGAAS3332	680	850

Tonic Workbench Accessories

Hanging Markerboard




Notes

- Markerboard hook/bracket is sized for either fabric (F) or PET felt (P)

W	H	MODEL NUMBER	PRICE
12	9	TGAHM	160

Tonic Technology Accessory


Power Access Lid



W	H	MODEL NUMBER	PRICE
6	8	TCIAC0608	230

Single-sided Workbench Segments

Workbench Starter




Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

D	W	H	MODEL NUMBER	PRICE 24	PRICE 42
28	45	29.5, 42	TWBSS2845	1440	1540
28	60	29.5, 42	TWBSS2860	1700	1800
28	75	29.5, 42	TWBSS2875	1950	2050
28	90	29.5, 42	TWBSS2890	2210	2310
34	45	29.5, 42	TWBSS3445	1490	1590
34	60	29.5, 42	TWBSS3460	1750	1850
34	75	29.5, 42	TWBSS3475	2000	2110
34	90	29.5, 42	TWBSS3490	2260	2360

Single-sided Workbench Segments

Adder




Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

D	W	H	MODEL NUMBER	PRICE 24	PRICE 42
28	45	29.5, 42	TWBSA2845	1440	1540
28	60	29.5, 42	TWBSA2860	1700	1800
28	75	29.5, 42	TWBSA2875	1950	2050
28	90	29.5, 42	TWBSA2890	2210	2310
34	45	29.5, 42	TWBSA3445	1490	1590
34	60	29.5, 42	TWBSA3460	1750	1850
34	75	29.5, 42	TWBSA3475	2000	2110
34	90	29.5, 42	TWBSA3490	2260	2360

Single-sided Workbench Segments


Single-sided End Yoke L,R



D	H	MODEL NUMBER	PRICE 24	PRICE 42
28	29.5, 42	TWBSE28	450	550
34	29.5, 42	TWBSE34	450	550

Single-sided End Segment

Wall End



Note: Unit is handed.
Select L, R when specifying.

Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

D	W	MODEL NUMBER	PRICE
4	28	TWESW428	410
4	34	TWESW434	410

Single-sided End Segment

Aisle End




Note: Unit is handed.
Select L, R when specifying.

Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

D	W	MODEL NUMBER	PRICE
4	28	TWESA428	520
4	34	TWESA434	520

Single-sided Extension End



Note: Unit is handed.
Select L, R when specifying.


Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

D	H	MODEL NUMBER	PRICE
8	28	TWESE828	520
15	28	TWESE1528	520
19	28	TWESE1928	520
25	28	TWESE2528	520
8	34	TWESE834	520
15	34	TWESE1534	520
19	34	TWESE1934	520
25	34	TWESE2534	520

Single-sided Extension End

Extension End with Power Pole




Note: Unit is handed.
Select L, R when specifying.

Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

D	W	MODEL NUMBER	PRICE 8'	PRICE 10'	PRICE 12'
8	28	TWESP828	1180	1230	1290
15	28	TWESP1528	1180	1230	1290
19	28	TWESP1928	1180	1230	1290
25	28	TWESP2528	1180	1230	1290
8	34	TWESP834	1180	1230	1290
15	34	TWESP1534	1180	1230	1290
19	34	TWESP1934	1180	1230	1290
25	34	TWESP2534	1180	1230	1290


Tonic Power Infeed



TYPE	L	MODEL NUMBER	PRICE
Hardwire	72	TGAPI-H-72	250
Hardwire	144	TGAPI-H-180	430
New York	18	TGAPI-NY-22	285
San Francisco	72	TGAPI-SF-72	405
San Francisco	144	TGAPI-SF-180	520
Single Circuit	73	WAPI-SGL-73	20

Single-sided Power Raceway


Starter (2 Duplexes Per User shown)



D	W	MODEL NUMBER	PRICE 2 DUPLEX	PRICE 4 DUPLEX
9	45	TPRSS45	470	820
9	60	TPRSS60	470	820
9	75	TPRSS75	520	880
9	90	TPRSS90	570	930


Single-sided Power Raceway

Adder (2 Duplexes Per User shown)




D	W	MODEL NUMBER	PRICE 2 DUPLEX	PRICE 4 DUPLEX
15	45	TPRSA45	620	980
15	60	TPRSA60	720	1080
15	75	TPRSA75	820	1180
15	90	TPRSA90	930	1290

Chicago Platform




D	W	MODEL NUMBER	PRICE
15	45	TPRDC45	130
15	60	TPRDC60	160
15	75	TPRDC75	180
15	90	TPRDC90	210

Single-sided Flat Infill Cut-outs



Single-sided Infill Components


Flat Infill



WIDTH	Power Cut-outs			Monitor Mount Configuration		
	(0) NO CUT-OUTS	(2) DUPLEXES PER USER	(4) DUPLEXES PER USER	NO MOUNT (N)	SINGLE MOUNT (M)	DUAL MOUNT (H)
15	●	—	—	●	—	—
30	●	\$75 upcharge	—	●	\$150 upcharge	—
45	●	\$75 upcharge	\$150 upcharge	●	\$150 upcharge	—
60	●	\$75 upcharge	\$150 upcharge	●	\$150 upcharge	—
75	●	\$75 upcharge	\$150 upcharge	●	\$150 upcharge	—
90	●	\$75 upcharge	\$150 upcharge	●	\$75 upcharge	\$150 upcharge

D	W	MODEL NUMBER	PRICE
9	15	TWISF915	100
9	30	TWISF930	120
9	45	TWISF945	140
9	60	TWISF960	160
9	75	TWISF975	180
9	90	TWISF990	200


Single-sided Fabric/Acrylic Screen Infill Cut-outs



WIDTH	Power Cut-outs			Monitor Mount Configuration		
	(0) NO CUT-OUTS	(2) DUPLEXES PER USER	(4) DUPLEXES PER USER	NO MOUNT (N)	SINGLE MOUNT (M)	DUAL MOUNT (H)
30	●	\$75 upcharge	—	●	\$150 upcharge	—
45	●	\$75 upcharge	\$150 upcharge	●	\$150 upcharge	—
60	●	\$75 upcharge	\$150 upcharge	●	\$150 upcharge	—
75	●	\$75 upcharge	\$150 upcharge	●	\$150 upcharge	—
90	●	\$75 upcharge	\$150 upcharge	●	\$150 upcharge	\$150 upcharge

Single-sided Infill Components


Fabric Screen



D	W	MODEL NUMBER	PRICE 9H	PRICE 14H
9	30	TWISS930	490	590
9	45	TWISS945	570	670
9	60	TWISS960	650	750
9	75	TWISS975	720	920
9	90	TWISS990	800	1000


Single-sided Infill Components

Acrylic Screen



D	W	MODEL NUMBER	PRICE 9H	PRICE 14H
9	30	TWISA930	410	560
9	45	TWISA945	520	670
9	60	TWISA960	620	770
9	75	TWISA975	720	1020
9	90	TWISA990	820	1120


Single-sided Pallet Infill Cut-outs



WIDTH	Power Cut-outs			Monitor Mount Configuration		
	(0) NO CUT-OUTS	(2) DUPLEXES PER USER	(4) DUPLEXES PER USER	NO MOUNT (N)	SINGLE MOUNT (M)	DUAL MOUNT (H)
30	●	●	—	●	●	—
45	●	●	●	●	●	—
60	●	●	●	●	●	—
75	●	●	●	●	●	—
90	●	●	●	●	—	●

Single-sided Infill Components


Pallet



D	W	H	MODEL NUMBER	PRICE
9	30	6.25	TWISP930	410
9	45	6.25	TWISP945	460
9	60	6.25	TWISP960	500
9	75	6.25	TWISP975	540
9	90	6.25	TWISP990	580

Tonic Work Table

One-piece Top



Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)


Infeed: +\$200

Cutout for Work Table Accessories: +\$55

D	W	MODEL NUMBER	PRICE 29.5	PRICE 42
48	90	TWTD4890	4620	4720
60	90	TWTD6090	4620	4720

Tonic Work Table

Two-piece Top



Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)


Infeed: +\$200

Cutout for Work Table Accessories: +\$55

D	W	MODEL NUMBER	PRICE 29.5	PRICE 42
48	120	TWTD48120	5130	5230
60	120	TWTD60120	5130	5230

Work Table Accessories

Table-mounted Fabric Screen




Notes

- 42"W screen is compatible with the 90"W Work table
- 75"W screen is compatible with the 120"W work table

W	MODEL NUMBER	PRICE 9"H	PRICE 14"H
45	TWTDS45	360	470
75	TWTDS75	470	570

Work Table Accessories

Planter Box




Notes

- 42"W planter box is compatible with the 90"W Work table
- 75"W planter box is compatible with the 120"W work table

D	W	H	MODEL NUMBER	LIST
5.2	42	13	TWTD42	700
5.2	72	13	TWTD72	700

Work Table Accessories

Neighborhood Light




Options & Upcharges

Infill Neighborhood Light: standard powdercoats are Frosty White and Black, all other powdercoats +\$350

H	MODEL NUMBER	PRICE
28	FLAN1628	2190

Conference

One-piece Top



Options & Upcharges

Power & Tech: See page 46-47 for standard meeting, conference table power options

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)


Optional Cable Tray: +\$200

D	W	MODEL NUMBER	PRICE 29.5	PRICE 36	PRICE 42
48	84	TCT4884	2530	2630	2730
48	96	TCT4896	2550	2650	2750
54	84	TCT5484	3140	3240	3350

D	W	MODEL NUMBER	PRICE 29.5	PRICE 36	PRICE 42
54	96	TCT5496	3160	3260	3370
60	84	TCT6084	3140	3240	3350
60	96	TCT6096	3160	3260	3370

Conference

Two-piece Top



Options & Upcharges

Power & Tech: See page 46-47 for standard meeting, conference table power options

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)


Optional Cable Tray: +\$400

D	W	MODEL NUMBER	PRICE 29.5	PRICE 36	PRICE 42
48	108	TCT48108	4300	4450	4610
48	120	TCT48120	4330	4480	4640
48	132	TCT48132	4350	4500	4660
48	144	TCT48144	4380	4540	4690
48	156	TCT48156	4530	4680	4830
48	168	TCT48168	4560	4710	4860
48	180	TCT48180	4580	4730	4880
48	192	TCT48192	4610	4760	4910
54	108	TCT54108	4300	4450	4610
54	120	TCT54120	4330	4480	4640
54	132	TCT54132	4350	4500	4660
54	144	TCT54144	4380	4540	4690

D	W	MODEL NUMBER	PRICE 29.5	PRICE 36	PRICE 42
54	156	TCT54156	5780	5930	6080
54	168	TCT54168	5810	5960	6110
54	180	TCT54180	5840	5990	6140
54	192	TCT54192	5860	6010	6170
60	108	TCT60108	4300	4450	4610
60	120	TCT60120	4330	4480	4640
60	132	TCT60132	4360	4510	4670
60	144	TCT60144	4380	4540	4690
60	156	TCT60156	5780	5930	6080
60	168	TCT60168	5810	5960	6110
60	180	TCT60180	5840	5990	6140
60	192	TCT60192	5860	6010	6170

Conference

Three-piece Top



Options & Upcharges

Power & Tech: See page 46-47 for standard meeting, conference table power options

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)


Optional Cable Tray: +\$600

D	W	MODEL NUMBER	PRICE 29.5	PRICE 36	PRICE 42
48	216	TCT48216	6330	6530	6740
48	240	TCT48240	6550	6760	6960
48	264	TCT48264	6620	6820	7030
48	288	TCT48288	6670	6870	7080
54	216	TCT54216	6340	6540	6750
54	240	TCT54240	8450	8660	8860

D	W	MODEL NUMBER	PRICE 29.5	PRICE 36	PRICE 42
54	264	TCT54264	8500	8710	8910
54	288	TCT54288	8980	9190	9390
60	216	TCT60216	6340	6540	6750
60	240	TCT60240	8450	8660	8860
60	264	TCT60264	8510	8720	8920
60	288	TCT60288	8980	9190	9390

Tonic Table

Rectangle



Options & Upcharges


Power & Tech: See page 46-47 for standard meeting, conference table power options

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)

D	W	H	MODEL NUMBER	PRICE
36	48	29.5	TTRE3648	1440
36	60	29.5	TTRE3660	1700
36	72	29.5	TTRE3672	1700
48	48	29.5	TTRE4848	1490
48	60	29.5	TTRE4860	1700
48	72	29.5	TTRE4872	1700
60	60	29.5	TTRE6060	1700

Tonic Simple Table

Round



Options & Upcharges

Power & Tech: See page 46-47 for standard meeting, conference table power options

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)


Notes

- Supports monitor up to 42" diagonal

D	W	H	MODEL NUMBER	PRICE
48	48	29.5	TTR04848	1490
60	60	29.5	TTR06060	1700

Tonic Simple Table

Rotating Round



Options & Upcharges

Edge Profiles: 90 (+\$150) / 90 Trim / 90 Ply (+\$350) / Knife (+\$150) / Knife Trim (+\$150) / Knife Ply (+\$350) / Round Under (+\$150) / Round Under Ply (+\$350)


Notes

- Not compatible with power units
- Only available in Whiteboard Laminate Finish

D	W	H	MODEL NUMBER	PRICE
48	48	29.5	TTRR4848	2110
60	60	29.5	TTRR6060	2620

Accessories

Cable Channel




Notes

- Can be used on any leg in the Tonic product family.
- Actual dimension is 10.25" less than the specified height.
- Tonic Tables (always 29.5") use the 36" cable channel.

MODEL NUMBER	PRICE	PRICE	PRICE
	29.5	36	42
TBLCH	165	185	200

Accessories

Cable Tower




Notes

- Adjustable up to 8".

D	W	H	MODEL NUMBER	PRICE
4	7	29	WCT4729	820
4	7	36	WCT4736	820
4	7	42	WCT4742	820
7	7	29	WCT7729	950
7	7	36	WCT7736	950
7	7	42	WCT7742	950
5	12	29	WCTP51229	1090
5	12	36	WCTP51236	1090
5	12	42	WCTP51242	1090

Accessories

Monitor Mount



Notes


- Compatible with rectangular Tonic Tables and Conference tables.

Options & Upcharges

Power & Tech: Integrated convenience power (4 outlets total) +\$250

MODEL NUMBER	PRICE
FLAV	1030

In-Surface Dual-Hinge Power Units




Single Unit

Double Unit: XL


POWER/DATA	MODEL NUMBER	LIST
FULL: 3 pwr, USB A+C, 1 HDMI, 1 CAT6 / 144" cord	WATF	1540
Full Chicago: 3 pwr, USB A+C, 1 HDMI, 1 CAT6 / 108" cord	WATC	1540
BASIC: Power Strip 4 pwr, 1 HDMI, 1 CAT6, 10' Cord	WATS	1210
OPEN: 1 HDMI, 1 CAT6	WATO	1020
XL Full : 6 pwr, 2 USB A+C, 1 HDMI, 1 CAT6 / 144" cord	WATXLF	2590
XL Full Chicago: 6 pwr, 2 USB A+C, 1 HDMI, 1 CAT6 / 108" cord	WATXLC	2590
XL Open: 1 HDMI, 1 CAT6	WATXLO	1540

Byrne E2X Drop-In Power Units



E2X - 3-port per side

E2X - 5-port per side



E2X - 8-port per side

Options & Upcharges


Power Connection Options: Plug-in / Hardwire +\$200/ Chicago

Notes

- All Byrne drop-in power units require surface cutout (+\$55)
- Finishes: Silver/Black, Silver/White, no upcharge. Black/Black (+\$420)


POWER/DATA	MODEL NUMBER	LIST
3-port per side: 2 PWR, 1 USB A+C per side	WPAE2X2P1D	1460
3-port per side: 2 PWR, 1 Open per side	WPAE2X2P10	1165
5-port per side: 3 PWR, 1 USB A+C, 1 Open per side	WPAE2X3P1D10	1565
5-port per side: 3 PWR, 2 Open per side	WPAE2X3P20	1280
8-port per side: 5 PWR, 1 USB A+C, 2 Open per side	WPAE2X5P1D20	1945
8-port: 5 PWR, 3 Open per side	WPAE2X5P30	1650

Byrne Ellora Drop-In Power Units



Ellora - 3-port

Ellora - 5-port



Ellora - 8-port

Ellora Qi

Options & Upcharges


Power Connection Options: Plug-in / Hardwire (+\$100)/ Chicago

Notes


- All Byrne drop-in power units require surface cutout (+\$55)
- Finishes: Silver/Black, Silver/White, no upcharge. Black/Black (+\$120)
- Units with Qi Charging require \$150 upcharge for Black

POWER/DATA	MODEL NUMBER	LIST
3-port: 2 PWR, 1 Open	WPAE2P10	685
5-port: 3 PWR, 1 USB A+C, 1 Open	WPAE3P1D10	850
5-port: 3 PWR, 2 Open	WPAE3P20	715
8-port: 5 PWR, 1 USB A+C, 2 Open	WPAE5P1D20	1460
8-port: 5 PWR, 3 Open	WPAE5P30	1315
Qi: 3 PWR, 1 USB A+C, 3 Qi coils	WPAEQ3P1D	1405
Qi: 3 PWR, 1 Open, 3 Qi coils	WPAEQ3P10	1280

Byrne MhoB Drop-In Power Units



MhoB - 3-port



MhoB - 5-port

Options & Upcharges


Power Connection Options: Plug-in / Hardwire (+\$100)/ Chicago
Finish: Black/Black (+\$120)

Notes

- All Byrne drop-in power units require surface cutout (+\$55)


POWER/DATA	MODEL NUMBER	LIST
3-port: 2 PWR, 1 Open	WPAM2P10	495
3-port: 2 PWR, 1 USB A+C	WPAM2P1D	610
5-port: 3 PWR, 2 Open	WPAM3P20	525
5-port: 3 PWR, 2 USB A+C	WPAM3P2D	800

Trolley




D	W	H	MODEL NUMBER	PRICE
30	12	21	TTP301221	1090
30	15	21	TTP301521	1150

Trolley w/ Cushion



D	W	H	MODEL NUMBER	PRICE
30	12	21	TTP301221-P	1220
30	15	21	TTP301521-P	1290

Stash



D	W	H	MODEL NUMBER	PRICE
9	22	20	TTS092220	590